

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102224\
 Data File : BF139947.D
 Acq On : 23 Oct 2024 00:11
 Operator : RC/JU
 Sample : P4385-12
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP-6

Quant Time: Oct 23 01:15:12 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 15:07:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	114279	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	384129	20.000	ng	0.00
39) Acenaphthene-d10	9.927	164	173441	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	309030	20.000	ng	0.00
76) Chrysene-d12	14.051	240	295313	20.000	ng	0.00
86) Perylene-d12	15.527	264	215288	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	688420	94.305	ng	0.00
7) Phenol-d6	6.504	99	816896	86.402	ng	0.00
23) Nitrobenzene-d5	7.445	82	509749	73.549	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	170666	105.199	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	848203	80.824	ng	0.00
79) Terphenyl-d14	12.998	244	1040925	57.436	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.445	70	68148	11.885	ng	# 78
25) Isophorone	7.445	82	508137	38.628	ng	# 67
51) 2,6-Dinitrotoluene	9.927	165	21901	9.363	ng	# 21
57) 2,4-Dinitrotoluene	9.927	165	21901	7.614	ng	# 21
63) Azobenzene	10.633	77	27131	2.413	ng	# 1
67) 4-Bromophenyl-phenylether	10.710	248	10841	3.405	ng	# 1
77) Benzidine	12.998	184	13421	2.764	ng	# 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102224\
Data File : BF139947.D
Acq On : 23 Oct 2024 00:11
Operator : RC/JU
Sample : P4385-12
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP-6

Quant Time: Oct 23 01:15:12 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 15:07:50 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 816
Delta R.T. 0.000 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11




Instrument :
BNA_F
ClientSampleId :
SP-6


Tgt Ion:152 Resp: 114279
Ion Ratio Lower Upper
152 100
150 156.3 130.2 195.2
115 61.1 51.4 77.2



#5
2-Fluorophenol
Concen: 94.305 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.006 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11

Tgt Ion:112 Resp: 688420
Ion Ratio Lower Upper
112 100
64 64.2 53.0 79.6
63 32.8 27.0 40.4









#7
Phenol-d6
Concen: 86.402 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11




Instrument :
BNA_F
ClientSampleId :
SP-6


Tgt Ion: 99 Resp: 816896
Ion Ratio Lower Upper
99 100
42 19.7 16.7 25.1
71 34.3 27.7 41.5



#19
n-Nitroso-di-n-propylamine
Concen: 11.885 ng
RT: 7.445 min Scan# 910
Delta R.T. 0.141 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11

Tgt Ion: 70 Resp: 68148
Ion Ratio Lower Upper
70 100
42 51.3 51.5 77.3#
101 0.0 7.5 11.3#
130 2.1 15.5 23.3#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 10
Delta R.T. -0.006 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11

Instrument :
BNA_F
ClientSampleId :
SP-6

Tgt Ion:136 Resp: 384129




Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	12.8
54	9.6	8.4	12.6
68	6.4	5.1	7.7




#23
Nitrobenzene-d5
Concen: 73.549 ng
RT: 7.445 min Scan# 910
Delta R.T. -0.006 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11

Tgt Ion: 82 Resp: 509749

Ion	Ratio	Lower	Upper
82	100		
128	42.7	33.4	50.0
54	57.5	47.8	71.8









#25
Isophorone
Concen: 38.628 ng
RT: 7.445 min Scan# 910
Delta R.T. -0.265 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11




Instrument :
BNA_F
ClientSampleId :
SP-6


Tgt Ion: 82 Resp: 508137
Ion Ratio Lower Upper
82 100
95 0.0 5.5 8.3#
138 0.0 13.2 19.8#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.927 min Scan# 1332
Delta R.T. 0.000 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11

Tgt Ion: 164 Resp: 173441
Ion Ratio Lower Upper
164 100
162 100.8 81.0 121.4
160 43.4 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 105.199 ng
RT: 10.710 min Scan# 1466
Delta R.T. -0.006 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11




Instrument :
BNA_F
ClientSampleId :
SP-6


Tgt Ion:330 Resp: 170666
Ion Ratio Lower Upper
330 100
332 97.2 78.1 117.1
141 30.3 26.6 39.8



#45
2-Fluorobiphenyl
Concen: 80.824 ng
RT: 9.245 min Scan# 1216
Delta R.T. -0.006 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11

Tgt Ion:172 Resp: 848203
Ion Ratio Lower Upper
172 100
171 35.3 28.6 43.0
170 23.5 19.1 28.7









#51
2,6-Dinitrotoluene
Concen: 9.363 ng
RT: 9.927 min Scan# 11
Delta R.T. 0.218 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11




Instrument :
BNA_F
ClientSampleId :
SP-6


Tgt Ion:165 Resp: 21901
Ion Ratio Lower Upper
165 100
63 1.3 50.6 75.8#
89 1.2 47.5 71.3#



#57
2,4-Dinitrotoluene
Concen: 7.614 ng
RT: 9.927 min Scan# 1332
Delta R.T. -0.182 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11

Tgt Ion:165 Resp: 21901
Ion Ratio Lower Upper
165 100
63 1.3 40.1 60.1#
89 1.2 60.4 90.6#
182 0.0 2.0 3.0#





#63

Azobenzene

Concen: 2.413 ng

RT: 10.633 min Scan# 1451

Delta R.T. 0.006 min

Lab File: BF139947.D

Acq: 23 Oct 2024 00:11

Instrument :

BNA_F

ClientSampleId :

SP-6

Tgt Ion: 77 Resp: 27131





Ion Ratio Lower Upper

77 100

182 76.9 3.3 43.3#

105 154.3 1.2 41.2#

51 42.6 13.3 53.3



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.410 min Scan# 1584

Delta R.T. -0.006 min

Lab File: BF139947.D

Acq: 23 Oct 2024 00:11




Tgt Ion:188 Resp: 309030


Ion Ratio Lower Upper

188 100

94 9.9 7.9 11.9

80 10.4 9.0 13.4









#67
4-Bromophenyl-phenylether
Concen: 3.405 ng
RT: 10.710 min Scan# 14
Delta R.T. -0.247 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11




Instrument :
BNA_F
ClientSampleId :
SP-6


Tgt Ion:248 Resp: 10841
Ion Ratio Lower Upper
248 100
250 197.5 79.0 118.6#
141 468.7 61.7 92.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2033
Delta R.T. 0.000 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11

Tgt Ion:240 Resp: 295313
Ion Ratio Lower Upper
240 100
120 10.6 9.4 14.2
236 26.6 20.9 31.3









#77
Benzidine
Concen: 2.764 ng
RT: 12.998 min Scan# 1854
Delta R.T. 0.253 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11




Instrument :
BNA_F
ClientSampleId :
SP-6


Tgt Ion:184 Resp: 13421
Ion Ratio Lower Upper
184 100
185 16.7 12.0 18.0
183 6.4 9.4 14.2#



#79
Terphenyl-d14
Concen: 57.436 ng
RT: 12.998 min Scan# 1854
Delta R.T. 0.000 min
Lab File: BF139947.D
Acq: 23 Oct 2024 00:11


Tgt Ion:244 Resp: 1040925
Ion Ratio Lower Upper
244 100
212 6.5 5.7 8.5
122 10.2 8.6 13.0





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.527 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BF139947.D
 Acq: 23 Oct 2024 00:11

Instrument :
 BNA_F
 ClientSampleId :
 SP-6



Tgt Ion:	264	Resp:	215288
Ion Ratio	Lower	Upper	
264	100		
260	24.4	19.4	29.2
265	21.5	17.4	26.0

