

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102320\
 Data File : BF122102.D
 Acq On : 23 Oct 2020 16:48
 Operator : JU/CG
 Sample : L4436-11 4X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 37B

Manual Integrations
 APPROVED

mohammad
 10/26/2020 10:35:14 AM

Quant Time: Oct 23 17:15:47 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 21 12:04:42 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.722	152	98379	20.00	ng	0.00
21) Naphthalene-d8	8.010	136	396187	20.00	ng	0.00
39) Acenaphthene-d10	9.757	164	193573	20.00	ng	0.00
64) Phenanthrene-d10	11.245	188	327559	20.00	ng	0.00
76) Chrysene-d12	13.892	240	244317	20.00	ng	0.00
86) Perylene-d12	15.327	264	236340	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.345	112	150947	22.65	ng	0.00
7) Phenol-d6	6.375	99	189146	22.04	ng	0.00
23) Nitrobenzene-d5	7.292	82	126971	16.44	ng	-0.01
42) 2,4,6-Tribromophenol	10.557	330	31246	13.05	ng	0.00
45) 2-Fluorobiphenyl	9.080	172	194867	14.81	ng	0.00
79) Terphenyl-d14	12.827	244	140982	11.00	ng	0.00
Target Compounds						Qvalue
71) Phenanthrene	11.269	178	74465	4.15	ng	98
75) Fluoranthene	12.463	202	122013	6.34	ng	98
78) Pyrene	12.692	202	112039	6.02	ng	98
81) Benzo(a)anthracene	13.880	228	55360	3.46	ng	98
83) Chrysene	13.915	228	46377	2.95	ng	98
88) Benzo(b)fluoranthene	14.921	252	55142m	3.45	ng	
90) Benzo(a)pyrene	15.268	252	41991	3.04	ng	# 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102320\
Data File : BF122102.D
Acq On : 23 Oct 2020 16:48
Operator : JU/CG
Sample : L4436-11 4X
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
37B

Manual Integrations
APPROVED

mohammad
10/26/2020 10:35:14 AM

Quant Time: Oct 23 17:15:47 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 21 12:04:42 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.722 min Scan# 788
Delta R.T. -0.006 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48

Tgt Ion:152 Resp: 98379
Ion Ratio Lower Upper
152 100
150 162.2 125.3 187.9
115 65.0 51.9 77.9

Instrument :
BNA_F
ClientSampled :
37B




Manual Integrations
APPROVED

mohammad
10/26/2020 10:35:14 AM



#5
2-Fluorophenol
Concen: 22.65 ng
RT: 5.345 min Scan# 554
Delta R.T. -0.000 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48

Tgt Ion:112 Resp: 150947
Ion Ratio Lower Upper
112 100
64 62.3 50.4 75.6
63 31.9 25.8 38.6









#7
Phenol-d6
Concen: 22.04 ng
RT: 6.375 min Scan# 729
Delta R.T. -0.006 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48

Tgt Ion: 99 Resp: 189146
Ion Ratio Lower Upper
99 100
42 21.0 15.9 23.9
71 34.8 27.1 40.7

Instrument :
BNA_F
ClientSampled :
37B




Manual Integrations
APPROVED

mohammad
10/26/2020 10:35:14 AM



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.010 min Scan# 1007
Delta R.T. -0.000 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48

Tgt Ion: 136 Resp: 396187
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 8.7 7.1 10.7
68 6.0 5.0 7.4





#23
Nitrobenzene-d5
Concen: 16.44 ng
RT: 7.292 min Scan# 885
Delta R.T. -0.012 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48





Tgt Ion: 82 Resp: 126971

Ion	Ratio	Lower	Upper
82	100		
128	41.1	35.0	52.4
54	54.1	43.9	65.9

Instrument :
BNA_F
ClientSampled :
37B

Manual Integrations
APPROVED




mohammad
10/26/2020 10:35:14 AM



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.757 min Scan# 1304
Delta R.T. -0.006 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48


Tgt Ion:164 Resp: 193573

Ion	Ratio	Lower	Upper
164	100		
162	102.7	83.2	124.8
160	45.9	37.5	56.3







#42
2,4,6-Tribromophenol
Concen: 13.05 ng
RT: 10.557 min Scan# 1440
Delta R.T. -0.000 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Tgt Ion: 330 Resp: 31246
Ion Ratio Lower Upper
330 100
332 92.7 77.3 115.9
141 32.8 22.3 33.5




Instrument :
BNA_F
ClientSampled :
37B

Manual Integrations
APPROVED



mohammad
10/26/2020 10:35:14 AM



#45
2-Fluorobiphenyl
Concen: 14.81 ng
RT: 9.080 min Scan# 1189
Delta R.T. -0.006 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Tgt Ion: 172 Resp: 194867
Ion Ratio Lower Upper
172 100
171 34.5 29.1 43.7
170 23.3 19.8 29.6





#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.245 min Scan# 1557
Delta R.T. -0.000 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Instrument :
BNA_F
ClientSampled :
37B




Tgt Ion:188 Resp: 327559
Ion Ratio Lower Upper
188 100
94 10.6 8.3 12.5
80 11.2 9.1 13.7

Manual Integrations
APPROVED



mohammad
10/26/2020 10:35:14 AM




#71
Phenanthrene
Concen: 4.15 ng
RT: 11.269 min Scan# 1561
Delta R.T. -0.006 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Tgt Ion:178 Resp: 74465
Ion Ratio Lower Upper
178 100
176 18.5 15.9 23.9
179 15.2 12.2 18.4





#75
Fluoranthene
Concen: 6.34 ng
RT: 12.463 min Scan# 1764
Delta R.T. -0.000 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Instrument :
BNA_F
ClientSampled :
37B




Tgt Ion:202 Resp: 122013
Ion Ratio Lower Upper
202 100
101 11.6 0.0 33.4
203 17.6 0.0 37.9

Manual Integrations
APPROVED



mohammad
10/26/2020 10:35:14 AM




#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.892 min Scan# 2007
Delta R.T. 0.006 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Tgt Ion:240 Resp: 244317
Ion Ratio Lower Upper
240 100
120 10.7 9.2 13.8
236 25.7 20.9 31.3





#78
Pyrene
Concen: 6.02 ng
RT: 12.692 min Scan# 1803
Delta R.T. 0.006 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Instrument :
BNA_F
ClientSampled :
37B




Tgt Ion:202 Resp: 112039
Ion Ratio Lower Upper
202 100
200 21.1 17.4 26.2
203 16.9 14.6 21.8

Manual Integrations
APPROVED



mohammad
10/26/2020 10:35:14 AM




#79
Terphenyl-d14
Concen: 11.00 ng
RT: 12.827 min Scan# 1826
Delta R.T. -0.006 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Tgt Ion:244 Resp: 140982
Ion Ratio Lower Upper
244 100
212 7.0 5.4 8.2
122 10.9 8.1 12.1









#81
Benzo(a)anthracene
Concen: 3.46 ng
RT: 13.880 min Scan# 2005
Delta R.T. -0.000 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48





Tgt Ion:228 Resp: 55360
Ion Ratio Lower Upper
228 100
226 27.4 22.3 33.5
229 21.5 16.2 24.4



#83
Chrysene
Concen: 2.95 ng
RT: 13.915 min Scan# 2011
Delta R.T. -0.000 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Tgt Ion:228 Resp: 46377
Ion Ratio Lower Upper
228 100
226 30.1 24.6 37.0
229 21.4 15.9 23.9




Instrument :
BNA_F
ClientSampleId :
37B

Manual Integrations
APPROVED




mohammad
10/26/2020 10:35:14 AM




#86
Perylene-d12
Concen: 20.00 ng
RT: 15.327 min Scan# 2251
Delta R.T. 0.012 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48





Tgt Ion:264 Resp: 236340
Ion Ratio Lower Upper
264 100
260 23.8 18.7 28.1
265 21.6 17.3 25.9



#88
Benzo(b)fluoranthene
Concen: 3.45 ng m
RT: 14.921 min Scan# 2182
Delta R.T. 0.012 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48




Tgt Ion:252 Resp: 55142
Ion Ratio Lower Upper
252 100
253 24.7 18.2 27.2
125 12.4 8.0 12.0#



Instrument :
BNA_F
ClientSampleId :
37B

Manual Integrations
APPROVED

mohammad
10/26/2020 10:35:14 AM



#90
Benzo(a)pyrene
Concen: 3.04 ng
RT: 15.268 min Scan# 2241
Delta R.T. 0.012 min
Lab File: BF122102.D
Acq: 23 Oct 2020 16:48

Tgt Ion: 252 Resp: 41991
Ion Ratio Lower Upper
252 100
253 23.8 17.3 25.9
125 13.7 8.6 13.0#

Instrument :
BNA_F
ClientSampleId :
37B

Manual Integrations
APPROVED

mohammad
10/26/2020 10:35:14 AM

