

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102320\
 Data File : BF122113.D
 Acq On : 23 Oct 2020 22:25
 Operator : JU/CG
 Sample : L4487-06 10X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 D-92

Manual Integrations
 APPROVED

mohammad
 10/26/2020 10:35:38 AM

Quant Time: Oct 23 23:38:03 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 21 12:04:42 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.722	152	101299	20.00	ng	0.00
21) Naphthalene-d8	8.010	136	420959	20.00	ng	0.00
39) Acenaphthene-d10	9.757	164	201859	20.00	ng	0.00
64) Phenanthrene-d10	11.245	188	328796	20.00	ng	0.00
76) Chrysene-d12	13.892	240	241962	20.00	ng	0.00
86) Perylene-d12	15.333	264	245877	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	4472m	0.65	ng	0.08
7) Phenol-d6	6.463	99	8229	0.93	ng	0.08
23) Nitrobenzene-d5	7.340	82	5397	0.66	ng	0.04
42) 2,4,6-Tribromophenol	10.586	330	677	0.27	ng	0.03
45) 2-Fluorobiphenyl	9.087	172	13515	0.99	ng	0.00
79) Terphenyl-d14	12.833	244	10908	0.86	ng	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102320\
Data File : BF122113.D
Acq On : 23 Oct 2020 22:25
Operator : JU/CG
Sample : L4487-06 10X
Misc :
ALS Vial : 19 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
D-92

Manual Integrations
APPROVED


mohammad
10/26/2020 10:35:38 AM

Quant Time: Oct 23 23:38:03 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 21 12:04:42 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.722 min Scan# 788
Delta R.T. -0.006 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25





Tgt Ion:152 Resp: 101299
Ion Ratio Lower Upper
152 100
150 160.9 125.3 187.9
115 67.1 51.9 77.9



#5
2-Fluorophenol
Concen: 0.65 ng m
RT: 5.428 min Scan# 568
Delta R.T. 0.082 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25




Tgt Ion:112 Resp: 4472
Ion Ratio Lower Upper
112 100
64 39.4 50.4 75.6#
63 34.4 25.8 38.6




Instrument :
BNA_F
ClientSampleId :
D-92

Manual Integrations
APPROVED




mohammad
10/26/2020 10:35:38 AM




#7
Phenol-d6
Concen: 0.93 ng
RT: 6.463 min Scan# 744
Delta R.T. 0.082 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25





Tgt Ion: 99 Resp: 8229
Ion Ratio Lower Upper
99 100
42 21.8 15.9 23.9
71 34.2 27.1 40.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.010 min Scan# 1007
Delta R.T. 0.000 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25




Tgt Ion: 136 Resp: 420959
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 8.4 7.1 10.7
68 6.0 5.0 7.4



Instrument :
BNA_F
ClientSampleId :
D-92

Manual Integrations
APPROVED

mohammad
10/26/2020 10:35:38 AM







#23
Nitrobenzene-d5
Concen: 0.66 ng
RT: 7.340 min Scan# 893
Delta R.T. 0.035 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25

Tgt Ion:	82	Resp:	5397
Ion	Ratio	Lower	Upper
82	100		
128	37.4	35.0	52.4
54	52.1	43.9	65.9

Instrument :
BNA_F
ClientSampleId :
D-92




Manual Integrations
APPROVED


mohammad
10/26/2020 10:35:38 AM



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.757 min Scan# 1304
Delta R.T. -0.006 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25

Tgt Ion:	164	Resp:	201859
Ion	Ratio	Lower	Upper
164	100		
162	103.2	83.2	124.8
160	46.8	37.5	56.3









#42
2,4,6-Tribromophenol
Concen: 0.27 ng
RT: 10.586 min Scan# 1445
Delta R.T. 0.029 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25

Tgt Ion: 330 Resp: 677
Ion Ratio Lower Upper
330 100
332 83.5 77.3 115.9
141 18.2 22.3 33.5#

Instrument :
BNA_F
ClientSampled :
D-92




Manual Integrations
APPROVED


mohammad
10/26/2020 10:35:38 AM



#45
2-Fluorobiphenyl
Concen: 0.99 ng
RT: 9.087 min Scan# 1190
Delta R.T. 0.000 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25


Tgt Ion: 172 Resp: 13515
Ion Ratio Lower Upper
172 100
171 34.4 29.1 43.7
170 23.6 19.8 29.6





#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.245 min Scan# 1557
Delta R.T. 0.000 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25




Instrument :
BNA_F
ClientSampleId :
D-92




Tgt Ion:188 Resp: 328796
Ion Ratio Lower Upper
188 100
94 10.3 8.3 12.5
80 11.8 9.1 13.7

Manual Integrations
APPROVED



mohammad
10/26/2020 10:35:38 AM




#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.892 min Scan# 2007
Delta R.T. 0.006 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25



Tgt Ion:240 Resp: 241962
Ion Ratio Lower Upper
240 100
120 10.9 9.2 13.8
236 25.9 20.9 31.3









#79
Terphenyl-d14
Concen: 0.86 ng
RT: 12.833 min Scan# 1827
Delta R.T. 0.000 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25

Tgt Ion:244 Resp: 10908
Ion Ratio Lower Upper
244 100
212 7.0 5.4 8.2
122 12.3 8.1 12.1#

Instrument :
BNA_F
ClientSampled :
D-92

Manual Integrations
APPROVED

mohammad
10/26/2020 10:35:38 AM



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.333 min Scan# 2252
Delta R.T. 0.018 min
Lab File: BF122113.D
Acq: 23 Oct 2020 22:25

Tgt Ion:264 Resp: 245877
Ion Ratio Lower Upper
264 100
260 24.1 18.7 28.1
265 20.7 17.3 25.9

