

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102517\
 Data File : BF099829.D
 Acq On : 25 Oct 2017 22:39
 Operator : SJ/JU
 Sample : I6068-05
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-02

Quant Time: Oct 26 03:56:37 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 25 17:02:52 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	82136	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	337865	20.00	ng	0.00
38) Acenaphthene-d10	9.84	164	148953	20.00	ng	0.00
63) Phenanthrene-d10	11.33	188	266349	20.00	ng	0.00
75) Chrysene-d12	13.98	240	205487	20.00	ng	0.00
86) Perylene-d12	15.46	264	174417	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	329503	62.98	ng	0.00
7) Phenol-d6	6.43	99	246999	39.82	ng	0.00
23) Nitrobenzene-d5	7.36	82	447581	85.29	ng	0.00
41) 2,4,6-Tribromophenol	10.64	330	162411	119.65	ng	0.00
44) 2-Fluorobiphenyl	9.16	172	873013	90.43	ng	0.00
78) Terphenyl-d14	12.92	244	755654	80.36	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.55	163	28980	2.457	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102517\
Data File : BF099829.D
Acq On : 25 Oct 2017 22:39
Operator : SJ/JU
Sample : I6068-05
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-02

Quant Time: Oct 26 03:56:37 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 25 17:02:52 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.79 min Scan# 800
Delta R.T. 0.00 min
Lab File: BF099829.D
Acq: 25 Oct 2017 22:39

Instrument :
BNA_F
ClientSampleId :
MW-02

Tot Ion:152 Resp: 82136
Ion Ratio Lower Upper
152 100
150 158.5 124.6 186.8
115 59.2 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 62.982 ng
RT: 5.41 min Scan# 565
Delta R.T. 0.00 min
Lab File: BF099829.D
Acq: 25 Oct 2017 22:39

Tgt Ion:112 Resp: 329503
Ion Ratio Lower Upper
112 100
64 53.6 47.9 71.9
63 24.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 39.817 ng

RT: 6.43 min Scan# 739

Delta R.T. -0.01 min

Lab File: BF099829.D

Acq: 25 Oct 2017 22:39

Instrument :

BNA_F

ClientSampleId :

MW-02


Tot Ion: 99 Resp: 246999

Ion Ratio Lower Upper

99 100

42 13.7 14.5 21.7#



71 29.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.07 min Scan# 1018

Delta R.T. -0.01 min

Lab File: BF099829.D

Acq: 25 Oct 2017 22:39

Tgt Ion: 136 Resp: 337865


Ion Ratio Lower Upper

136 100

137 11.1 8.9 13.3

54 7.4 6.6 9.8

68 5.8 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 85.287 ng
 RT: 7.36 min Scan# 897
 Delta R.T. -0.01 min
 Lab File: BF099829.D
 Acq: 25 Oct 2017 22:39

Instrument :
 BNA_F
 ClientSampled :
 MW-02

Tot Ion: 82 Resp: 447581
 Ion Ratio Lower Upper
 82 100
 128 49.7 36.1 54.1
 54 45.6 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.84 min Scan# 1318
 Delta R.T. 0.00 min
 Lab File: BF099829.D
 Acq: 25 Oct 2017 22:39

Tgt Ion:164 Resp: 148953
 Ion Ratio Lower Upper
 164 100
 162 106.1 86.1 129.1
 160 47.1 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 119.646 ng
 RT: 10.64 min Scan# 1454
 Delta R.T. 0.01 min
 Lab File: BF099829.D
 Acq: 25 Oct 2017 22:39

Instrument :
 BNA_F
 ClientSampleId :
 MW-02

Tot Ion:330 Resp: 162411
 Ion Ratio Lower Upper
 330 100
 332 96.5 77.0 115.6
 141 35.0 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 90.426 ng
 RT: 9.16 min Scan# 1202
 Delta R.T. 0.00 min
 Lab File: BF099829.D
 Acq: 25 Oct 2017 22:39

Tgt Ion:172 Resp: 873013
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.7 44.5
 170 23.6 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.457 ng

RT: 9.55 min Scan# 1269

Delta R.T. -0.01 min

Lab File: BF099829.D

Acq: 25 Oct 2017 22:39

Instrument :

BNA_F

ClientSampleId :

MW-02


Tot Ion:163 Resp: 28980

Ion Ratio Lower Upper

163 100

194 3.8 2.7 4.1




164 10.8 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.33 min Scan# 1572

Delta R.T. 0.01 min

Lab File: BF099829.D

Acq: 25 Oct 2017 22:39


Tgt Ion:188 Resp: 266349

Ion Ratio Lower Upper

188 100

94 9.0 8.5 12.7



80 9.6 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.98 min Scan# 2022
 Delta R.T. 0.00 min
 Lab File: BF099829.D
 Acq: 25 Oct 2017 22:39




Instrument :
 BNA_F
 ClientSampled :
 MW-02


Tot Ion:240 Resp: 205487
 Ion Ratio Lower Upper
 240 100
 120 15.0 9.5 14.3#
 236 24.8 20.7 31.1



#78
 Terphenyl-d14
 Concen: 80.364 ng
 RT: 12.92 min Scan# 1842
 Delta R.T. 0.01 min
 Lab File: BF099829.D
 Acq: 25 Oct 2017 22:39

Tgt Ion:244 Resp: 755654
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 12.9 11.0 16.4






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.46 min Scan# 2273
 Delta R.T. 0.01 min
 Lab File: BF099829.D
 Acq: 25 Oct 2017 22:39

Instrument :
 BNA_F
 ClientSampleId :
 MW-02

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.7	19.2	28.8
265	21.7	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

