

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102524\
 Data File : BF140027.D
 Acq On : 25 Oct 2024 10:17
 Operator : RC/JU
 Sample : PB164366BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB164366BL

Quant Time: Oct 25 11:34:57 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 15:07:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.887	152	102510	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	392578	20.000	ng	0.00
39) Acenaphthene-d10	9.928	164	223570	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	398972	20.000	ng	0.00
76) Chrysene-d12	14.051	240	252987	20.000	ng	0.00
86) Perylene-d12	15.527	264	198552	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	753329	115.045	ng	0.02
7) Phenol-d6	6.510	99	953050	112.376	ng	0.00
23) Nitrobenzene-d5	7.445	82	628583	88.742	ng	0.00
42) 2,4,6-Tribromophenol	10.716	330	285192	136.377	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1170474	86.525	ng	0.00
79) Terphenyl-d14	12.998	244	1293991	83.346	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102524\
Data File : BF140027.D
Acq On : 25 Oct 2024 10:17
Operator : RC/JU
Sample : PB164366BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB164366BL

Quant Time: Oct 25 11:34:57 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 15:07:50 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.887 min Scan# 816
Delta R.T. -0.005 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17




Instrument :
BNA_F
ClientSampleId :
PB164366BL


Tgt Ion:152 Resp: 102510
Ion Ratio Lower Upper
152 100
150 156.3 130.2 195.2
115 65.2 51.4 77.2



#5
2-Fluorophenol
Concen: 115.045 ng
RT: 5.516 min Scan# 582
Delta R.T. 0.018 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17

Tgt Ion:112 Resp: 753329
Ion Ratio Lower Upper
112 100
64 63.5 53.0 79.6
63 33.7 27.0 40.4






#7
Phenol-d6
Concen: 112.376 ng
RT: 6.510 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17

Instrument :




BNA_F

ClientSampleId :

PB164366BL







Tgt Ion: 99 Resp: 953050
Ion Ratio Lower Upper
99 100
42 20.2 16.7 25.1
71 37.9 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17

Tgt Ion: 136 Resp: 392578
Ion Ratio Lower Upper
136 100
137 11.2 8.6 12.8
54 9.4 8.4 12.6
68 5.8 5.1 7.7









#23
Nitrobenzene-d5
Concen: 88.742 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17




Instrument :
BNA_F
ClientSampleId :
PB164366BL


Tgt Ion: 82 Resp: 628583
Ion Ratio Lower Upper
82 100
128 42.6 33.4 50.0
54 57.3 47.8 71.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.928 min Scan# 1332
Delta R.T. 0.001 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17

Tgt Ion:164 Resp: 223570
Ion Ratio Lower Upper
164 100
162 99.2 81.0 121.4
160 43.4 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 136.377 ng
RT: 10.716 min Scan# 1466
Delta R.T. 0.000 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17




Instrument :
BNA_F
ClientSampleId :
PB164366BL


Tgt Ion:330 Resp: 285192
Ion Ratio Lower Upper
330 100
332 97.0 78.1 117.1
141 30.4 26.6 39.8



#45
2-Fluorobiphenyl
Concen: 86.525 ng
RT: 9.245 min Scan# 1216
Delta R.T. -0.006 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17

Tgt Ion:172 Resp: 1170474
Ion Ratio Lower Upper
172 100
171 35.5 28.6 43.0
170 23.8 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.410 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17




Instrument :
BNA_F
ClientSampleId :
PB164366BL


Tgt Ion:188 Resp: 398972
Ion Ratio Lower Upper
188 100
94 9.1 7.9 11.9
80 10.0 9.0 13.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2033
Delta R.T. 0.000 min
Lab File: BF140027.D
Acq: 25 Oct 2024 10:17


Tgt Ion:240 Resp: 252987
Ion Ratio Lower Upper
240 100
120 9.8 9.4 14.2
236 25.8 20.9 31.3








#79
 Terphenyl-d14
 Concen: 83.346 ng
 RT: 12.998 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF140027.D
 Acq: 25 Oct 2024 10:17


Instrument :
 BNA_F
 ClientSampleId :
 PB164366BL



Tgt Ion:244 Resp: 1293991
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.7 8.5
 122 10.3 8.6 13.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.527 min Scan# 2284
 Delta R.T. 0.000 min
 Lab File: BF140027.D
 Acq: 25 Oct 2024 10:17



Tgt Ion:264 Resp: 198552
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.4 29.2
 265 21.5 17.4 26.0

