

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102524\
 Data File : BF140031.D
 Acq On : 25 Oct 2024 12:09
 Operator : RC/JU
 Sample : PB164335TB
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB164335TB

Quant Time: Oct 25 12:36:27 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 15:07:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.887	152	104379	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	404635	20.000	ng	0.00
39) Acenaphthene-d10	9.922	164	228419	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	408983	20.000	ng	0.00
76) Chrysene-d12	14.051	240	251030	20.000	ng	0.00
86) Perylene-d12	15.533	264	202385	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	800766	120.100	ng	0.02
7) Phenol-d6	6.510	99	1013028	117.310	ng	0.00
23) Nitrobenzene-d5	7.445	82	669400	91.689	ng	0.00
42) 2,4,6-Tribromophenol	10.716	330	299506	140.181	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1240784	89.775	ng	0.00
79) Terphenyl-d14	12.998	244	1367878	88.791	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102524\
Data File : BF140031.D
Acq On : 25 Oct 2024 12:09
Operator : RC/JU
Sample : PB164335TB
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB164335TB

Quant Time: Oct 25 12:36:27 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 15:07:50 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.887 min Scan# 816
Delta R.T. -0.005 min
Lab File: BF140031.D
Acq: 25 Oct 2024 12:09




Instrument :
BNA_F
ClientSampleId :
PB164335TB


Tgt Ion:152 Resp: 104379
Ion Ratio Lower Upper
152 100
150 158.2 130.2 195.2
115 65.4 51.4 77.2



#5
2-Fluorophenol
Concen: 120.100 ng
RT: 5.516 min Scan# 582
Delta R.T. 0.018 min
Lab File: BF140031.D
Acq: 25 Oct 2024 12:09

Tgt Ion:112 Resp: 800766
Ion Ratio Lower Upper
112 100
64 64.6 53.0 79.6
63 34.2 27.0 40.4









#7
Phenol-d6
Concen: 117.310 ng
RT: 6.510 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF140031.D
Acq: 25 Oct 2024 12:09




Instrument :
BNA_F
ClientSampleId :
PB164335TB


Tgt Ion: 99 Resp: 1013028
Ion Ratio Lower Upper
99 100
42 19.9 16.7 25.1
71 37.2 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF140031.D
Acq: 25 Oct 2024 12:09

Tgt Ion:136 Resp: 404635
Ion Ratio Lower Upper
136 100
137 11.2 8.6 12.8
54 9.5 8.4 12.6
68 5.7 5.1 7.7





#23

Nitrobenzene-d5

Concen: 91.689 ng

RT: 7.445 min Scan# 911

Delta R.T. -0.006 min

Lab File: BF140031.D

Acq: 25 Oct 2024 12:09

Instrument :

BNA_F

ClientSampleId :

PB164335TB





Tgt Ion: 82 Resp: 669400

Ion Ratio Lower Upper

82 100

128 42.2 33.4 50.0

54 56.6 47.8 71.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.922 min Scan# 1331

Delta R.T. -0.005 min

Lab File: BF140031.D

Acq: 25 Oct 2024 12:09




Tgt Ion:164 Resp: 228419


Ion Ratio Lower Upper

164 100

162 100.6 81.0 121.4


160 43.7 35.4 53.0








#42
2,4,6-Tribromophenol
Concen: 140.181 ng
RT: 10.716 min Scan# 1466
Delta R.T. 0.000 min
Lab File: BF140031.D
Acq: 25 Oct 2024 12:09


Instrument :
BNA_F
ClientSampleId :
PB164335TB





Tgt Ion:330 Resp: 299506
Ion Ratio Lower Upper
330 100
332 96.8 78.1 117.1
141 30.4 26.6 39.8




#45
2-Fluorobiphenyl
Concen: 89.775 ng
RT: 9.245 min Scan# 1216
Delta R.T. -0.006 min
Lab File: BF140031.D
Acq: 25 Oct 2024 12:09



Tgt Ion:172 Resp: 1240784
Ion Ratio Lower Upper
172 100
171 35.7 28.6 43.0
170 23.6 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.410 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF140031.D

Acq: 25 Oct 2024 12:09

Instrument :

BNA_F

ClientSampleId :

PB164335TB





Tgt Ion:188 Resp: 408983

Ion Ratio Lower Upper

188 100

94 9.4 7.9 11.9

80 10.0 9.0 13.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.051 min Scan# 2033

Delta R.T. 0.000 min

Lab File: BF140031.D

Acq: 25 Oct 2024 12:09




Tgt Ion:240 Resp: 251030


Ion Ratio Lower Upper

240 100

120 9.7 9.4 14.2

236 26.1 20.9 31.3









#79
 Terphenyl-d14
 Concen: 88.791 ng
 RT: 12.998 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF140031.D
 Acq: 25 Oct 2024 12:09

Instrument :
 BNA_F
 ClientSampleId :
 PB164335TB

Tgt Ion:244 Resp: 1367878
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.7 8.5
 122 10.0 8.6 13.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.533 min Scan# 2285
 Delta R.T. 0.006 min
 Lab File: BF140031.D
 Acq: 25 Oct 2024 12:09

Tgt Ion:264 Resp: 202385
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.4 29.2
 265 21.0 17.4 26.0

