

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102616\
 Data File : BF090851.D
 Acq On : 26 Oct 2016 20:22
 Operator : UM/SJ
 Sample : H5398-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DSN001

Quant Time: Oct 27 02:20:42 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 26 16:35:31 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.78	152	178363	20.00	ng	-0.01
21) Naphthalene-d8	8.08	136	784794	20.00	ng	-0.01
38) Acenaphthene-d10	9.82	164	398891	20.00	ng	-0.02
63) Phenanthrene-d10	11.31	188	698769	20.00	ng	-0.01
75) Chrysene-d12	13.95	240	616879	20.00	ng	-0.01
86) Perylene-d12	15.37	264	449488	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.38	112	601790	58.99	ng	-0.01
7) Phenol-d6	6.42	99	459334	33.37	ng	-0.02
23) Nitrobenzene-d5	7.36	82	1295206	108.04	ng	-0.01
41) 2,4,6-Tribromophenol	10.62	330	599751	146.31	ng	-0.01
44) 2-Fluorobiphenyl	9.15	172	2040091	89.81	ng	-0.02
78) Terphenyl-d14	12.90	244	2167568	88.53	ng	-0.02
Target Compounds						
49) Dimethylphthalate	9.55	163	63201	2.37	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102616\
Data File : BF090851.D
Acq On : 26 Oct 2016 20:22
Operator : UM/SJ
Sample : H5398-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DSN001

Quant Time: Oct 27 02:20:42 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 26 16:35:31 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.78 min Scan# 411
Delta R.T. -0.01 min
Lab File: BF090851.D
Acq: 26 Oct 2016 20:22

Instrument :
BNA_F
ClientSampleId :
DSN001

Tot Ion:152 Resp: 178363
Ion Ratio Lower Upper
152 100
150 154.5 124.7 187.1
115 60.3 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 58.99 ng
RT: 5.38 min Scan# 288
Delta R.T. -0.01 min
Lab File: BF090851.D
Acq: 26 Oct 2016 20:22

Tgt Ion:112 Resp: 601790
Ion Ratio Lower Upper
112 100
64 53.6 39.7 59.5
63 25.9 17.4 26.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 33.37 ng

RT: 6.42 min Scan# 379

Delta R.T. -0.02 min

Lab File: BF090851.D

Acq: 26 Oct 2016 20:22

Instrument :

BNA_F

ClientSampleId :

DSN001


Tot Ion: 99 Resp: 459334

Ion Ratio Lower Upper




99 100

42 13.2 13.7 20.5#

71 30.7 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.08 min Scan# 524

Delta R.T. -0.01 min

Lab File: BF090851.D

Acq: 26 Oct 2016 20:22

Tgt Ion: 136 Resp: 784794


Ion Ratio Lower Upper

136 100



137 11.0 9.0 13.6


54 6.4 8.2 12.2#

68 6.2 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 108.04 ng
 RT: 7.36 min Scan# 461
 Delta R.T. -0.01 min
 Lab File: BF090851.D
 Acq: 26 Oct 2016 20:22

Instrument :
 BNA_F
 ClientSampleID :
 DSN001

Tot Ion: 82 Resp: 1295206
 Ion Ratio Lower Upper
 82 100
 128 46.7 51.0 76.6#
 54 45.8 47.5 71.3#




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.82 min Scan# 677
 Delta R.T. -0.02 min
 Lab File: BF090851.D
 Acq: 26 Oct 2016 20:22

Tgt Ion:164 Resp: 398891
 Ion Ratio Lower Upper
 164 100
 162 102.7 75.2 112.8
 160 46.6 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 146.31 ng
 RT: 10.62 min Scan# 747
 Delta R.T. -0.01 min
 Lab File: BF090851.D
 Acq: 26 Oct 2016 20:22

Instrument :
 BNA_F
 ClientSampleId :
 DSN001

Tot Ion:330 Resp: 599751
 Ion Ratio Lower Upper
 330 100
 332 96.0 76.6 114.8
 141 24.3 29.7 44.5#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 89.81 ng
 RT: 9.15 min Scan# 618
 Delta R.T. -0.02 min
 Lab File: BF090851.D
 Acq: 26 Oct 2016 20:22

Tgt Ion:172 Resp: 2040091
 Ion Ratio Lower Upper
 172 100
 171 37.1 26.1 39.1
 170 24.9 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 2.37 ng
RT: 9.55 min Scan# 653
Delta R.T. -0.02 min
Lab File: BF090851.D
Acq: 26 Oct 2016 20:22

Instrument :
BNA_F
ClientSampleId :
DSN001

Tot Ion:163 Resp: 63201
Ion Ratio Lower Upper
163 100
194 3.6 4.4 6.6#
164 10.2 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.31 min Scan# 807
Delta R.T. -0.01 min
Lab File: BF090851.D
Acq: 26 Oct 2016 20:22

Tgt Ion:188 Resp: 698769
Ion Ratio Lower Upper
188 100
94 11.1 11.1 16.7
80 12.1 11.0 16.4



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.95 min Scan# 1038

Delta R.T. -0.01 min

Lab File: BF090851.D

Acq: 26 Oct 2016 20:22

Instrument :

BNA_F

ClientSampleId :

DSN001


Tot Ion:240 Resp: 616879

Ion Ratio Lower Upper

240 100

120 9.5 16.2 24.2#

236 26.6 18.4 27.6




Abundance Ion 240.00 (239.70 to 240.70): E


Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

13.95



Time--> 13.80 14.00 14.20



#78

Terphenyl-d14

Concen: 88.53 ng

RT: 12.90 min Scan# 946

Delta R.T. -0.02 min

Lab File: BF090851.D

Acq: 26 Oct 2016 20:22


Tgt Ion:244 Resp: 2167568

Ion Ratio Lower Upper

244 100

212 7.0 4.3 6.5#

122 13.3 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E


Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

12.90




Time--> 12.80 13.00 13.20



#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.37 min Scan# 1162
 Delta R.T. -0.01 min
 Lab File: BF090851.D
 Acq: 26 Oct 2016 20:22

Instrument :
 BNA_F
 ClientSampleId :
 DSN001

Tot Ion:264 Resp: 449488
 Ion Ratio Lower Upper
 264 100
 260 24.5 16.7 25.1
 265 21.8 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

