

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102624\
 Data File : BF140065.D
 Acq On : 26 Oct 2024 17:44
 Operator : RC/JU
 Sample : P4508-12
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BP-F22

Quant Time: Oct 28 01:09:21 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 15:07:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.886	152	141607	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	572375	20.000	ng	0.00
39) Acenaphthene-d10	9.922	164	328755	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	553396	20.000	ng	0.00
76) Chrysene-d12	14.045	240	268990	20.000	ng	0.00
86) Perylene-d12	15.527	264	282837	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	869965	96.176	ng	0.02
7) Phenol-d6	6.510	99	1031349	88.033	ng	0.00
23) Nitrobenzene-d5	7.445	82	789213	76.420	ng	0.00
42) 2,4,6-Tribromophenol	10.716	330	360967	117.385	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1466913	73.744	ng	0.00
79) Terphenyl-d14	12.998	244	1369516	82.962	ng	0.00


Target Compounds Qvalue


 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102624\
Data File : BF140065.D
Acq On : 26 Oct 2024 17:44
Operator : RC/JU
Sample : P4508-12
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BP-F22

Quant Time: Oct 28 01:09:21 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 15:07:50 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.886 min Scan# 816
Delta R.T. -0.006 min
Lab File: BF140065.D
Acq: 26 Oct 2024 17:44




Instrument :
BNA_F
ClientSampleId :
BP-F22


Tgt Ion:152 Resp: 141607
Ion Ratio Lower Upper
152 100
150 159.5 130.2 195.2
115 66.2 51.4 77.2



#5
2-Fluorophenol
Concen: 96.176 ng
RT: 5.522 min Scan# 583
Delta R.T. 0.024 min
Lab File: BF140065.D
Acq: 26 Oct 2024 17:44

Tgt Ion:112 Resp: 869965
Ion Ratio Lower Upper
112 100
64 63.1 53.0 79.6
63 32.6 27.0 40.4









#7
Phenol-d6
Concen: 88.033 ng
RT: 6.510 min Scan# 751
Delta R.T. 0.000 min
Lab File: BF140065.D
Acq: 26 Oct 2024 17:44




Instrument :
BNA_F
ClientSampleId :
BP-F22


Tgt Ion: 99 Resp: 1031349
Ion Ratio Lower Upper
99 100
42 19.8 16.7 25.1
71 35.8 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF140065.D
Acq: 26 Oct 2024 17:44

Tgt Ion:136 Resp: 572375
Ion Ratio Lower Upper
136 100
137 10.9 8.6 12.8
54 9.6 8.4 12.6
68 6.0 5.1 7.7





#23

Nitrobenzene-d5

Concen: 76.420 ng

RT: 7.445 min Scan# 911

Delta R.T. -0.006 min

Lab File: BF140065.D

Acq: 26 Oct 2024 17:44

Instrument :

BNA_F

ClientSampleId :

BP-F22





Tgt Ion: 82 Resp: 789213

Ion Ratio Lower Upper

82 100

128 42.8 33.4 50.0

54 57.4 47.8 71.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.922 min Scan# 1331

Delta R.T. -0.005 min

Lab File: BF140065.D

Acq: 26 Oct 2024 17:44




Tgt Ion:164 Resp: 328755


Ion Ratio Lower Upper

164 100

162 100.0 81.0 121.4

160 44.8 35.4 53.0





#42

2,4,6-Tribromophenol

Concen: 117.385 ng

RT: 10.716 min Scan# 1466

Delta R.T. 0.000 min

Lab File: BF140065.D

Acq: 26 Oct 2024 17:44

Instrument :

BNA_F

ClientSampleId :

BP-F22





Tgt Ion:330 Resp: 360967

Ion Ratio Lower Upper

330 100

332 96.4 78.1 117.1

141 29.0 26.6 39.8



#45

2-Fluorobiphenyl

Concen: 73.744 ng

RT: 9.245 min Scan# 1216

Delta R.T. -0.006 min

Lab File: BF140065.D

Acq: 26 Oct 2024 17:44




Tgt Ion:172 Resp: 1466913


Ion Ratio Lower Upper

172 100

171 35.7 28.6 43.0

170 23.7 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.410 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF140065.D

Acq: 26 Oct 2024 17:44

Instrument :

BNA_F

ClientSampleId :

BP-F22





Tgt Ion:188 Resp: 553396

Ion Ratio Lower Upper

188 100

94 9.5 7.9 11.9

80 10.3 9.0 13.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.045 min Scan# 2032

Delta R.T. -0.006 min

Lab File: BF140065.D

Acq: 26 Oct 2024 17:44




Tgt Ion:240 Resp: 268990


Ion Ratio Lower Upper

240 100

120 11.0 9.4 14.2

236 26.5 20.9 31.3





#79

Terphenyl-d14

Concen: 82.962 ng

RT: 12.998 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF140065.D

Acq: 26 Oct 2024 17:44

Instrument :

BNA_F

ClientSampleId :

BP-F22





Tgt Ion:244 Resp: 1369516

Ion Ratio Lower Upper

244 100

212 6.7 5.7 8.5

122 9.8 8.6 13.0



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.527 min Scan# 2284

Delta R.T. 0.000 min

Lab File: BF140065.D

Acq: 26 Oct 2024 17:44

Tgt Ion:264 Resp: 282837

Ion Ratio Lower Upper

264 100

260 23.7 19.4 29.2

265 21.4 17.4 26.0

