

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102817\
 Data File : BF099933.D
 Acq On : 28 Oct 2017 22:37
 Operator : SJ/JU
 Sample : I6119-04
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EPE-120-3(5-10)

Quant Time: Oct 30 04:53:05 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 27 15:58:57 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	105579	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	411302	20.00	ng	-0.01
38) Acenaphthene-d10	9.82	164	164853	20.00	ng	-0.02
63) Phenanthrene-d10	11.32	188	225901	20.00	ng	-0.02
75) Chrysene-d12	13.96	240	187835	20.00	ng	-0.03
86) Perylene-d12	15.43	264	180476	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	605249	90.00	ng	0.00
7) Phenol-d6	6.43	99	717187	89.94	ng	0.00
23) Nitrobenzene-d5	7.36	82	409040	64.03	ng	-0.01
41) 2,4,6-Tribromophenol	10.62	330	106068	70.60	ng	-0.02
44) 2-Fluorobiphenyl	9.14	172	727034	68.04	ng	-0.02
78) Terphenyl-d14	12.90	244	418314	48.67	ng	-0.02
Target Compounds						
10) Phenol	6.45	94	17895	2.044	ng	Qvalue # 78
49) Dimethylphthalate	9.54	163	133119	10.197	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF102817\
Data File : BF099933.D
Acq On : 28 Oct 2017 22:37
Operator : SJ/JU
Sample : I6119-04
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EPE-120-3(5-10)

Quant Time: Oct 30 04:53:05 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 27 15:58:57 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.79 min Scan# 799
Delta R.T. -0.01 min
Lab File: BF099933.D
Acq: 28 Oct 2017 22:37

Instrument :
BNA_F
ClientSampleId :
EPE-120-3(5-10)

Tot Ion:152 Resp: 105579
Ion Ratio Lower Upper
152 100
150 154.6 124.6 186.8
115 57.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 90.001 ng
RT: 5.42 min Scan# 566
Delta R.T. -0.00 min
Lab File: BF099933.D
Acq: 28 Oct 2017 22:37

Tgt Ion:112 Resp: 605249
Ion Ratio Lower Upper
112 100
64 49.9 47.9 71.9
63 24.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 89.942 ng

RT: 6.43 min Scan# 739

Delta R.T. -0.01 min

Lab File: BF099933.D

Acq: 28 Oct 2017 22:37

Instrument :

BNA_F

ClientSampleId :

EPE-120-3(5-10)


Tot Ion: 99 Resp: 717187

Ion Ratio Lower Upper

99 100

42 14.4 14.5 21.7#




71 29.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 2.044 ng

RT: 6.45 min Scan# 741

Delta R.T. -0.01 min

Lab File: BF099933.D

Acq: 28 Oct 2017 22:37


Tgt Ion: 94 Resp: 17895

Ion Ratio Lower Upper

94 100

65 26.3 7.9 47.9



66 57.3 16.2 56.2#



Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.07 min Scan# 1017
Delta R.T. -0.01 min
Lab File: BF099933.D
Acq: 28 Oct 2017 22:37

Instrument :
BNA_F
ClientSampleId :
EPE-120-3(5-10)

Tot Ion:	136	Resp:	411302
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.9	13.3
54	6.6	6.6	9.8
68	5.4	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0





#23
Nitrobenzene-d5
Concen: 64.026 ng
RT: 7.36 min Scan# 896
Delta R.T. -0.01 min
Lab File: BF099933.D
Acq: 28 Oct 2017 22:37

Tgt Ion:	82	Resp:	409040
Ion	Ratio	Lower	Upper
82	100		
128	50.8	36.1	54.1
54	43.6	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0








#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.82 min Scan# 1315
Delta R.T. -0.02 min
Lab File: BF099933.D
Acq: 28 Oct 2017 22:37

Instrument :
BNA_F
ClientSampleId :
EPE-120-3(5-10)

Tot Ion:164 Resp: 164853
Ion Ratio Lower Upper
164 100
162 103.0 86.1 129.1
160 45.4 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#41
2,4,6-Tribromophenol
Concen: 70.602 ng
RT: 10.62 min Scan# 1450
Delta R.T. -0.02 min
Lab File: BF099933.D
Acq: 28 Oct 2017 22:37

Tgt Ion:330 Resp: 106068
Ion Ratio Lower Upper
330 100
332 96.6 77.0 115.6
141 34.4 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 68.042 ng
 RT: 9.14 min Scan# 1199
 Delta R.T. -0.02 min
 Lab File: BF099933.D
 Acq: 28 Oct 2017 22:37

Instrument :
 BNA_F
 ClientSampleId :
 EPE-120-3(5-10)

Tot Ion	Ratio	Lower	Upper
172	100		
171	35.3	29.7	44.5
170	23.3	19.6	29.4




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#49
 Dimethylphthalate
 Concen: 10.197 ng
 RT: 9.54 min Scan# 1267
 Delta R.T. -0.02 min
 Lab File: BF099933.D
 Acq: 28 Oct 2017 22:37

Tgt Ion	Ratio	Lower	Upper
163	100		
194	3.7	2.7	4.1
164	9.9	8.2	12.2



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.32 min Scan# 1569
Delta R.T. -0.02 min
Lab File: BF099933.D
Acq: 28 Oct 2017 22:37




Instrument :
BNA_F
ClientSampleId :
EPE-120-3(5-10)


Tot Ion:188 Resp: 225901
Ion Ratio Lower Upper
188 100
94 9.9 8.5 12.7
80 10.0 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.96 min Scan# 2019
Delta R.T. -0.03 min
Lab File: BF099933.D
Acq: 28 Oct 2017 22:37

Tgt Ion:240 Resp: 187835
Ion Ratio Lower Upper
240 100
120 13.5 9.5 14.3
236 25.0 20.7 31.1





#78

Terphenyl-d14

Concen: 48.669 ng

RT: 12.90 min Scan# 1838

Delta R.T. -0.02 min

Lab File: BF099933.D

Acq: 28 Oct 2017 22:37

Instrument :

BNA_F

ClientSampleId :

EPE-120-3(5-10)


Tot Ion:244 Resp: 418314

Ion Ratio Lower Upper

244 100

212 6.1 5.4 8.0




122 11.7 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.43 min Scan# 2268

Delta R.T. -0.03 min

Lab File: BF099933.D

Acq: 28 Oct 2017 22:37


Tgt Ion:264 Resp: 180476

Ion Ratio Lower Upper

264 100

260 22.5 19.2 28.8

265 20.8 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

