

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102819\
 Data File : BF117568.D
 Acq On : 28 Oct 2019 18:18
 Operator : JU
 Sample : K5501-13
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 184-40-(0-2)

Quant Time: Oct 29 17:39:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF101819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 18:53:31 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	38042	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	151168	20.00	ng	0.00
39) Acenaphthene-d10	9.76	164	76259	20.00	ng	-0.01
64) Phenanthrene-d10	11.25	188	114954	20.00	ng	0.00
76) Chrysene-d12	13.89	240	69339	20.00	ng	0.00
87) Perylene-d12	15.32	264	78220	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	245320	95.94	ng	0.00
7) Phenol-d6	6.38	99	338650	98.60	ng	0.00
23) Nitrobenzene-d5	7.29	82	200951	65.63	ng	-0.01
42) 2,4,6-Tribromophenol	10.55	330	57254	86.77	ng	-0.01
45) 2-Fluorobiphenyl	9.08	172	356687	65.90	ng	-0.01
79) Terphenyl-d14	12.83	244	262838	61.83	ng	0.00
Target Compounds						
10) Phenol	6.39	94	13521	3.857	ng	87
50) Dimethylphthalate	9.48	163	51751	9.519	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102819\
Data File : BF117568.D
Acq On : 28 Oct 2019 18:18
Operator : JU
Sample : K5501-13
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
184-40-(0-2)

Quant Time: Oct 29 17:39:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF101819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 18:53:31 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 789
Delta R.T. -0.01 min
Lab File: BF117568.D
Acq: 28 Oct 2019 18:18

Instrument :
BNA_F
ClientSampleId :
184-40-(0-2)

Tot Ion:152 Resp: 38042
Ion Ratio Lower Upper
152 100
150 155.5 126.8 190.2
115 59.8 51.6 77.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 95.937 ng
RT: 5.35 min Scan# 555
Delta R.T. 0.00 min
Lab File: BF117568.D
Acq: 28 Oct 2019 18:18

Tgt Ion:112 Resp: 245320
Ion Ratio Lower Upper
112 100
64 57.8 44.1 66.1
63 30.6 23.4 35.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 98.603 ng

RT: 6.38 min Scan# 730

Delta R.T. 0.00 min

Lab File: BF117568.D

Acq: 28 Oct 2019 18:18

Instrument :

BNA_F

ClientSampled :

184-40-(0-2)


Tot Ion: 99 Resp: 338650

Ion Ratio Lower Upper




99 100

42 15.1 12.8 19.2

71 34.8 28.6 43.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 3.857 ng

RT: 6.39 min Scan# 732

Delta R.T. -0.01 min

Lab File: BF117568.D

Acq: 28 Oct 2019 18:18


Tgt Ion: 94 Resp: 13521

Ion Ratio Lower Upper



94 100


65 31.9 23.4 63.4

66 66.4 54.7 94.7



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.01 min Scan# 1007
Delta R.T. -0.01 min
Lab File: BF117568.D
Acq: 28 Oct 2019 18:18

Instrument :
BNA_F
ClientSampleId :
184-40-(0-2)

Tot Ion:136	Resp:	151168
Ion	Ratio	Lower Upper
136	100	
137	10.1	8.2 12.4
54	6.3	4.5 6.7
68	5.5	4.3 6.5




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 65.626 ng
RT: 7.29 min Scan# 885
Delta R.T. -0.01 min
Lab File: BF117568.D
Acq: 28 Oct 2019 18:18

Tgt Ion: 82	Resp:	200951
Ion	Ratio	Lower Upper
82	100	
128	40.6	32.2 48.2
54	41.9	34.2 51.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.76 min Scan# 1304

Delta R.T. -0.01 min

Lab File: BF117568.D

Acq: 28 Oct 2019 18:18

Instrument :

BNA_F

ClientSampleId :

184-40-(0-2)


Tot Ion:164 Resp: 76259

Ion Ratio Lower Upper

164 100

162 100.0 81.8 122.6




160 41.7 34.4 51.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 86.770 ng

RT: 10.55 min Scan# 1439

Delta R.T. -0.01 min

Lab File: BF117568.D

Acq: 28 Oct 2019 18:18


Tgt Ion:330 Resp: 57254

Ion Ratio Lower Upper

330 100

332 95.7 78.5 117.7



141 43.1 37.0 55.6




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 65.903 ng
RT: 9.08 min Scan# 1189
Delta R.T. -0.01 min
Lab File: BF117568.D
Acq: 28 Oct 2019 18:18




Instrument :
BNA_F
ClientSampleId :
184-40-(0-2)


Tot Ion:172 Resp: 356687
Ion Ratio Lower Upper
172 100
171 34.7 27.5 41.3
170 23.0 18.6 27.8



#50
Dimethylphthalate
Concen: 9.519 ng
RT: 9.48 min Scan# 1257
Delta R.T. -0.01 min
Lab File: BF117568.D
Acq: 28 Oct 2019 18:18

Tgt Ion:163 Resp: 51751
Ion Ratio Lower Upper
163 100
194 3.7 2.9 4.3
164 9.3 8.2 12.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.25 min Scan# 1557

Delta R.T. -0.01 min

Lab File: BF117568.D

Acq: 28 Oct 2019 18:18

Instrument :

BNA_F

ClientSampleId :

184-40-(0-2)


Tot Ion:188 Resp: 114954

Ion Ratio Lower Upper

188 100

94 10.5 8.0 12.0




80 13.2 9.5 14.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.89 min Scan# 2007

Delta R.T. -0.01 min

Lab File: BF117568.D

Acq: 28 Oct 2019 18:18


Tgt Ion:240 Resp: 69339

Ion Ratio Lower Upper

240 100

120 10.4 8.4 12.6



236 25.2 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 61.829 ng
 RT: 12.83 min Scan# 1826
 Delta R.T. -0.01 min
 Lab File: BF117568.D
 Acq: 28 Oct 2019 18:18

Instrument :
 BNA_F
 ClientSampleId :
 184-40-(0-2)

Tot Ion:244 Resp: 262838
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.8 8.6
 122 13.1 11.8 17.8




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.32 min Scan# 2250
 Delta R.T. 0.00 min
 Lab File: BF117568.D
 Acq: 28 Oct 2019 18:18

Tgt Ion:264 Resp: 78220
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.4 27.6
 265 22.8 16.1 24.1



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

