

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF103015\
 Data File : BF082587.D
 Acq On : 30 Oct 2015 22:31
 Operator : UM/IZ
 Sample : PB86326BL
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB86326BL

Quant Time: Oct 31 03:22:47 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 31 00:17:39 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	187857	20.00	ng	-0.01
21) Naphthalene-d8	8.19	136	770424	20.00	ng	0.00
38) Acenaphthene-d10	9.95	164	393567	20.00	ng	0.00
63) Phenanthrene-d10	11.44	188	736577	20.00	ng	0.00
75) Chrysene-d12	14.08	240	602710	20.00	ng	0.00
86) Perylene-d12	15.53	264	450201	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	1036126	83.07	ng	0.01
7) Phenol-d6	6.52	99	1217940	73.50	ng	-0.01
23) Nitrobenzene-d5	7.46	82	1255016	66.52	ng	-0.01
41) 2,4,6-Tribromophenol	10.74	330	333034	77.32	ng	0.00
44) 2-Fluorobiphenyl	9.28	172	2268579	81.84	ng	0.00
78) Terphenyl-d14	13.03	244	1913496	69.48	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF103015\
Data File : BF082587.D
Acq On : 30 Oct 2015 22:31
Operator : UM/IZ
Sample : PB86326BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB86326BL

Quant Time: Oct 31 03:22:47 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 31 00:17:39 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.90 min Scan# 421
Delta R.T. -0.01 min
Lab File: BF082587.D
Acq: 30 Oct 2015 22:31

Instrument :
BNA_F
ClientSampleId :
PB86326BL

Tgt Ion:152 Resp: 187857
Ion Ratio Lower Upper
152 100
150 161.5 127.0 190.4
115 77.4 47.0 70.6#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 83.07 ng
RT: 5.52 min Scan# 300
Delta R.T. 0.01 min
Lab File: BF082587.D
Acq: 30 Oct 2015 22:31

Tgt Ion:112 Resp: 1036126
Ion Ratio Lower Upper
112 100
64 58.7 48.9 73.3
63 32.6 28.1 42.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 73.50 ng

RT: 6.52 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF082587.D

Acq: 30 Oct 2015 22:31

Instrument :

BNA_F

ClientSampleId :

PB86326BL


Tgt Ion: 99 Resp: 1217940

Ion Ratio Lower Upper

99 100

42 26.6 19.2 28.8




71 46.4 35.0 52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.19 min Scan# 534

Delta R.T. -0.00 min

Lab File: BF082587.D

Acq: 30 Oct 2015 22:31

Tgt Ion: 136 Resp: 770424


Ion Ratio Lower Upper

136 100

137 11.1 9.1 13.7

54 8.6 9.1 13.7#

68 5.0 4.8 7.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 66.52 ng
 RT: 7.46 min Scan# 470
 Delta R.T. -0.01 min
 Lab File: BF082587.D
 Acq: 30 Oct 2015 22:31

Instrument :
 BNA_F
 ClientSampled :
 PB86326BL

Tgt Ion: 82 Resp: 1255016
 Ion Ratio Lower Upper
 82 100
 128 32.5 26.8 40.2
 54 58.1 45.7 68.5




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.95 min Scan# 688
 Delta R.T. -0.00 min
 Lab File: BF082587.D
 Acq: 30 Oct 2015 22:31

Tgt Ion:164 Resp: 393567
 Ion Ratio Lower Upper
 164 100
 162 107.9 84.9 127.3
 160 48.1 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 77.32 ng
 RT: 10.74 min Scan# 757
 Delta R.T. -0.00 min
 Lab File: BF082587.D
 Acq: 30 Oct 2015 22:31




Instrument :
 BNA_F
 ClientSampleId :
 PB86326BL


Tgt Ion:330 Resp: 333034
 Ion Ratio Lower Upper
 330 100
 332 99.0 76.6 114.8
 141 37.9 41.2 61.8#



#44
 2-Fluorobiphenyl
 Concen: 81.84 ng
 RT: 9.28 min Scan# 629
 Delta R.T. -0.00 min
 Lab File: BF082587.D
 Acq: 30 Oct 2015 22:31

Tgt Ion:172 Resp: 2268579
 Ion Ratio Lower Upper
 172 100
 171 37.7 30.8 46.2
 170 25.5 21.2 31.8





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.44 min Scan# 818

Delta R.T. -0.00 min

Lab File: BF082587.D

Acq: 30 Oct 2015 22:31

Instrument :

BNA_F

ClientSampleId :

PB86326BL


Tgt Ion:188 Resp: 736577

Ion Ratio Lower Upper

188 100

94 4.8 6.1 9.1#




80 5.2 7.0 10.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.08 min Scan# 1049

Delta R.T. -0.00 min

Lab File: BF082587.D

Acq: 30 Oct 2015 22:31


Tgt Ion:240 Resp: 602710

Ion Ratio Lower Upper

240 100

120 4.5 10.9 16.3#



236 26.4 21.6 32.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 69.48 ng
 RT: 13.03 min Scan# 957
 Delta R.T. -0.00 min
 Lab File: BF082587.D
 Acq: 30 Oct 2015 22:31

Instrument :
 BNA_F
 ClientSampleId :
 PB86326BL

Tgt Ion:244 Resp: 1913496
 Ion Ratio Lower Upper
 244 100
 212 9.1 7.6 11.4
 122 12.5 11.3 16.9



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.53 min Scan# 1176
 Delta R.T. -0.01 min
 Lab File: BF082587.D
 Acq: 30 Oct 2015 22:31

Tgt Ion:264 Resp: 450201
 Ion Ratio Lower Upper
 264 100
 260 24.3 19.8 29.6
 265 21.8 17.4 26.0

