

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF103015\
 Data File : BF082616.D
 Acq On : 31 Oct 2015 12:40
 Operator : UM/IZ
 Sample : G4191-02
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T-26-C

Quant Time: Nov 02 04:17:09 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 31 00:17:39 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.91	152	226044	20.00	ng	0.00
21) Naphthalene-d8	8.19	136	900104	20.00	ng	0.00
38) Acenaphthene-d10	9.95	164	469384	20.00	ng	0.00
63) Phenanthrene-d10	11.44	188	805960	20.00	ng	0.00
75) Chrysene-d12	14.08	240	541892	20.00	ng	0.00
86) Perylene-d12	15.54	264	480050	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	1656466	110.37	ng	0.01
7) Phenol-d6	6.54	99	2589120	129.86	ng	0.01
23) Nitrobenzene-d5	7.47	82	1766744	80.15	ng	0.00
41) 2,4,6-Tribromophenol	10.74	330	543348	105.77	ng	0.00
44) 2-Fluorobiphenyl	9.28	172	2303381	69.67	ng	0.00
78) Terphenyl-d14	13.03	244	1583802	63.96	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.66	163	1006349	26.25	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF103015\
Data File : BF082616.D
Acq On : 31 Oct 2015 12:40
Operator : UM/IZ
Sample : G4191-02
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T-26-C

Quant Time: Nov 02 04:17:09 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 31 00:17:39 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.91 min Scan# 422

Delta R.T. 0.00 min

Lab File: BF082616.D

Acq: 31 Oct 2015 12:40

Instrument :

BNA_F

ClientSampleId :

T-26-C


Tgt Ion:152 Resp: 226044

Ion Ratio Lower Upper

152 100

150 154.6 127.0 190.4




115 55.3 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 110.37 ng

RT: 5.52 min Scan# 300

Delta R.T. 0.01 min

Lab File: BF082616.D

Acq: 31 Oct 2015 12:40


Tgt Ion:112 Resp: 1656466

Ion Ratio Lower Upper

112 100

64 71.5 48.9 73.3



63 39.9 28.1 42.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 129.86 ng

RT: 6.54 min Scan# 390

Delta R.T. 0.01 min

Lab File: BF082616.D

Acq: 31 Oct 2015 12:40

Instrument :


BNA_F

ClientSampleId :

T-26-C

Tgt Ion: 99 Resp: 2589120




Ion	Ratio	Lower	Upper
99	100		
42	17.6	19.2	28.8#
71	38.1	35.0	52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.19 min Scan# 534

Delta R.T. 0.00 min

Lab File: BF082616.D

Acq: 31 Oct 2015 12:40

Tgt Ion: 136 Resp: 900104




Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.1	13.7
54	9.5	9.1	13.7
68	5.6	4.8	7.2


Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 80.15 ng
 RT: 7.47 min Scan# 471
 Delta R.T. 0.00 min
 Lab File: BF082616.D
 Acq: 31 Oct 2015 12:40

Instrument :
 BNA_F
 ClientSampled :
 T-26-C

Tgt Ion: 82 Resp: 1766744
 Ion Ratio Lower Upper
 82 100
 128 38.1 26.8 40.2
 54 54.5 45.7 68.5




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.95 min Scan# 688
 Delta R.T. 0.00 min
 Lab File: BF082616.D
 Acq: 31 Oct 2015 12:40

Tgt Ion: 164 Resp: 469384
 Ion Ratio Lower Upper
 164 100
 162 105.5 84.9 127.3
 160 47.7 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 105.77 ng
 RT: 10.74 min Scan# 757
 Delta R.T. 0.00 min
 Lab File: BF082616.D
 Acq: 31 Oct 2015 12:40

Instrument :
 BNA_F
 ClientSampled :
 T-26-C

Tgt Ion:330 Resp: 543348
 Ion Ratio Lower Upper
 330 100
 332 97.2 76.6 114.8
 141 44.9 41.2 61.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 69.67 ng
 RT: 9.28 min Scan# 629
 Delta R.T. 0.00 min
 Lab File: BF082616.D
 Acq: 31 Oct 2015 12:40

Tgt Ion:172 Resp: 2303381
 Ion Ratio Lower Upper
 172 100
 171 38.1 30.8 46.2
 170 26.7 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 26.25 ng

RT: 9.66 min Scan# 663

Delta R.T. -0.01 min

Lab File: BF082616.D

Acq: 31 Oct 2015 12:40

Instrument :

BNA_F

ClientSampleId :

T-26-C


Tgt Ion:163 Resp: 1006349

Ion Ratio Lower Upper

163 100

194 3.4 2.6 4.0




164 11.1 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.44 min Scan# 818

Delta R.T. 0.00 min

Lab File: BF082616.D

Acq: 31 Oct 2015 12:40


Tgt Ion:188 Resp: 805960

Ion Ratio Lower Upper

188 100

94 5.9 6.1 9.1#



80 5.9 7.0 10.6#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.08 min Scan# 1049

Delta R.T. 0.00 min

Lab File: BF082616.D

Acq: 31 Oct 2015 12:40

Instrument :

BNA_F

ClientSampleId :

T-26-C


Tgt Ion:240 Resp: 541892

Ion Ratio Lower Upper

240 100

120 6.9 10.9 16.3#




236 26.4 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 63.96 ng

RT: 13.03 min Scan# 957

Delta R.T. 0.00 min

Lab File: BF082616.D

Acq: 31 Oct 2015 12:40


Tgt Ion:244 Resp: 1583802

Ion Ratio Lower Upper

244 100

212 8.9 7.6 11.4



122 12.0 11.3 16.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.54 min Scan# 1177
Delta R.T. 0.00 min
Lab File: BF082616.D
Acq: 31 Oct 2015 12:40

Instrument :
BNA_F
ClientSampleId :
T-26-C

Tgt Ion:	264	Resp:	480050
Ion	Ratio	Lower	Upper
264	100		
260	25.2	19.8	29.6
265	22.3	17.4	26.0

