

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF103015\
 Data File : BF082621.D
 Acq On : 31 Oct 2015 15:05
 Operator : UM/IZ
 Sample : G4191-05
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T-24-R

Quant Time: Nov 02 04:40:06 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 31 00:17:39 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	219066	20.00	ng	-0.01
21) Naphthalene-d8	8.19	136	918908	20.00	ng	0.00
38) Acenaphthene-d10	9.95	164	492726	20.00	ng	0.00
63) Phenanthrene-d10	11.44	188	857237	20.00	ng	0.00
75) Chrysene-d12	14.08	240	559252	20.00	ng	0.00
86) Perylene-d12	15.54	264	470772	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	1580266	108.65	ng	0.01
7) Phenol-d6	6.53	99	2273154	117.64	ng	0.00
23) Nitrobenzene-d5	7.47	82	1733320	77.03	ng	0.00
41) 2,4,6-Tribromophenol	10.74	330	623472	115.62	ng	0.00
44) 2-Fluorobiphenyl	9.28	172	2677010	77.14	ng	0.00
78) Terphenyl-d14	13.03	244	1957690	76.61	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.66	163	1131809	28.13	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF103015\
Data File : BF082621.D
Acq On : 31 Oct 2015 15:05
Operator : UM/IZ
Sample : G4191-05
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T-24-R

Quant Time: Nov 02 04:40:06 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 31 00:17:39 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.90 min Scan# 421
 Delta R.T. -0.01 min
 Lab File: BF082621.D
 Acq: 31 Oct 2015 15:05

Instrument :
 BNA_F
 ClientSampleId :
 T-24-R

Tgt Ion:152 Resp: 219066
 Ion Ratio Lower Upper
 152 100
 150 159.7 127.0 190.4
 115 77.7 47.0 70.6#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 108.65 ng
 RT: 5.52 min Scan# 300
 Delta R.T. 0.01 min
 Lab File: BF082621.D
 Acq: 31 Oct 2015 15:05

Tgt Ion:112 Resp: 1580266
 Ion Ratio Lower Upper
 112 100
 64 72.7 48.9 73.3
 63 40.8 28.1 42.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 117.64 ng

RT: 6.53 min Scan# 389

Delta R.T. -0.00 min

Lab File: BF082621.D

Acq: 31 Oct 2015 15:05

Instrument :

BNA_F

ClientSampleId :

T-24-R


Tgt Ion: 99 Resp: 2273154

Ion Ratio Lower Upper

99 100

42 24.0 19.2 28.8




71 44.0 35.0 52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.19 min Scan# 534

Delta R.T. -0.00 min

Lab File: BF082621.D

Acq: 31 Oct 2015 15:05

Tgt Ion: 136 Resp: 918908


Ion Ratio Lower Upper

136 100

137 11.3 9.1 13.7

54 9.0 9.1 13.7#

68 5.5 4.8 7.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 77.03 ng

RT: 7.47 min Scan# 471

Delta R.T. -0.00 min

Lab File: BF082621.D

Acq: 31 Oct 2015 15:05

Instrument :

BNA_F


ClientSampleId :

T-24-R

Tgt Ion: 82 Resp: 1733320

Ion Ratio Lower Upper




82	100		
128	40.7	26.8	40.2#
54	50.3	45.7	68.5



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): BF0

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.95 min Scan# 688

Delta R.T. -0.00 min


Lab File: BF082621.D

Acq: 31 Oct 2015 15:05

Tgt Ion: 164 Resp: 492726

Ion Ratio Lower Upper



164	100		
162	103.6	84.9	127.3
160	46.9	37.5	56.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 115.62 ng
 RT: 10.74 min Scan# 757
 Delta R.T. -0.00 min
 Lab File: BF082621.D
 Acq: 31 Oct 2015 15:05

Instrument :
 BNA_F
 ClientSampleId :
 T-24-R

Tgt Ion:330 Resp: 623472
 Ion Ratio Lower Upper
 330 100
 332 94.1 76.6 114.8
 141 43.1 41.2 61.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.14 ng
 RT: 9.28 min Scan# 629
 Delta R.T. -0.00 min
 Lab File: BF082621.D
 Acq: 31 Oct 2015 15:05

Tgt Ion:172 Resp: 2677010
 Ion Ratio Lower Upper
 172 100
 171 39.2 30.8 46.2
 170 26.8 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 28.13 ng
RT: 9.66 min Scan# 663
Delta R.T. -0.01 min
Lab File: BF082621.D
Acq: 31 Oct 2015 15:05

Instrument :
BNA_F
ClientSampleId :
T-24-R

Tgt Ion:163 Resp: 1131809
Ion Ratio Lower Upper
163 100
194 3.6 2.6 4.0
164 10.5 8.7 13.1




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.44 min Scan# 818
Delta R.T. -0.00 min
Lab File: BF082621.D
Acq: 31 Oct 2015 15:05

Tgt Ion:188 Resp: 857237
Ion Ratio Lower Upper
188 100
94 6.1 6.1 9.1#
80 6.3 7.0 10.6#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.08 min Scan# 1049

Delta R.T. -0.00 min

Lab File: BF082621.D

Acq: 31 Oct 2015 15:05

Instrument :

BNA_F

ClientSampleId :

T-24-R


Tgt Ion:240 Resp: 559252

Ion Ratio Lower Upper

240 100

120 6.0 10.9 16.3#




236 26.1 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 76.61 ng

RT: 13.03 min Scan# 957

Delta R.T. -0.00 min

Lab File: BF082621.D

Acq: 31 Oct 2015 15:05


Tgt Ion:244 Resp: 1957690

Ion Ratio Lower Upper

244 100

212 9.3 7.6 11.4



122 13.5 11.3 16.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.54 min Scan# 1177
Delta R.T. -0.00 min
Lab File: BF082621.D
Acq: 31 Oct 2015 15:05

Instrument :
BNA_F
ClientSampleId :
T-24-R

Tgt Ion: 264 Resp: 470772

Ion	Ratio	Lower	Upper
264	100		
260	25.1	19.8	29.6
265	21.9	17.4	26.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

