

Data Path : Z:\HPCHEM1\BNA F\DATA\BF103017\
 Data File : BF099955.D
 Acq On : 30 Oct 2017 13:25
 Operator : SJ/JU
 Sample : I6083-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 102017-TIDO-F-D-S

Quant Time: Oct 30 16:36:15 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 30 16:10:28 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	103360	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	418349	20.00	ng	0.00
38) Acenaphthene-d10	9.82	164	207604	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	394671	20.00	ng	0.00
75) Chrysene-d12	13.98	240	314602	20.00	ng	0.00
86) Perylene-d12	15.47	264	227384	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	278658	42.33	ng	0.00
7) Phenol-d6	6.43	99	217200	27.82	ng	0.00
23) Nitrobenzene-d5	7.36	82	550196	84.67	ng	0.00
41) 2,4,6-Tribromophenol	10.62	330	173751	91.84	ng	0.00
44) 2-Fluorobiphenyl	9.15	172	1111289	82.59	ng	0.00
78) Terphenyl-d14	12.91	244	1155835	80.29	ng	0.00
Target Compounds						
59) Diethylphthalate	10.24	149	59830	3.727	ng	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF103017\
Data File : BF099955.D
Acq On : 30 Oct 2017 13:25
Operator : SJ/JU
Sample : I6083-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
102017-TIDO-F-D-S

Quant Time: Oct 30 16:36:15 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 30 16:10:28 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.79 min Scan# 799
 Delta R.T. -0.00 min
 Lab File: BF099955.D
 Acq: 30 Oct 2017 13:25

Instrument :
 BNA_F
 ClientSampleId :
 102017-TIDO-F-D-S

Tot Ion:152 Resp: 103360
 Ion Ratio Lower Upper
 152 100
 150 153.9 124.6 186.8
 115 58.1 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 42.326 ng
 RT: 5.41 min Scan# 565
 Delta R.T. 0.01 min
 Lab File: BF099955.D
 Acq: 30 Oct 2017 13:25

Tgt Ion:112 Resp: 278658
 Ion Ratio Lower Upper
 112 100
 64 50.1 47.9 71.9
 63 24.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 27.824 ng

RT: 6.43 min Scan# 739

Delta R.T. -0.00 min

Lab File: BF099955.D

Acq: 30 Oct 2017 13:25

Instrument :

BNA_F

ClientSampleId :

102017-TIDO-F-D-S


Tot Ion: 99 Resp: 217200

Ion Ratio Lower Upper

99 100

42 13.1 14.5 21.7#



71 27.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.07 min Scan# 1017

Delta R.T. -0.00 min

Lab File: BF099955.D

Acq: 30 Oct 2017 13:25

Tgt Ion: 136 Resp: 418349


Ion Ratio Lower Upper

136 100

137 11.6 8.9 13.3

54 6.4 6.6 9.8#

68 5.6 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 84.671 ng
 RT: 7.36 min Scan# 897
 Delta R.T. -0.00 min
 Lab File: BF099955.D
 Acq: 30 Oct 2017 13:25




Instrument :
 BNA_F
 ClientSampleId :
 102017-TIDO-F-D-S

Tot Ion: 82 Resp: 550196
 Ion Ratio Lower Upper
 82 100
 128 52.9 36.1 54.1
 54 43.3 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.82 min Scan# 1315
 Delta R.T. -0.01 min
 Lab File: BF099955.D
 Acq: 30 Oct 2017 13:25

Tgt Ion:164 Resp: 207604
 Ion Ratio Lower Upper
 164 100
 162 102.4 86.1 129.1
 160 43.7 38.3 57.5








#41
 2,4,6-Tribromophenol
 Concen: 91.838 ng
 RT: 10.62 min Scan# 1451
 Delta R.T. -0.01 min
 Lab File: BF099955.D
 Acq: 30 Oct 2017 13:25

Instrument :
 BNA_F
 ClientSampleId :
 102017-TIDO-F-D-S

Tot Ion:330 Resp: 173751
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.0 115.6
 141 33.5 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 82.587 ng
 RT: 9.15 min Scan# 1200
 Delta R.T. -0.00 min
 Lab File: BF099955.D
 Acq: 30 Oct 2017 13:25

Tgt Ion:172 Resp: 1111289
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.7 44.5
 170 24.0 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#59
Diethylphthalate
Concen: 3.727 ng
RT: 10.24 min Scan# 1386
Delta R.T. -0.01 min
Lab File: BF099955.D
Acq: 30 Oct 2017 13:25




Instrument :
BNA_F
ClientSampleId :
102017-TIDO-F-D-S


Tot Ion:149 Resp: 59830
Ion Ratio Lower Upper
149 100
177 22.5 16.1 24.1
150 12.3 10.1 15.1



#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.32 min Scan# 1570
Delta R.T. -0.00 min
Lab File: BF099955.D
Acq: 30 Oct 2017 13:25

Tgt Ion:188 Resp: 394671
Ion Ratio Lower Upper
188 100
94 9.3 8.5 12.7
80 10.2 9.2 13.8









#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.98 min Scan# 2022
 Delta R.T. -0.00 min
 Lab File: BF099955.D
 Acq: 30 Oct 2017 13:25

Instrument :
 BNA_F
 ClientSampleId :
 102017-TIDO-F-D-S

Tot Ion:240 Resp: 314602
 Ion Ratio Lower Upper
 240 100
 120 12.7 9.5 14.3
 236 25.3 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E








#78
 Terphenyl-d14
 Concen: 80.290 ng
 RT: 12.91 min Scan# 1840
 Delta R.T. -0.00 min
 Lab File: BF099955.D
 Acq: 30 Oct 2017 13:25

Tgt Ion:244 Resp: 1155835
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.0
 122 13.5 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.47 min Scan# 2275
 Delta R.T. 0.02 min
 Lab File: BF099955.D
 Acq: 30 Oct 2017 13:25

Instrument :
 BNA_F
 ClientSampleId :
 102017-TIDO-F-D-S

Tot Ion:	264	Resp:	227384
Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.2	28.8
265	21.4	17.5	26.3

