

Data Path : Z:\HPCHEM1\BNA F\DATA\BF103017\
 Data File : BF099961.D
 Acq On : 30 Oct 2017 16:01
 Operator : SJ/JU
 Sample : I6084-04
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 102117-TIDO-F-U-S

Quant Time: Oct 30 16:52:19 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 30 16:10:28 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	89018	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	374795	20.00	ng	0.00
38) Acenaphthene-d10	9.82	164	185281	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	351644	20.00	ng	0.00
75) Chrysene-d12	13.97	240	260351	20.00	ng	0.00
86) Perylene-d12	15.46	264	179582	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	238172	42.01	ng	0.00
7) Phenol-d6	6.43	99	185442	27.58	ng	0.00
23) Nitrobenzene-d5	7.36	82	509372	87.50	ng	0.00
41) 2,4,6-Tribromophenol	10.62	330	158497	93.87	ng	0.00
44) 2-Fluorobiphenyl	9.15	172	1051600	87.57	ng	0.00
78) Terphenyl-d14	12.91	244	1080277	90.68	ng	0.00
Target Compounds						
10) Phenol	6.45	94	15778	2.137	ng	Qvalue 85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF103017\
Data File : BF099961.D
Acq On : 30 Oct 2017 16:01
Operator : SJ/JU
Sample : I6084-04
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
102117-TIDO-F-U-S

Quant Time: Oct 30 16:52:19 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 30 16:10:28 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.79 min Scan# 799
Delta R.T. 0.00 min
Lab File: BF099961.D
Acq: 30 Oct 2017 16:01

Instrument :
BNA_F
ClientSampleId :
102117-TIDO-F-U-S

Tot Ion:152 Resp: 89018
Ion Ratio Lower Upper
152 100
150 152.0 124.6 186.8
115 55.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 42.005 ng
RT: 5.41 min Scan# 565
Delta R.T. 0.01 min
Lab File: BF099961.D
Acq: 30 Oct 2017 16:01

Tgt Ion:112 Resp: 238172
Ion Ratio Lower Upper
112 100
64 49.1 47.9 71.9
63 24.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 27.583 ng

RT: 6.43 min Scan# 739

Delta R.T. 0.00 min

Lab File: BF099961.D

Acq: 30 Oct 2017 16:01

Instrument :

BNA_F

ClientSampleId :

102117-TIDO-F-U-S


Tot Ion: 99 Resp: 185442

Ion Ratio Lower Upper

99 100

42 13.4 14.5 21.7#




71 28.2 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 2.137 ng

RT: 6.45 min Scan# 742

Delta R.T. 0.01 min

Lab File: BF099961.D

Acq: 30 Oct 2017 16:01


Tgt Ion: 94 Resp: 15778

Ion Ratio Lower Upper

94 100

65 30.5 7.9 47.9



66 49.6 16.2 56.2




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.07 min Scan# 1017
Delta R.T. 0.00 min
Lab File: BF099961.D
Acq: 30 Oct 2017 16:01

Instrument :
BNA_F
ClientSampleId :
102117-TIDO-F-U-S

Tot Ion:	136	Resp:	374795
Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.9	13.3
54	6.0	6.6	9.8#
68	5.3	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 87.497 ng
RT: 7.36 min Scan# 896
Delta R.T. -0.01 min
Lab File: BF099961.D
Acq: 30 Oct 2017 16:01

Tgt Ion:	82	Resp:	509372
Ion	Ratio	Lower	Upper
82	100		
128	50.8	36.1	54.1
54	43.4	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.82 min Scan# 1315
 Delta R.T. -0.01 min
 Lab File: BF099961.D
 Acq: 30 Oct 2017 16:01

Instrument :
 BNA_F
 ClientSampleId :
 102117-TIDO-F-U-S

Tot Ion	Ratio	Lower	Upper
164	100		
162	104.5	86.1	129.1
160	44.9	38.3	57.5




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 93.869 ng
 RT: 10.62 min Scan# 1451
 Delta R.T. -0.01 min
 Lab File: BF099961.D
 Acq: 30 Oct 2017 16:01

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.4	77.0	115.6
141	34.5	29.9	44.9



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.567 ng
 RT: 9.15 min Scan# 1200
 Delta R.T. 0.00 min
 Lab File: BF099961.D
 Acq: 30 Oct 2017 16:01




Instrument :
 BNA_F
 ClientSampleId :
 102117-TIDO-F-U-S

Tot Ion:172 Resp: 1051600

Ion	Ratio	Lower	Upper
172	100		
171	35.7	29.7	44.5
170	23.7	19.6	29.4




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.32 min Scan# 1569
 Delta R.T. -0.01 min
 Lab File: BF099961.D
 Acq: 30 Oct 2017 16:01


Tgt Ion:188 Resp: 351644

Ion	Ratio	Lower	Upper
188	100		
94	10.6	8.5	12.7
80	11.3	9.2	13.8



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.97 min Scan# 2021

Delta R.T. -0.01 min

Lab File: BF099961.D

Acq: 30 Oct 2017 16:01

Instrument :

BNA_F

ClientSampleId :

102117-TIDO-F-U-S


Tot Ion:240 Resp: 260351

Ion Ratio Lower Upper

240 100

120 13.8 9.5 14.3




236 25.8 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 90.678 ng

RT: 12.91 min Scan# 1840

Delta R.T. 0.00 min

Lab File: BF099961.D

Acq: 30 Oct 2017 16:01


Tgt Ion:244 Resp: 1080277

Ion Ratio Lower Upper

244 100

212 6.8 5.4 8.0



122 12.9 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.46 min Scan# 2273
Delta R.T. 0.01 min
Lab File: BF099961.D
Acq: 30 Oct 2017 16:01

Instrument :
BNA_F
ClientSampleId :
102117-TIDO-F-U-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.2	28.8
265	21.5	17.5	26.3

