

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF103020\
 Data File : BF122216.D
 Acq On : 31 Oct 2020 12:12
 Operator : JU/CG
 Sample : L4215-04 10X
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 AU-05-102820

Quant Time: Nov 01 23:52:21 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 30 10:16:54 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.710	152	83275	20.00	ng	0.00
21) Naphthalene-d8	7.992	136	293441	20.00	ng	0.00
39) Acenaphthene-d10	9.745	164	125056	20.00	ng	0.00
64) Phenanthrene-d10	11.233	188	212135	20.00	ng	0.00
76) Chrysene-d12	13.880	240	223424	20.00	ng	0.00
86) Perylene-d12	15.315	264	198737	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.369	112	60509	10.72	ng	0.04
7) Phenol-d6	6.404	99	66344	9.13	ng	0.04
23) Nitrobenzene-d5	7.292	82	54624	9.55	ng	0.00
42) 2,4,6-Tribromophenol	10.557	330	12432	8.04	ng	0.01
45) 2-Fluorobiphenyl	9.069	172	98301	11.57	ng	0.00
79) Terphenyl-d14	12.816	244	87835	7.49	ng	0.00


Target Compounds	Qvalue
-----	-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF103020\
Data File : BF122216.D
Acq On : 31 Oct 2020 12:12
Operator : JU/CG
Sample : L4215-04 10X
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
AU-05-102820

Quant Time: Nov 01 23:52:21 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 30 10:16:54 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.710 min Scan# 786
Delta R.T. -0.006 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12




Instrument :
BNA_F
ClientSampleId :
AU-05-102820

Tgt Ion:152 Resp: 83275
Ion Ratio Lower Upper
152 100
150 155.9 125.3 187.9
115 61.0 51.9 77.9



#5
2-Fluorophenol
Concen: 10.72 ng
RT: 5.369 min Scan# 558
Delta R.T. 0.035 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12

Tgt Ion:112 Resp: 60509
Ion Ratio Lower Upper
112 100
64 66.1 50.4 75.6
63 34.5 25.8 38.6









#7
Phenol-d6
Concen: 9.13 ng
RT: 6.404 min Scan# 734
Delta R.T. 0.035 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12




Instrument :
BNA_F
ClientSampleId :
AU-05-102820


Tgt Ion: 99 Resp: 66344
Ion Ratio Lower Upper
99 100
42 21.5 15.9 23.9
71 37.2 27.1 40.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.992 min Scan# 1004
Delta R.T. -0.006 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12

Tgt Ion: 136 Resp: 293441
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 9.5 7.1 10.7
68 6.1 5.0 7.4









#23
Nitrobenzene-d5
Concen: 9.55 ng
RT: 7.292 min Scan# 885
Delta R.T. 0.006 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12




Instrument :
BNA_F
ClientSampleId :
AU-05-102820

Tgt Ion: 82 Resp: 54624
Ion Ratio Lower Upper
82 100
128 42.0 35.0 52.4
54 58.5 43.9 65.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.745 min Scan# 1302
Delta R.T. -0.006 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12

Tgt Ion:164 Resp: 125056
Ion Ratio Lower Upper
164 100
162 102.3 83.2 124.8
160 46.5 37.5 56.3








#42
2,4,6-Tribromophenol
Concen: 8.04 ng
RT: 10.557 min Scan# 1440
Delta R.T. 0.012 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12




Instrument :
BNA_F
ClientSampleId :
AU-05-102820


Tgt Ion:330 Resp: 12432
Ion Ratio Lower Upper
330 100
332 101.1 77.3 115.9
141 33.2 22.3 33.5



#45
2-Fluorobiphenyl
Concen: 11.57 ng
RT: 9.069 min Scan# 1187
Delta R.T. -0.006 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12

Tgt Ion:172 Resp: 98301
Ion Ratio Lower Upper
172 100
171 34.3 29.1 43.7
170 22.6 19.8 29.6









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.233 min Scan# 1555
Delta R.T. -0.000 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12




Instrument :
BNA_F
ClientSampleId :
AU-05-102820


Tgt Ion:188 Resp: 212135
Ion Ratio Lower Upper
188 100
94 9.4 8.3 12.5
80 10.6 9.1 13.7



#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.880 min Scan# 2005
Delta R.T. -0.000 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12

Tgt Ion:240 Resp: 223424
Ion Ratio Lower Upper
240 100
120 10.5 9.2 13.8
236 26.3 20.9 31.3









#79
Terphenyl-d14
Concen: 7.49 ng
RT: 12.816 min Scan# 1824
Delta R.T. -0.000 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12

Instrument :
BNA_F
ClientSampleId :
AU-05-102820

Tgt Ion:244 Resp: 87835
Ion Ratio Lower Upper
244 100
212 6.6 5.4 8.2
122 10.7 8.1 12.1



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.315 min Scan# 2249
Delta R.T. 0.012 min
Lab File: BF122216.D
Acq: 31 Oct 2020 12:12

Tgt Ion:264 Resp: 198737
Ion Ratio Lower Upper
264 100
260 23.9 18.7 28.1
265 21.9 17.3 25.9

