

Data Path : Z:\HPCHEM1\BNA F\DATA\BF103117\
 Data File : BF100027.D
 Acq On : 1 Nov 2017 5:12
 Operator : SJ/JU
 Sample : PB103271BL
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB103271BL

Quant Time: Nov 01 08:31:57 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 31 16:51:57 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	77666	20.00	ng	0.00
21) Naphthalene-d8	8.07	136	323292	20.00	ng	0.00
38) Acenaphthene-d10	9.83	164	149604	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	272157	20.00	ng	0.00
75) Chrysene-d12	13.98	240	173284	20.00	ng	0.00
86) Perylene-d12	15.48	264	140080	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	556136	112.42	ng	0.01
7) Phenol-d6	6.43	99	653772	111.46	ng	0.00
23) Nitrobenzene-d5	7.36	82	363465	72.38	ng	0.00
41) 2,4,6-Tribromophenol	10.62	330	137473	100.83	ng	0.00
44) 2-Fluorobiphenyl	9.15	172	793876	81.87	ng	0.00
78) Terphenyl-d14	12.91	244	676222	85.28	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF103117\
Data File : BF100027.D
Acq On : 1 Nov 2017 5:12
Operator : SJ/JU
Sample : PB103271BL
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB103271BL

Quant Time: Nov 01 08:31:57 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 31 16:51:57 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.79 min Scan# 799
 Delta R.T. 0.00 min
 Lab File: BF100027.D
 Acq: 1 Nov 2017 5:12

Instrument :
 BNA_F
 ClientSampleId :
 PB103271BL

Tot Ion:152 Resp: 77666
 Ion Ratio Lower Upper
 152 100
 150 159.1 124.6 186.8
 115 56.3 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 112.419 ng
 RT: 5.42 min Scan# 566
 Delta R.T. 0.01 min
 Lab File: BF100027.D
 Acq: 1 Nov 2017 5:12

Tgt Ion:112 Resp: 556136
 Ion Ratio Lower Upper
 112 100
 64 52.8 47.9 71.9
 63 24.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 111.456 ng

RT: 6.43 min Scan# 739

Delta R.T. 0.00 min

Lab File: BF100027.D

Acq: 1 Nov 2017 5:12

Instrument :

BNA_F

ClientSampleId :

PB103271BL


Tot Ion: 99 Resp: 653772

Ion Ratio Lower Upper

99 100

42 13.0 14.5 21.7#




71 28.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.07 min Scan# 1017

Delta R.T. 0.00 min

Lab File: BF100027.D

Acq: 1 Nov 2017 5:12

Tgt Ion:136 Resp: 323292


Ion Ratio Lower Upper

136 100

137 10.6 8.9 13.3

54 6.5 6.6 9.8#

68 6.1 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 72.381 ng
 RT: 7.36 min Scan# 896
 Delta R.T. -0.01 min
 Lab File: BF100027.D
 Acq: 1 Nov 2017 5:12

Instrument :
 BNA_F
 ClientSampleId :
 PB103271BL

Tot Ion: 82 Resp: 363465
 Ion Ratio Lower Upper
 82 100
 128 50.9 36.1 54.1
 54 43.3 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.83 min Scan# 1316
 Delta R.T. 0.00 min
 Lab File: BF100027.D
 Acq: 1 Nov 2017 5:12

Tgt Ion: 164 Resp: 149604
 Ion Ratio Lower Upper
 164 100
 162 105.4 86.1 129.1
 160 45.4 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 100.834 ng
 RT: 10.62 min Scan# 1451
 Delta R.T. -0.01 min
 Lab File: BF100027.D
 Acq: 1 Nov 2017 5:12

Instrument :
 BNA_F
 ClientSampleId :
 PB103271BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	77.0	115.6
141	33.4	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 81.871 ng
 RT: 9.15 min Scan# 1200
 Delta R.T. 0.00 min
 Lab File: BF100027.D
 Acq: 1 Nov 2017 5:12

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	29.7	44.5
170	23.1	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.32 min Scan# 1570
Delta R.T. 0.00 min
Lab File: BF100027.D
Acq: 1 Nov 2017 5:12

Instrument :
BNA_F
ClientSampleId :
PB103271BL

Tot Ion:188 Resp: 272157
Ion Ratio Lower Upper
188 100
94 9.4 8.5 12.7
80 10.0 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.98 min Scan# 2022
Delta R.T. -0.01 min
Lab File: BF100027.D
Acq: 1 Nov 2017 5:12

Tgt Ion:240 Resp: 173284
Ion Ratio Lower Upper
240 100
120 14.3 9.5 14.3#
236 24.7 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 85.282 ng

RT: 12.91 min Scan# 1840

Delta R.T. 0.01 min

Lab File: BF100027.D

Acq: 1 Nov 2017 5:12

Instrument :

BNA_F

ClientSampleId :

PB103271BL


Tot Ion:244 Resp: 676222

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0




122 11.7 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.48 min Scan# 2277

Delta R.T. 0.01 min

Lab File: BF100027.D

Acq: 1 Nov 2017 5:12


Tgt Ion:264 Resp: 140080

Ion Ratio Lower Upper

264 100

260 23.9 19.2 28.8

265 22.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

