

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF110215\
 Data File : BF082649.D
 Acq On : 2 Nov 2015 23:58
 Operator : UM/IZ
 Sample : G4238-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T-16R

Quant Time: Nov 03 02:35:36 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 31 00:17:39 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	197465	20.00	ng	-0.02
21) Naphthalene-d8	8.18	136	697619	20.00	ng	-0.01
38) Acenaphthene-d10	9.93	164	323285	20.00	ng	-0.02
63) Phenanthrene-d10	11.41	188	576911	20.00	ng	-0.02
75) Chrysene-d12	14.05	240	457504	20.00	ng	-0.02
86) Perylene-d12	15.49	264	389700	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	1813803	138.35	ng	0.00
7) Phenol-d6	6.52	99	2163534	124.22	ng	-0.01
23) Nitrobenzene-d5	7.45	82	1389043	81.31	ng	-0.02
41) 2,4,6-Tribromophenol	10.72	330	508056	143.60	ng	-0.02
44) 2-Fluorobiphenyl	9.25	172	1986357	87.24	ng	-0.02
78) Terphenyl-d14	13.00	244	1652945	79.07	ng	-0.02
Target Compounds						
9) Benzaldehyde	6.66	77	53872	4.53	ng	Qvalue 84
19) n-Nitroso-di-n-propylamine	7.45	70	194004	14.69	ng	# 73
49) Dimethylphthalate	9.65	163	470835	17.83	ng	# 96
56) 2,4-Dinitrotoluene	9.93	165	39417	5.33	ng	# 16
66) 4-Bromophenyl-phenylether	10.72	248	32054	4.90	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF110215\
Data File : BF082649.D
Acq On : 2 Nov 2015 23:58
Operator : UM/IZ
Sample : G4238-06
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T-16R

Quant Time: Nov 03 02:35:36 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 31 00:17:39 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.89 min Scan# 420

Delta R.T. -0.02 min

Lab File: BF082649.D

Acq: 2 Nov 2015 23:58

Instrument :

BNA_F

ClientSampleId :

T-16R


Tgt Ion:152 Resp: 197465

Ion Ratio Lower Upper

152 100

150 155.4 127.0 190.4




115 69.0 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 138.35 ng

RT: 5.50 min Scan# 299

Delta R.T. -0.00 min

Lab File: BF082649.D

Acq: 2 Nov 2015 23:58


Tgt Ion:112 Resp: 1813803

Ion Ratio Lower Upper

112 100

64 54.6 48.9 73.3



63 29.5 28.1 42.1



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 124.22 ng

RT: 6.52 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF082649.D

Acq: 2 Nov 2015 23:58

Instrument :

BNA_F

ClientSampleId :

T-16R





Tgt Ion: 99 Resp: 2163534

Ion Ratio Lower Upper

99 100

42 23.1 19.2 28.8

71 42.7 35.0 52.4



#9

Benzaldehyde

Concen: 4.53 ng

RT: 6.66 min Scan# 400

Delta R.T. 0.22 min

Lab File: BF082649.D

Acq: 2 Nov 2015 23:58




Tgt Ion: 77 Resp: 53872


Ion Ratio Lower Upper

77 100

105 73.4 63.5 103.5

106 60.3 59.3 99.3









#19
n-Nitroso-di-n-propylamine
Concen: 14.69 ng
RT: 7.45 min Scan# 469
Delta R.T. 0.13 min
Lab File: BF082649.D
Acq: 2 Nov 2015 23:58




Instrument :
BNA_F
ClientSampled :
T-16R

Tgt Ion: 70 Resp: 194004
Ion Ratio Lower Upper
70 100
42 49.9 57.7 86.5#
101 0.0 7.0 10.6#
130 1.6 11.8 17.6#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.18 min Scan# 533
Delta R.T. -0.01 min
Lab File: BF082649.D
Acq: 2 Nov 2015 23:58

Tgt Ion: 136 Resp: 697619
Ion Ratio Lower Upper
136 100
137 10.2 9.1 13.7
54 5.8 9.1 13.7#
68 4.0 4.8 7.2#









#23
 Nitrobenzene-d5
 Concen: 81.31 ng
 RT: 7.45 min Scan# 469
 Delta R.T. -0.02 min
 Lab File: BF082649.D
 Acq: 2 Nov 2015 23:58

Instrument :
 BNA_F
 ClientSampleId :
 T-16R

Tgt Ion: 82 Resp: 1389043
 Ion Ratio Lower Upper
 82 100
 128 35.4 26.8 40.2
 54 56.2 45.7 68.5




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.93 min Scan# 686
 Delta R.T. -0.02 min
 Lab File: BF082649.D
 Acq: 2 Nov 2015 23:58

Tgt Ion: 164 Resp: 323285
 Ion Ratio Lower Upper
 164 100
 162 101.9 84.9 127.3
 160 44.0 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): B
 Ion 162.00 (161.70 to 162.70): B
 Ion 160.00 (159.70 to 160.70): B









#41
 2,4,6-Tribromophenol
 Concen: 143.60 ng
 RT: 10.72 min Scan# 755
 Delta R.T. -0.02 min
 Lab File: BF082649.D
 Acq: 2 Nov 2015 23:58

Instrument :
 BNA_F
 ClientSampleId :
 T-16R

Tgt Ion:330 Resp: 508056
 Ion Ratio Lower Upper
 330 100
 332 96.2 76.6 114.8
 141 37.3 41.2 61.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.24 ng
 RT: 9.25 min Scan# 627
 Delta R.T. -0.02 min
 Lab File: BF082649.D
 Acq: 2 Nov 2015 23:58

Tgt Ion:172 Resp: 1986357
 Ion Ratio Lower Upper
 172 100
 171 37.7 30.8 46.2
 170 26.1 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 17.83 ng
RT: 9.65 min Scan# 662
Delta R.T. -0.02 min
Lab File: BF082649.D
Acq: 2 Nov 2015 23:58

Instrument :
BNA_F
ClientSampleId :
T-16R

Tgt Ion:163 Resp: 470835
Ion Ratio Lower Upper
163 100
194 4.2 2.6 4.0#
164 9.4 8.7 13.1




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#56
2,4-Dinitrotoluene
Concen: 5.33 ng
RT: 9.93 min Scan# 686
Delta R.T. -0.21 min
Lab File: BF082649.D
Acq: 2 Nov 2015 23:58

Tgt Ion:165 Resp: 39417
Ion Ratio Lower Upper
165 100
63 2.2 43.4 65.0#
89 1.6 70.6 106.0#
182 0.0 1.5 2.3#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF0
Ion 89.00 (88.70 to 89.70): BF0
Ion 182.00 (181.70 to 182.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.41 min Scan# 816
 Delta R.T. -0.02 min
 Lab File: BF082649.D
 Acq: 2 Nov 2015 23:58

Instrument :
 BNA_F
 ClientSampleId :
 T-16R

Tgt Ion:188 Resp: 576911
 Ion Ratio Lower Upper
 188 100
 94 9.4 6.1 9.1#
 80 10.0 7.0 10.6




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#66
 4-Bromophenyl-phenylether
 Concen: 4.90 ng
 RT: 10.72 min Scan# 755
 Delta R.T. -0.27 min
 Lab File: BF082649.D
 Acq: 2 Nov 2015 23:58

Tgt Ion:248 Resp: 32054
 Ion Ratio Lower Upper
 248 100
 250 204.7 79.4 119.2#
 141 700.3 36.3 54.5#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.05 min Scan# 1047

Delta R.T. -0.02 min

Lab File: BF082649.D

Acq: 2 Nov 2015 23:58

Instrument :

BNA_F

ClientSampleId :

T-16R


Tgt Ion:240 Resp: 457504

Ion Ratio Lower Upper

240 100

120 7.0 10.9 16.3#




236 26.3 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 79.07 ng

RT: 13.00 min Scan# 955

Delta R.T. -0.02 min

Lab File: BF082649.D

Acq: 2 Nov 2015 23:58


Tgt Ion:244 Resp: 1652945

Ion Ratio Lower Upper

244 100

212 8.5 7.6 11.4



122 13.6 11.3 16.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.49 min Scan# 1173
 Delta R.T. -0.05 min
 Lab File: BF082649.D
 Acq: 2 Nov 2015 23:58

Instrument :
 BNA_F
 ClientSampleId :
 T-16R

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.8	29.6
265	22.0	17.4	26.0

