

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF110217\
 Data File : BF100125.D
 Acq On : 3 Nov 2017 10:24
 Operator : SJ/JU
 Sample : I6273-08
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 103117-SIDI-E-U-S

Quant Time: Nov 03 12:02:21 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 01 18:13:08 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.77	152	75280	20.00	ng	0.00
21) Naphthalene-d8	8.05	136	312809	20.00	ng	-0.01
38) Acenaphthene-d10	9.80	164	140973	20.00	ng	-0.01
63) Phenanthrene-d10	11.30	188	249517	20.00	ng	-0.01
75) Chrysene-d12	13.95	240	163288	20.00	ng	-0.03
86) Perylene-d12	15.41	264	129208	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	228617	47.68	ng	0.00
7) Phenol-d6	6.42	99	167229	29.41	ng	0.00
23) Nitrobenzene-d5	7.34	82	446817	91.96	ng	-0.01
41) 2,4,6-Tribromophenol	10.60	330	116885	90.98	ng	-0.02
44) 2-Fluorobiphenyl	9.12	172	884701	96.82	ng	-0.01
78) Terphenyl-d14	12.88	244	777547	104.06	ng	-0.02
Target Compounds						Qvalue
49) Dimethylphthalate	9.53	163	24352	2.181	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF110217\
Data File : BF100125.D
Acq On : 3 Nov 2017 10:24
Operator : SJ/JU
Sample : I6273-08
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
103117-SIDI-E-U-S

Quant Time: Nov 03 12:02:21 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 01 18:13:08 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.77 min Scan# 796
Delta R.T. -0.01 min
Lab File: BF100125.D
Acq: 3 Nov 2017 10:24

Instrument :
BNA_F
ClientSampleId :
103117-SIDI-E-U-S

Tot Ion:152 Resp: 75280
Ion Ratio Lower Upper
152 100
150 157.5 124.6 186.8
115 58.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 47.678 ng
RT: 5.40 min Scan# 563
Delta R.T. 0.01 min
Lab File: BF100125.D
Acq: 3 Nov 2017 10:24

Tgt Ion:112 Resp: 228617
Ion Ratio Lower Upper
112 100
64 48.4 47.9 71.9
63 22.6 23.7 35.5#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 29.413 ng

RT: 6.42 min Scan# 737

Delta R.T. -0.01 min

Lab File: BF100125.D

Acq: 3 Nov 2017 10:24

Instrument :

BNA_F

ClientSampleId :

103117-SIDI-E-U-S


Tot Ion: 99 Resp: 167229

Ion Ratio Lower Upper

99 100

42 13.0 14.5 21.7#



71 27.2 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.05 min Scan# 1014

Delta R.T. -0.01 min

Lab File: BF100125.D

Acq: 3 Nov 2017 10:24

Tgt Ion: 136 Resp: 312809


Ion Ratio Lower Upper

136 100

137 10.7 8.9 13.3

54 6.0 6.6 9.8#

68 5.3 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 91.961 ng
RT: 7.34 min Scan# 893
Delta R.T. -0.01 min
Lab File: BF100125.D
Acq: 3 Nov 2017 10:24




Instrument :
BNA_F
ClientSampleId :
103117-SIDI-E-U-S

Tot Ion: 82 Resp: 446817
Ion Ratio Lower Upper
82 100
128 50.5 36.1 54.1
54 43.1 41.4 62.2



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.80 min Scan# 1312
Delta R.T. -0.01 min
Lab File: BF100125.D
Acq: 3 Nov 2017 10:24

Tgt Ion: 164 Resp: 140973
Ion Ratio Lower Upper
164 100
162 106.2 86.1 129.1
160 47.1 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 90.982 ng
 RT: 10.60 min Scan# 1447
 Delta R.T. -0.02 min
 Lab File: BF100125.D
 Acq: 3 Nov 2017 10:24

Instrument :
 BNA_F
 ClientSampleId :
 103117-SIDI-E-U-S

Tot Ion:330 Resp: 116885
 Ion Ratio Lower Upper
 330 100
 332 96.3 77.0 115.6
 141 34.2 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 96.824 ng
 RT: 9.12 min Scan# 1196
 Delta R.T. -0.01 min
 Lab File: BF100125.D
 Acq: 3 Nov 2017 10:24

Tgt Ion:172 Resp: 884701
 Ion Ratio Lower Upper
 172 100
 171 36.6 29.7 44.5
 170 23.9 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.181 ng

RT: 9.53 min Scan# 1265

Delta R.T. -0.01 min

Lab File: BF100125.D

Acq: 3 Nov 2017 10:24

Instrument :

BNA_F

ClientSampleId :

103117-SIDI-E-U-S


Tot Ion:163 Resp: 24352

Ion Ratio Lower Upper

163 100

194 3.5 2.7 4.1




164 9.3 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.30 min Scan# 1566

Delta R.T. -0.01 min

Lab File: BF100125.D

Acq: 3 Nov 2017 10:24


Tgt Ion:188 Resp: 249517

Ion Ratio Lower Upper

188 100

94 9.5 8.5 12.7



80 9.6 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.95 min Scan# 2016
 Delta R.T. -0.03 min
 Lab File: BF100125.D
 Acq: 3 Nov 2017 10:24

Instrument :
 BNA_F
 ClientSampleId :
 103117-SIDI-E-U-S

Tot Ion:240 Resp: 163288
 Ion Ratio Lower Upper
 240 100
 120 14.1 9.5 14.3
 236 24.0 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#78
 Terphenyl-d14
 Concen: 104.063 ng
 RT: 12.88 min Scan# 1835
 Delta R.T. -0.02 min
 Lab File: BF100125.D
 Acq: 3 Nov 2017 10:24

Tgt Ion:244 Resp: 777547
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.4 8.0
 122 13.1 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.41 min Scan# 2265
Delta R.T. -0.05 min
Lab File: BF100125.D
Acq: 3 Nov 2017 10:24

Instrument :
BNA_F
ClientSampleId :
103117-SIDI-E-U-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.1	19.2	28.8
265	19.5	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

