

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110315\
 Data File : BF082673.D
 Acq On : 3 Nov 2015 21:15
 Operator : UM/IZ
 Sample : G4240-05
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-08(18-20)

Quant Time: Nov 04 04:14:40 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF103015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 03 12:27:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	182708	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	704249	20.00	ng	0.00
38) Acenaphthene-d10	9.92	164	350351	20.00	ng	-0.01
63) Phenanthrene-d10	11.40	188	719341	20.00	ng	-0.01
75) Chrysene-d12	14.04	240	572111	20.00	ng	-0.01
86) Perylene-d12	15.48	264	438950	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	1304148	107.51	ng	0.01
7) Phenol-d6	6.51	99	1886840	117.08	ng	0.00
23) Nitrobenzene-d5	7.44	82	1038283	60.20	ng	-0.01
41) 2,4,6-Tribromophenol	10.70	330	412381	107.55	ng	-0.01
44) 2-Fluorobiphenyl	9.24	172	1693761	68.64	ng	-0.01
78) Terphenyl-d14	12.99	244	1821932	69.69	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.64	163	390953	13.66	ng	Qvalue # 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110315\
Data File : BF082673.D
Acq On : 3 Nov 2015 21:15
Operator : UM/IZ
Sample : G4240-05
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-08(18-20)

Quant Time: Nov 04 04:14:40 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF103015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 03 12:27:47 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.88 min Scan# 419

Delta R.T. -0.00 min

Lab File: BF082673.D

Acq: 3 Nov 2015 21:15

Instrument :

BNA_F

ClientSampleId :

SB-08(18-20)


Tot Ion:152 Resp: 182708

Ion Ratio Lower Upper

152 100

150 157.6 127.0 190.4




115 70.5 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 107.51 ng

RT: 5.48 min Scan# 297

Delta R.T. 0.01 min

Lab File: BF082673.D

Acq: 3 Nov 2015 21:15


Tgt Ion:112 Resp: 1304148

Ion Ratio Lower Upper

112 100

64 65.8 48.9 73.3



63 35.7 28.1 42.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 117.08 ng

RT: 6.51 min Scan# 387

Delta R.T. -0.00 min

Lab File: BF082673.D

Acq: 3 Nov 2015 21:15

Instrument :

BNA_F

ClientSampleId :

SB-08(18-20)


Tot Ion: 99 Resp: 1886840

Ion Ratio Lower Upper

99 100

42 20.3 19.2 28.8




71 40.2 35.0 52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.17 min Scan# 532

Delta R.T. -0.00 min

Lab File: BF082673.D

Acq: 3 Nov 2015 21:15

Tgt Ion: 136 Resp: 704249


Ion Ratio Lower Upper

136 100

137 10.6 9.1 13.7

54 6.4 9.1 13.7#

68 4.1 4.8 7.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 60.20 ng
 RT: 7.44 min Scan# 468
 Delta R.T. -0.01 min
 Lab File: BF082673.D
 Acq: 3 Nov 2015 21:15




Instrument :
 BNA_F
 ClientSampleId :
 SB-08(18-20)


Tot Ion: 82 Resp: 1038283
 Ion Ratio Lower Upper
 82 100
 128 34.7 26.8 40.2
 54 54.9 45.7 68.5



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.92 min Scan# 685
 Delta R.T. -0.01 min
 Lab File: BF082673.D
 Acq: 3 Nov 2015 21:15

Tgt Ion: 164 Resp: 350351
 Ion Ratio Lower Upper
 164 100
 162 100.9 84.9 127.3
 160 44.0 37.5 56.3









#41
 2,4,6-Tribromophenol
 Concen: 107.55 ng
 RT: 10.70 min Scan# 754
 Delta R.T. -0.01 min
 Lab File: BF082673.D
 Acq: 3 Nov 2015 21:15

Instrument :
 BNA_F
 ClientSampleId :
 SB-08(18-20)

Tot Ion:330 Resp: 412381
 Ion Ratio Lower Upper
 330 100
 332 98.4 76.6 114.8
 141 43.0 41.2 61.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 68.64 ng
 RT: 9.24 min Scan# 626
 Delta R.T. -0.01 min
 Lab File: BF082673.D
 Acq: 3 Nov 2015 21:15

Tgt Ion:172 Resp: 1693761
 Ion Ratio Lower Upper
 172 100
 171 37.5 30.8 46.2
 170 25.5 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.66 ng

RT: 9.64 min Scan# 661

Delta R.T. -0.01 min

Lab File: BF082673.D

Acq: 3 Nov 2015 21:15

Instrument :

BNA_F

ClientSampleId :

SB-08(18-20)


Tot Ion:163 Resp: 390953

Ion Ratio Lower Upper

163 100

194 4.1 2.6 4.0#




164 9.1 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.40 min Scan# 815

Delta R.T. -0.01 min

Lab File: BF082673.D

Acq: 3 Nov 2015 21:15


Tgt Ion:188 Resp: 719341

Ion Ratio Lower Upper

188 100

94 8.5 6.1 9.1



80 9.0 7.0 10.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.04 min Scan# 1046

Delta R.T. -0.01 min

Lab File: BF082673.D

Acq: 3 Nov 2015 21:15

Instrument :

BNA_F

ClientSampleId :

SB-08(18-20)


Tot Ion:240 Resp: 572111

Ion Ratio Lower Upper

240 100

120 6.6 10.9 16.3#




236 26.9 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 69.69 ng

RT: 12.99 min Scan# 954

Delta R.T. -0.01 min

Lab File: BF082673.D

Acq: 3 Nov 2015 21:15


Tgt Ion:244 Resp: 1821932

Ion Ratio Lower Upper

244 100

212 8.8 7.6 11.4



122 14.1 11.3 16.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.48 min Scan# 1172
 Delta R.T. -0.02 min
 Lab File: BF082673.D
 Acq: 3 Nov 2015 21:15

Instrument :
 BNA_F
 ClientSampleId :
 SB-08(18-20)

Tot Ion:	264	Resp:	438950
Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.8	29.6
265	22.1	17.4	26.0



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

