

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF110417\
 Data File : BF100211.D
 Acq On : 5 Nov 2017 6:25
 Operator : SJ/JU
 Sample : I6327-10
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Nov 05 23:58:13 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 03 15:46:10 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.76	152	86088	20.00	ng	0.00
21) Naphthalene-d8	8.05	136	359195	20.00	ng	0.00
38) Acenaphthene-d10	9.80	164	174226	20.00	ng	-0.01
63) Phenanthrene-d10	11.29	188	321275	20.00	ng	-0.01
75) Chrysene-d12	13.94	240	204205	20.00	ng	-0.01
86) Perylene-d12	15.40	264	139670	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	234017	42.68	ng	0.01
7) Phenol-d6	6.43	99	187808	28.89	ng	0.00
23) Nitrobenzene-d5	7.33	82	499004	89.44	ng	-0.02
41) 2,4,6-Tribromophenol	10.59	330	143834	90.59	ng	-0.02
44) 2-Fluorobiphenyl	9.12	172	1008438	89.30	ng	-0.01
78) Terphenyl-d14	12.87	244	957739	102.50	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.33	70	62196	16.323	ng	# 71
25) Isophorone	7.33	82	499004	49.289	ng	# 64
50) 2,6-Dinitrotoluene	9.80	165	21117	7.280	ng	# 25
56) 2,4-Dinitrotoluene	9.80	165	21117	6.045	ng	# 22
66) 4-Bromophenyl-phenylether	10.59	248	9524	2.816	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF110417\
Data File : BF100211.D
Acq On : 5 Nov 2017 6:25
Operator : SJ/JU
Sample : I6327-10
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Nov 05 23:58:13 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 03 15:46:10 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.76 min Scan# 795
Delta R.T. -0.01 min
Lab File: BF100211.D
Acq: 5 Nov 2017 6:25

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 86088
Ion Ratio Lower Upper
152 100
150 160.0 124.6 186.8
115 59.2 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 42.677 ng
RT: 5.40 min Scan# 564
Delta R.T. 0.01 min
Lab File: BF100211.D
Acq: 5 Nov 2017 6:25

Tgt Ion:112 Resp: 234017
Ion Ratio Lower Upper
112 100
64 46.9 47.9 71.9#
63 23.3 23.7 35.5#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 28.885 ng

RT: 6.43 min Scan# 738

Delta R.T. 0.00 min

Lab File: BF100211.D

Acq: 5 Nov 2017 6:25

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 187808

Ion Ratio Lower Upper




99 100

42 13.4 14.5 21.7#

71 27.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 16.323 ng

RT: 7.33 min Scan# 892

Delta R.T. 0.14 min

Lab File: BF100211.D

Acq: 5 Nov 2017 6:25

Tgt Ion: 70 Resp: 62196


Ion Ratio Lower Upper

70 100



42 39.5 47.5 71.3#


101 0.0 7.4 11.2#

130 2.5 16.6 25.0#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.05 min Scan# 1013
Delta R.T. -0.01 min
Lab File: BF100211.D
Acq: 5 Nov 2017 6:25

Instrument :
BNA_F
ClientSampleId :

Tot Ion:	136	Resp:	359195
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	6.4	6.6	9.8#
68	5.8	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 89.439 ng
RT: 7.33 min Scan# 892
Delta R.T. -0.02 min
Lab File: BF100211.D
Acq: 5 Nov 2017 6:25

Tgt Ion:	82	Resp:	499004
Ion	Ratio	Lower	Upper
82	100		
128	50.1	36.1	54.1
54	44.2	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 49.289 ng

RT: 7.33 min Scan# 892

Delta R.T. -0.26 min

Lab File: BF100211.D

Acq: 5 Nov 2017 6:25

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 499004

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#




138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.80 min Scan# 1311

Delta R.T. -0.01 min

Lab File: BF100211.D

Acq: 5 Nov 2017 6:25


Tgt Ion:164 Resp: 174226

Ion Ratio Lower Upper

164 100

162 102.4 86.1 129.1



160 44.1 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 90.590 ng
 RT: 10.59 min Scan# 1446
 Delta R.T. -0.02 min
 Lab File: BF100211.D
 Acq: 5 Nov 2017 6:25

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 143834
 Ion Ratio Lower Upper
 330 100
 332 97.5 77.0 115.6
 141 35.2 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 89.301 ng
 RT: 9.12 min Scan# 1195
 Delta R.T. -0.01 min
 Lab File: BF100211.D
 Acq: 5 Nov 2017 6:25

Tgt Ion:172 Resp: 1008438
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.7 44.5
 170 24.1 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
 2,6-Dinitrotoluene
 Concen: 7.280 ng
 RT: 9.80 min Scan# 1311
 Delta R.T. 0.18 min
 Lab File: BF100211.D
 Acq: 5 Nov 2017 6:25

Instrument :
 BNA_F
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.9	44.7	67.1#
89	0.0	44.0	66.0#






Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1




#56
 2,4-Dinitrotoluene
 Concen: 6.045 ng
 RT: 9.80 min Scan# 1311
 Delta R.T. -0.23 min
 Lab File: BF100211.D
 Acq: 5 Nov 2017 6:25

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.9	36.4	54.6#
89	0.0	57.8	86.6#
182	0.0	1.6	2.4#

Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1
 Ion 182.00 (181.70 to 182.70): E









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.29 min Scan# 1564
 Delta R.T. -0.01 min
 Lab File: BF100211.D
 Acq: 5 Nov 2017 6:25

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:188 Resp: 321275
 Ion Ratio Lower Upper
 188 100
 94 10.3 8.5 12.7
 80 11.6 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1






#66
 4-Bromophenyl-phenylether
 Concen: 2.816 ng
 RT: 10.59 min Scan# 1446
 Delta R.T. -0.24 min
 Lab File: BF100211.D
 Acq: 5 Nov 2017 6:25

Tgt Ion:248 Resp: 9524
 Ion Ratio Lower Upper
 248 100
 250 197.3 76.9 115.3#
 141 496.1 74.4 111.6#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.94 min Scan# 2015

Delta R.T. -0.01 min

Lab File: BF100211.D

Acq: 5 Nov 2017 6:25

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 204205

Ion Ratio Lower Upper

240 100

120 14.2 9.5 14.3




236 24.4 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 102.496 ng

RT: 12.87 min Scan# 1833

Delta R.T. -0.01 min

Lab File: BF100211.D

Acq: 5 Nov 2017 6:25


Tgt Ion:244 Resp: 957739

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0



122 13.5 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.40 min Scan# 2263
 Delta R.T. -0.01 min
 Lab File: BF100211.D
 Acq: 5 Nov 2017 6:25

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	21.4	19.2	28.8
265	21.9	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

