

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF110417\
 Data File : BF100202.D
 Acq On : 5 Nov 2017 2:26
 Operator : SJ/JU
 Sample : I6327-01
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 110217-TIDO-F-D-B

Quant Time: Nov 06 03:41:43 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 03 15:46:10 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.76	152	78614	20.00	ng	0.00
21) Naphthalene-d8	8.05	136	335823	20.00	ng	0.00
38) Acenaphthene-d10	9.80	164	164642	20.00	ng	-0.01
63) Phenanthrene-d10	11.29	188	315963	20.00	ng	-0.01
75) Chrysene-d12	13.94	240	218644	20.00	ng	-0.01
86) Perylene-d12	15.40	264	147819	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	221177	44.17	ng	0.01
7) Phenol-d6	6.43	99	175294	29.52	ng	0.00
23) Nitrobenzene-d5	7.34	82	468666	89.85	ng	-0.01
41) 2,4,6-Tribromophenol	10.59	330	149322	99.52	ng	-0.02
44) 2-Fluorobiphenyl	9.12	172	975609	91.42	ng	-0.01
78) Terphenyl-d14	12.87	244	977921	97.74	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF110417\
Data File : BF100202.D
Acq On : 5 Nov 2017 2:26
Operator : SJ/JU
Sample : I6327-01
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
110217-TIDO-F-D-B

Quant Time: Nov 06 03:41:43 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 03 15:46:10 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.76 min Scan# 795
Delta R.T. -0.01 min
Lab File: BF100202.D
Acq: 5 Nov 2017 2:26

Instrument :
BNA_F
ClientSampleId :
110217-TIDO-F-D-B

Tot Ion:152 Resp: 78614
Ion Ratio Lower Upper
152 100
150 160.1 124.6 186.8
115 60.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 44.170 ng
RT: 5.40 min Scan# 564
Delta R.T. 0.01 min
Lab File: BF100202.D
Acq: 5 Nov 2017 2:26

Tgt Ion:112 Resp: 221177
Ion Ratio Lower Upper
112 100
64 51.4 47.9 71.9
63 25.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 29.524 ng

RT: 6.43 min Scan# 739

Delta R.T. 0.01 min

Lab File: BF100202.D

Acq: 5 Nov 2017 2:26

Instrument :

BNA_F

ClientSampleId :

110217-TIDO-F-D-B


Tot Ion: 99 Resp: 175294

Ion Ratio Lower Upper

99 100

42 12.8 14.5 21.7#




71 26.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.05 min Scan# 1013

Delta R.T. -0.01 min

Lab File: BF100202.D

Acq: 5 Nov 2017 2:26

Tgt Ion: 136 Resp: 335823


Ion Ratio Lower Upper

136 100

137 11.4 8.9 13.3

54 6.3 6.6 9.8#

68 5.5 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 89.848 ng
 RT: 7.34 min Scan# 893
 Delta R.T. -0.01 min
 Lab File: BF100202.D
 Acq: 5 Nov 2017 2:26




Instrument :
 BNA_F
 ClientSampleId :
 110217-TIDO-F-D-B


Tot Ion: 82 Resp: 468666
 Ion Ratio Lower Upper
 82 100
 128 53.4 36.1 54.1
 54 42.3 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.80 min Scan# 1311
 Delta R.T. -0.01 min
 Lab File: BF100202.D
 Acq: 5 Nov 2017 2:26

Tgt Ion:164 Resp: 164642
 Ion Ratio Lower Upper
 164 100
 162 101.6 86.1 129.1
 160 44.8 38.3 57.5





#41

2,4,6-Tribromophenol

Concen: 99.521 ng

RT: 10.59 min Scan# 1446

Delta R.T. -0.02 min

Lab File: BF100202.D

Acq: 5 Nov 2017 2:26

Instrument :

BNA_F

ClientSampleId :

110217-TIDO-F-D-B


Tot Ion:330 Resp: 149322

Ion Ratio Lower Upper

330 100

332 96.5 77.0 115.6




141 33.1 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 91.423 ng

RT: 9.12 min Scan# 1195

Delta R.T. -0.01 min

Lab File: BF100202.D

Acq: 5 Nov 2017 2:26


Tgt Ion:172 Resp: 975609

Ion Ratio Lower Upper

172 100

171 35.4 29.7 44.5



170 23.2 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.29 min Scan# 1564
Delta R.T. -0.01 min
Lab File: BF100202.D
Acq: 5 Nov 2017 2:26




Instrument :
BNA_F
ClientSampleId :
110217-TIDO-F-D-B


Tot Ion:188 Resp: 315963
Ion Ratio Lower Upper
188 100
94 10.9 8.5 12.7
80 11.4 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.94 min Scan# 2015
Delta R.T. -0.01 min
Lab File: BF100202.D
Acq: 5 Nov 2017 2:26

Tgt Ion:240 Resp: 218644
Ion Ratio Lower Upper
240 100
120 14.0 9.5 14.3
236 24.8 20.7 31.1





#78

Terphenyl-d14

Concen: 97.744 ng

RT: 12.87 min Scan# 1833

Delta R.T. -0.01 min

Lab File: BF100202.D

Acq: 5 Nov 2017 2:26

Instrument :

BNA_F

ClientSampleId :

110217-TIDO-F-D-B


Tot Ion:244 Resp: 977921

Ion Ratio Lower Upper




244 100

212 7.1 5.4 8.0

122 13.5 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.40 min Scan# 2263

Delta R.T. -0.01 min

Lab File: BF100202.D

Acq: 5 Nov 2017 2:26


Tgt Ion:264 Resp: 147819

Ion Ratio Lower Upper

264 100

260 22.8 19.2 28.8

265 21.5 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

