

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF110417\
 Data File : BF100205.D
 Acq On : 5 Nov 2017 3:46
 Operator : SJ/JU
 Sample : I6327-04
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 110217-TIDO-F-U-S

Quant Time: Nov 06 03:49:53 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 03 15:46:10 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.76	152	93736	20.00	ng	0.00
21) Naphthalene-d8	8.05	136	392732	20.00	ng	0.00
38) Acenaphthene-d10	9.80	164	189198	20.00	ng	-0.01
63) Phenanthrene-d10	11.29	188	349215	20.00	ng	-0.01
75) Chrysene-d12	13.94	240	219425	20.00	ng	-0.01
86) Perylene-d12	15.40	264	152778	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	218108	36.53	ng	0.01
7) Phenol-d6	6.43	99	175981	24.86	ng	0.00
23) Nitrobenzene-d5	7.34	82	525020	86.07	ng	-0.01
41) 2,4,6-Tribromophenol	10.59	330	154732	89.74	ng	-0.02
44) 2-Fluorobiphenyl	9.12	172	1061815	86.59	ng	-0.01
78) Terphenyl-d14	12.87	244	976566	97.26	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF110417\
Data File : BF100205.D
Acq On : 5 Nov 2017 3:46
Operator : SJ/JU
Sample : I6327-04
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
110217-TIDO-F-U-S

Quant Time: Nov 06 03:49:53 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF102317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 03 15:46:10 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.76 min Scan# 795
Delta R.T. -0.01 min
Lab File: BF100205.D
Acq: 5 Nov 2017 3:46

Instrument :
BNA_F
ClientSampleId :
110217-TIDO-F-U-S

Tot Ion:152 Resp: 93736
Ion Ratio Lower Upper
152 100
150 156.1 124.6 186.8
115 58.2 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 36.530 ng
RT: 5.40 min Scan# 564
Delta R.T. 0.01 min
Lab File: BF100205.D
Acq: 5 Nov 2017 3:46

Tgt Ion:112 Resp: 218108
Ion Ratio Lower Upper
112 100
64 51.2 47.9 71.9
63 24.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 24.858 ng

RT: 6.43 min Scan# 739

Delta R.T. 0.01 min

Lab File: BF100205.D

Acq: 5 Nov 2017 3:46

Instrument :


BNA_F

ClientSampleId :

110217-TIDO-F-U-S

Tot Ion: 99 Resp: 175981




Ion	Ratio	Lower	Upper
99	100		
42	12.4	14.5	21.7#
71	26.6	25.4	38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.05 min Scan# 1013


Delta R.T. -0.01 min

Lab File: BF100205.D

Acq: 5 Nov 2017 3:46

Tgt Ion: 136 Resp: 392732

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	6.2	6.6	9.8#
68	5.8	5.0	7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 86.066 ng
 RT: 7.34 min Scan# 893
 Delta R.T. -0.01 min
 Lab File: BF100205.D
 Acq: 5 Nov 2017 3:46

Instrument :
 BNA_F
 ClientSampleId :
 110217-TIDO-F-U-S

Tot Ion: 82 Resp: 525020
 Ion Ratio Lower Upper
 82 100
 128 54.1 36.1 54.1
 54 42.4 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.80 min Scan# 1311
 Delta R.T. -0.01 min
 Lab File: BF100205.D
 Acq: 5 Nov 2017 3:46

Tgt Ion:164 Resp: 189198
 Ion Ratio Lower Upper
 164 100
 162 102.7 86.1 129.1
 160 44.4 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#41

2,4,6-Tribromophenol

Concen: 89.742 ng

RT: 10.59 min Scan# 1446

Delta R.T. -0.02 min

Lab File: BF100205.D

Acq: 5 Nov 2017 3:46

Instrument :

BNA_F

ClientSampleId :

110217-TIDO-F-U-S


Tot Ion:330 Resp: 154732

Ion Ratio Lower Upper

330 100

332 95.5 77.0 115.6




141 33.4 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 86.587 ng

RT: 9.12 min Scan# 1195

Delta R.T. -0.01 min

Lab File: BF100205.D

Acq: 5 Nov 2017 3:46


Tgt Ion:172 Resp: 1061815

Ion Ratio Lower Upper

172 100

171 35.5 29.7 44.5



170 23.8 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.29 min Scan# 1564
Delta R.T. -0.01 min
Lab File: BF100205.D
Acq: 5 Nov 2017 3:46




Instrument :
BNA_F
ClientSampleId :
110217-TIDO-F-U-S


Tot Ion:188 Resp: 349215
Ion Ratio Lower Upper
188 100
94 10.9 8.5 12.7
80 11.4 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.94 min Scan# 2015
Delta R.T. -0.01 min
Lab File: BF100205.D
Acq: 5 Nov 2017 3:46

Tgt Ion:240 Resp: 219425
Ion Ratio Lower Upper
240 100
120 13.6 9.5 14.3
236 25.0 20.7 31.1





#78

Terphenyl-d14

Concen: 97.261 ng

RT: 12.87 min Scan# 1833

Delta R.T. -0.01 min

Lab File: BF100205.D

Acq: 5 Nov 2017 3:46

Instrument :

BNA_F

ClientSampleId :

110217-TIDO-F-U-S


Tot Ion:244 Resp: 976566

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0




122 13.4 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.40 min Scan# 2263

Delta R.T. -0.01 min

Lab File: BF100205.D

Acq: 5 Nov 2017 3:46


Tgt Ion:264 Resp: 152778

Ion Ratio Lower Upper

264 100

260 23.2 19.2 28.8

265 21.7 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

