

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF110615\
 Data File : BF082727.D
 Acq On : 5 Nov 2015 14:09
 Operator : UM/IZ
 Sample : G4241-14
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-10(18-20)

Quant Time: Nov 06 01:12:24 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 03 12:27:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	194177	20.00	ng	-0.01
21) Naphthalene-d8	8.14	136	693529	20.00	ng	-0.02
38) Acenaphthene-d10	9.90	164	410832	20.00	ng	-0.02
63) Phenanthrene-d10	11.38	188	714835	20.00	ng	-0.03
75) Chrysene-d12	14.03	240	715950	20.00	ng	-0.02
86) Perylene-d12	15.48	264	549636	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	1650413	128.01	ng	0.00
7) Phenol-d6	6.50	99	1917279	111.94	ng	-0.01
23) Nitrobenzene-d5	7.42	82	1316543	77.52	ng	-0.02
41) 2,4,6-Tribromophenol	10.69	330	573708	127.60	ng	-0.02
44) 2-Fluorobiphenyl	9.23	172	2209098	76.34	ng	-0.02
78) Terphenyl-d14	12.98	244	2289258	69.98	ng	-0.02
Target Compounds						
9) Benzaldehyde	6.64	77	49830	4.26	ng	Qvalue 93
19) n-Nitroso-di-n-propylamine	7.42	70	187428	14.44	ng	# 71
49) Dimethylphthalate	9.62	163	460936	13.74	ng	99
56) 2,4-Dinitrotoluene	9.90	165	53343	5.67	ng	# 16
66) 4-Bromophenyl-phenylether	10.69	248	43886	5.42	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF110615\
Data File : BF082727.D
Acq On : 5 Nov 2015 14:09
Operator : UM/IZ
Sample : G4241-14
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-10(18-20)

Quant Time: Nov 06 01:12:24 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 03 12:27:47 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.86 min Scan# 418

Delta R.T. -0.01 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09

Instrument :

BNA_F

ClientSampleId :

SB-10(18-20)


Tgt Ion:152 Resp: 194177

Ion Ratio Lower Upper

152 100

150 153.0 127.0 190.4




115 61.4 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 128.01 ng

RT: 5.47 min Scan# 296

Delta R.T. 0.00 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09


Tgt Ion:112 Resp: 1650413

Ion Ratio Lower Upper

112 100

64 71.0 48.9 73.3



63 38.1 28.1 42.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 111.94 ng

RT: 6.50 min Scan# 386

Delta R.T. -0.01 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09

Instrument :

BNA_F

ClientSampleId :

SB-10(18-20)


Tgt Ion: 99 Resp: 1917279

Ion Ratio Lower Upper




99 100

42 21.3 19.2 28.8

71 40.9 35.0 52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#9

Benzaldehyde

Concen: 4.26 ng

RT: 6.64 min Scan# 398

Delta R.T. 0.22 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09


Tgt Ion: 77 Resp: 49830

Ion Ratio Lower Upper



77 100




105 78.8 63.5 103.5

106 72.4 59.3 99.3



Abundance Ion 77.00 (76.70 to 77.70): BF0
Ion 105.00 (104.70 to 105.70): B
Ion 106.00 (105.70 to 106.70): B





#19

n-Nitroso-di-n-propylamine

Concen: 14.44 ng

RT: 7.42 min Scan# 467

Delta R.T. 0.13 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09

Instrument :

BNA_F

ClientSampleId :

SB-10(18-20)

Tgt Ion: 70 Resp: 187428





Ion Ratio Lower Upper

70 100

42 47.8 57.7 86.5#

101 0.0 7.0 10.6#

130 1.9 11.8 17.6#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.14 min Scan# 530

Delta R.T. -0.02 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09

Tgt Ion: 136 Resp: 693529


Ion Ratio Lower Upper


136 100

137 10.9 9.1 13.7

54 10.0 9.1 13.7

68 6.2 4.8 7.2









#23
 Nitrobenzene-d5
 Concen: 77.52 ng
 RT: 7.42 min Scan# 467
 Delta R.T. -0.02 min
 Lab File: BF082727.D
 Acq: 5 Nov 2015 14:09




Instrument :
 BNA_F
 ClientSampleId :
 SB-10(18-20)


Tgt Ion: 82 Resp: 1316543
 Ion Ratio Lower Upper
 82 100
 128 36.7 26.8 40.2
 54 53.9 45.7 68.5



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.90 min Scan# 684
 Delta R.T. -0.02 min
 Lab File: BF082727.D
 Acq: 5 Nov 2015 14:09

Tgt Ion: 164 Resp: 410832
 Ion Ratio Lower Upper
 164 100
 162 103.8 84.9 127.3
 160 45.3 37.5 56.3









#41
 2,4,6-Tribromophenol
 Concen: 127.60 ng
 RT: 10.69 min Scan# 753
 Delta R.T. -0.02 min
 Lab File: BF082727.D
 Acq: 5 Nov 2015 14:09

Instrument :
 BNA_F
 ClientSampleId :
 SB-10(18-20)

Tgt Ion:330 Resp: 573708
 Ion Ratio Lower Upper
 330 100
 332 96.1 76.6 114.8
 141 40.8 41.2 61.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 76.34 ng
 RT: 9.23 min Scan# 625
 Delta R.T. -0.02 min
 Lab File: BF082727.D
 Acq: 5 Nov 2015 14:09

Tgt Ion:172 Resp: 2209098
 Ion Ratio Lower Upper
 172 100
 171 38.0 30.8 46.2
 170 25.9 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.74 ng

RT: 9.62 min Scan# 659

Delta R.T. -0.03 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09

Instrument :

BNA_F

ClientSampleId :

SB-10(18-20)


Tgt Ion:163 Resp: 460936

Ion Ratio Lower Upper

163 100

194 3.3 2.6 4.0




164 10.4 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#56

2,4-Dinitrotoluene

Concen: 5.67 ng

RT: 9.90 min Scan# 684

Delta R.T. -0.21 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09

Tgt Ion:165 Resp: 53343


Ion Ratio Lower Upper

165 100

63 1.6 43.4 65.0#

89 2.0 70.6 106.0#

182 0.0 1.5 2.3#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.38 min Scan# 813

Delta R.T. -0.03 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09

Instrument :

BNA_F

ClientSampleId :

SB-10(18-20)


Tgt Ion:188 Resp: 714835

Ion Ratio Lower Upper

188 100

94 11.0 6.1 9.1#




80 12.5 7.0 10.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#66

4-Bromophenyl-phenylether

Concen: 5.42 ng

RT: 10.69 min Scan# 753

Delta R.T. -0.26 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09


Tgt Ion:248 Resp: 43886

Ion Ratio Lower Upper

248 100

250 188.5 79.4 119.2#



141 444.5 36.3 54.5#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.03 min Scan# 1045

Delta R.T. -0.02 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09

Instrument :

BNA_F

ClientSampleId :

SB-10(18-20)


Tgt Ion:240 Resp: 715950

Ion Ratio Lower Upper

240 100

120 4.6 10.9 16.3#




236 26.1 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 69.98 ng

RT: 12.98 min Scan# 953

Delta R.T. -0.02 min

Lab File: BF082727.D

Acq: 5 Nov 2015 14:09


Tgt Ion:244 Resp: 2289258

Ion Ratio Lower Upper

244 100

212 8.4 7.6 11.4



122 8.6 11.3 16.9#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.48 min Scan# 1172
Delta R.T. -0.02 min
Lab File: BF082727.D
Acq: 5 Nov 2015 14:09

Instrument :
BNA_F
ClientSampleId :
SB-10(18-20)

Tgt Ion:	264	Resp:	549636
Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.8	29.6
265	21.8	17.4	26.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

