

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF110615\
 Data File : BF082745.D
 Acq On : 6 Nov 2015 1:37
 Operator : UM/IZ
 Sample : G4282-02MS
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS

Quant Time: Nov 06 03:22:46 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 03 12:27:47 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	164841	20.00	ng	-0.01
21) Naphthalene-d8	8.16	136	646418	20.00	ng	-0.01
38) Acenaphthene-d10	9.90	164	308506	20.00	ng	-0.02
63) Phenanthrene-d10	11.39	188	549838	20.00	ng	-0.02
75) Chrysene-d12	14.02	240	341023	20.00	ng	-0.03
86) Perylene-d12	15.46	264	370534	20.00	ng	-0.05

System Monitoring Compounds

5) 2-Fluorophenol	5.48	112	1430077	130.67	ng	0.01
7) Phenol-d6	6.51	99	1863175	128.14	ng	0.00
23) Nitrobenzene-d5	7.44	82	1303889	82.37	ng	-0.01
41) 2,4,6-Tribromophenol	10.70	330	418006	123.81	ng	-0.01
44) 2-Fluorobiphenyl	9.23	172	1693757	77.95	ng	-0.02
78) Terphenyl-d14	12.98	244	1515845	97.28	ng	-0.02

Target Compounds

						Qvalue
2) 1,4-Dioxane	2.52	88	171313	33.86	ng	94
3) Pyridine	3.23	79	526453	35.49	ng	98
4) n-Nitrosodimethylamine	3.18	42	273966	32.81	ng	88
6) Aniline	6.52	93	437679	21.62	ng	# 1
8) 2-Chlorophenol	6.66	128	510485	43.11	ng	97
9) Benzaldehyde	6.41	77	58403	5.88	ng	82
10) Phenol	6.52	94	814497	49.44	ng	95
11) bis(2-Chloroethyl)ether	6.60	93	467994	38.50	ng	93
12) 1,3-Dichlorobenzene	7.04	146	494499	36.62	ng	98
13) 1,4-Dichlorobenzene	6.89	146	587694	43.88	ng	93
14) 1,2-Dichlorobenzene	7.04	146	494540	39.78	ng	94
15) Benzyl Alcohol	7.01	79	581095	42.86	ng	95
16) 2,2'-oxybis(1-Chloropropan	7.15	45	741113	38.37	ng	96
17) 2-Methylphenol	7.13	107	448037	44.50	ng	99
18) Hexachloroethane	7.38	117	192191	36.77	ng	91
19) n-Nitroso-di-n-propylamine	7.29	70	396019	35.93	ng	89
20) 3+4-Methylphenols	7.28	107	554353	42.37	ng	# 85
22) Acetophenone	7.28	105	754133	39.63	ng	# 87
24) Nitrobenzene	7.45	77	554905	34.68	ng	# 88
25) Isophorone	7.69	82	1113671	38.24	ng	97
26) 2-Nitrophenol	7.77	139	250539	42.86	ng	# 79
27) 2,4-Dimethylphenol	7.81	122	512947	44.96	ng	96
28) bis(2-Chloroethoxy)methane	7.90	93	645163	40.50	ng	# 97
29) 2,4-Dichlorophenol	8.02	162	440281	42.33	ng	95
30) 1,2,4-Trichlorobenzene	8.10	180	489919	42.45	ng	95
31) Naphthalene	8.18	128	1513187	43.26	ng	100
32) Benzoic acid	7.88	122	44631	5.39	ng	98
33) 4-Chloroaniline	8.22	127	179497	12.02	ng	# 85
34) Hexachlorobutadiene	8.30	225	317270	43.22	ng	98
35) Caprolactam	8.59	113	98546	30.88	ng	# 85
36) 4-Chloro-3-methylphenol	8.72	107	524346	42.81	ng	# 84
37) 2-Methylnaphthalene	8.86	142	898311	39.63	ng	96
39) 1,2,4,5-Tetrachlorobenzene	9.04	216	458066	44.50	ng	97
40) Hexachlorocyclopentadiene	9.02	237	187403	28.96	ng	96


Data Path : Z:\HPCHEM1\BNA_F\DATA\BF110615\
 Data File : BF082745.D
 Acq On : 6 Nov 2015 1:37
 Operator : UM/IZ
 Sample : G4282-02MS
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS

Quant Time: Nov 06 03:22:46 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF103015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 03 12:27:47 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) 2,4,6-Trichlorophenol	9.15	196	350815	47.20	ng	98
43) 2,4,5-Trichlorophenol	9.20	196	315696	42.62	ng	# 78
45) 1,1'-Biphenyl	9.33	154	1168394	44.84	ng	97
46) 2-Chloronaphthalene	9.36	162	900737	44.27	ng	97
47) 2-Nitroaniline	9.45	65	355480	44.94	ng	# 84
48) Acenaphthylene	9.77	152	1294855	39.78	ng	99
49) Dimethylphthalate	9.64	163	1633006	64.81	ng	# 98
50) 2,6-Dinitrotoluene	9.69	165	235108	45.02	ng	86
51) Acenaphthene	9.94	154	794378	38.45	ng	99
52) 3-Nitroaniline	9.86	138	204568	35.21	ng	# 71
53) 2,4-Dinitrophenol	9.96	184	24436	14.74	ng	# 15
54) Dibenzofuran	10.11	168	1176836	41.97	ng	97
55) 4-Nitrophenol	10.02	139	276970	63.36	ng	# 83
56) 2,4-Dinitrotoluene	10.10	165	331566	46.95	ng	# 63
57) Fluorene	10.45	166	887682	39.25	ng	100
58) 2,3,4,6-Tetrachlorophenol	10.24	232	252742	40.38	ng	# 87
59) Diethylphthalate	10.34	149	1183770	46.15	ng	98
60) 4-Chlorophenyl-phenylether	10.45	204	512625	46.64	ng	99
61) 4-Nitroaniline	10.46	138	212236	38.28	ng	89
62) Azobenzene	10.61	77	1231894	42.59	ng	96
64) 4,6-Dinitro-2-methylphenol	10.50	198	48091	14.50	ng	78
65) n-Nitrosodiphenylamine	10.57	169	837804	44.33	ng	99
66) 4-Bromophenyl-phenylether	10.94	248	281100	45.11	ng	95
67) Hexachlorobenzene	11.01	284	308412	44.64	ng	# 56
68) Atrazine	11.09	200	264769	42.81	ng	99
69) Pentachlorophenol	11.20	266	274777	60.31	ng	98
70) Phenanthrene	11.41	178	1259372	40.61	ng	99
71) Anthracene	11.47	178	1398877	44.80	ng	98
72) Carbazole	11.62	167	1240628	45.61	ng	99
73) Di-n-butylphthalate	11.96	149	1723914	49.79	ng	# 97
74) Fluoranthene	12.60	202	1260224	39.75	ng	96
76) Benzidine	12.72	184	525551	34.17	ng	100
77) Pyrene	12.83	202	1234307	48.88	ng	98
79) Butylbenzylphthalate	13.45	149	545254	49.30	ng	97
80) Benzo(a)anthracene	14.01	228	952744	43.98	ng	98
81) 3,3'-Dichlorobenzidine	13.97	252	289550	38.79	ng	99
82) Chrysene	14.05	228	958475	48.82	ng	99
83) Bis(2-ethylhexyl)phthalate	14.02	149	836251	58.32	ng	100
84) Di-n-octyl phthalate	14.63	149	1172504	52.43	ng	97
85) Indeno(1,2,3-cd)pyrene	16.85	276	847059	52.28	ng	99
87) Benzo(b)fluoranthene	15.05	252	1783206	69.79	ng	100
88) Benzo(k)fluoranthene	15.05	252	1783982	91.65	ng	# 99
89) Benzo(a)pyrene	15.39	252	866535	43.06	ng	97
90) Dibenzo(a,h)anthracene	16.88	278	734682	39.13	ng	98
91) Benzo(g,h,i)perylene	17.28	276	653713	35.93	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.86 min Scan# 418

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:152 Resp: 164841

Ion Ratio Lower Upper

152 100

150 161.2 127.0 190.4




115 70.3 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 33.86 ng

RT: 2.52 min Scan# 38

Delta R.T. 0.06 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion: 88 Resp: 171313

Ion Ratio Lower Upper

88 100

58 83.1 62.0 93.0



43 35.7 26.6 40.0




Abundance Ion 88.00 (87.70 to 88.70): BF0

Ion 58.00 (57.70 to 58.70): BF0

Ion 43.00 (42.70 to 43.70): BF0





#3

Pyridine

Concen: 35.49 ng

RT: 3.23 min Scan# 100

Delta R.T. 0.03 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion: 79 Resp: 526453

Ion Ratio Lower Upper

79 100

52 80.0 62.8 94.2




51 40.9 32.0 48.0



Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 52.00 (51.70 to 52.70): BF0

Ion 51.00 (50.70 to 51.70): BF0



#4

n-Nitrosodimethylamine

Concen: 32.81 ng

RT: 3.18 min Scan# 96

Delta R.T. 0.05 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion: 42 Resp: 273966

Ion Ratio Lower Upper

42 100

74 122.2 87.0 130.4



44 6.6 5.8 8.8




Abundance Ion 42.00 (41.70 to 42.70): BF0

Ion 74.00 (73.70 to 74.70): BF0

Ion 44.00 (43.70 to 44.70): BF0





#5

2-Fluorophenol

Concen: 130.67 ng

RT: 5.48 min Scan# 297

Delta R.T. 0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion: 112 Resp: 1430077

Ion Ratio Lower Upper

112 100

64 55.5 48.9 73.3




63 30.3 28.1 42.1



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



#6

Aniline

Concen: 21.62 ng

RT: 6.52 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion: 93 Resp: 437679

Ion Ratio Lower Upper

93 100

66 154.9 33.6 50.4#



65 106.3 18.1 27.1#




Abundance Ion 93.00 (92.70 to 93.70): BF0

Ion 66.00 (65.70 to 66.70): BF0

Ion 65.00 (64.70 to 65.70): BF0





#7

Phenol-d6

Concen: 128.14 ng

RT: 6.51 min Scan# 387

Delta R.T. -0.00 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :


BNA_F

ClientSampleId :

OCFEW1-10MS

Tgt Ion: 99 Resp: 1863175




Ion	Ratio	Lower	Upper
99	100		
42	18.6	19.2	28.8#
71	38.1	35.0	52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#8

2-Chlorophenol

Concen: 43.11 ng

RT: 6.66 min Scan# 400


Delta R.T. -0.00 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Tgt Ion: 128 Resp: 510485



Ion	Ratio	Lower	Upper
128	100		
130	34.4	13.5	53.5
64	38.8	21.1	61.1




Abundance Ion 128.00 (127.70 to 128.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 64.00 (63.70 to 64.70): BF0





#9

Benzaldehyde

Concen: 5.88 ng

RT: 6.41 min Scan# 378

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS





Tgt Ion: 77 Resp: 58403

Ion Ratio Lower Upper

77 100

105 99.0 63.5 103.5

106 96.5 59.3 99.3



#10

Phenol

Concen: 49.44 ng

RT: 6.52 min Scan# 388

Delta R.T. -0.00 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37




Tgt Ion: 94 Resp: 814497


Ion Ratio Lower Upper

94 100

65 35.6 18.9 58.9

66 51.9 34.9 74.9









#11
bis(2-Chloroethyl)ether
Concen: 38.50 ng
RT: 6.60 min Scan# 395
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37




Instrument :
BNA_F
ClientSampleId :
OCFEW1-10MS


Tgt Ion: 93 Resp: 467994
Ion Ratio Lower Upper
93 100
63 84.5 72.7 112.7
95 33.7 12.0 52.0



#12
1,3-Dichlorobenzene
Concen: 36.62 ng
RT: 7.04 min Scan# 433
Delta R.T. 0.22 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Tgt Ion: 146 Resp: 494499
Ion Ratio Lower Upper
146 100
148 62.8 50.5 75.7
75 46.0 39.5 59.3









#13
 1,4-Dichlorobenzene
 Concen: 43.88 ng
 RT: 6.89 min Scan# 420
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFW1-10MS

Tgt Ion:146 Resp: 587694
 Ion Ratio Lower Upper
 146 100
 148 64.7 50.8 76.2
 111 41.2 40.6 60.8




Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E






#14
 1,2-Dichlorobenzene
 Concen: 39.78 ng
 RT: 7.04 min Scan# 433
 Delta R.T. -0.02 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion:146 Resp: 494540
 Ion Ratio Lower Upper
 146 100
 148 62.8 52.2 78.4
 111 53.1 36.6 55.0



Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E





#15

Benzyl Alcohol

Concen: 42.86 ng

RT: 7.01 min Scan# 431

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS





Tgt Ion: 79 Resp: 581095

Ion Ratio Lower Upper

79 100

108 71.6 52.2 78.4

77 64.3 52.7 79.1



#16

2,2'-oxybis(1-Chloropropane)

Concen: 38.37 ng

RT: 7.15 min Scan# 443

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37




Tgt Ion: 45 Resp: 741113


Ion Ratio Lower Upper

45 100

77 13.9 0.0 32.6

79 10.9 0.0 29.2









#17
2-Methylphenol
Concen: 44.50 ng
RT: 7.13 min Scan# 441
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Instrument :
BNA_F
ClientSampleId :
OCFEW1-10MS

Tgt Ion:	107	Resp:	448037
Ion	Ratio	Lower	Upper
107	100		
108	114.1	93.0	139.4
77	54.7	44.1	66.1
79	55.2	43.6	65.4




Abundance Ion 107.00 (106.70 to 107.70): E
Ion 108.00 (107.70 to 108.70): E
Ion 77.00 (76.70 to 77.70): BF0
Ion 79.00 (78.70 to 79.70): BF0






#18
Hexachloroethane
Concen: 36.77 ng
RT: 7.38 min Scan# 463
Delta R.T. -0.02 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Tgt Ion:	117	Resp:	192191
Ion	Ratio	Lower	Upper
117	100		
119	92.6	77.7	116.5
201	71.1	66.7	100.1



Abundance Ion 117.00 (116.70 to 117.70): E
Ion 119.00 (118.70 to 119.70): E
Ion 201.00 (200.70 to 201.70): E









#19
n-Nitroso-di-n-propylamine
Concen: 35.93 ng
RT: 7.29 min Scan# 455
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37




Instrument :
BNA_F
ClientSampleId :
OCFEW1-10MS


Tgt Ion: 70 Resp: 396019
Ion Ratio Lower Upper
70 100
42 61.0 57.7 86.5
101 8.4 7.0 10.6
130 16.8 11.8 17.6



#20
3+4-Methylphenols
Concen: 42.37 ng
RT: 7.28 min Scan# 454
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Tgt Ion: 107 Resp: 554353
Ion Ratio Lower Upper
107 100
108 85.7 67.3 107.3
77 149.4 100.3 140.3#
79 32.1 16.2 56.2









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.16 min Scan# 531
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37




Instrument :
BNA_F
ClientSampleId :
OCFEW1-10MS


Tgt Ion:	136	Resp:	646418
Ion Ratio	Lower	Upper	
136	100		
137	10.9	9.1	13.7
54	7.5	9.1	13.7#
68	5.1	4.8	7.2



#22
Acetophenone
Concen: 39.63 ng
RT: 7.28 min Scan# 454
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Tgt Ion:	105	Resp:	754133
Ion Ratio	Lower	Upper	
105	100		
71	4.4	5.6	8.4#
51	43.5	24.9	37.3#
120	19.3	15.8	23.8









#23
 Nitrobenzene-d5
 Concen: 82.37 ng
 RT: 7.44 min Scan# 468
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFW1-10MS

Tgt Ion: 82 Resp: 1303889
 Ion Ratio Lower Upper
 82 100
 128 40.1 26.8 40.2
 54 49.7 45.7 68.5




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#24
 Nitrobenzene
 Concen: 34.68 ng
 RT: 7.45 min Scan# 469
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion: 77 Resp: 554905
 Ion Ratio Lower Upper
 77 100
 123 35.5 36.4 54.6#
 65 15.4 11.5 17.3



Abundance Ion 77.00 (76.70 to 77.70): BF0
 Ion 123.00 (122.70 to 123.70): B
 Ion 65.00 (64.70 to 65.70): BF0





#25

Isophorone

Concen: 38.24 ng

RT: 7.69 min Scan# 490

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS





Tgt Ion: 82 Resp: 1113671

Ion Ratio Lower Upper

82 100

95 7.0 6.6 9.8

138 13.1 11.4 17.0



#26

2-Nitrophenol

Concen: 42.86 ng

RT: 7.77 min Scan# 497

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37




Tgt Ion: 139 Resp: 250539


Ion Ratio Lower Upper

139 100

109 37.1 37.6 56.4#

65 66.3 70.6 105.8#





#27

2,4-Dimethylphenol

Concen: 44.96 ng

RT: 7.81 min Scan# 501

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:122 Resp: 512947

Ion Ratio Lower Upper

122 100

107 125.3 106.0 159.0




121 58.2 46.7 70.1



Abundance Ion 122.00 (121.70 to 122.70): E

Ion 107.00 (106.70 to 107.70): E

Ion 121.00 (120.70 to 121.70): E



#28

bis(2-Chloroethoxy)methane

Concen: 40.50 ng

RT: 7.90 min Scan# 509

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion: 93 Resp: 645163

Ion Ratio Lower Upper

93 100

95 32.7 26.6 40.0



123 9.2 9.7 14.5#




Abundance Ion 93.00 (92.70 to 93.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 123.00 (122.70 to 123.70): E









#29
 2,4-Dichlorophenol
 Concen: 42.33 ng
 RT: 8.02 min Scan# 519
 Delta R.T. -0.00 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS

Tgt Ion	Ratio	Lower	Upper
162	100		
164	64.6	46.8	86.8
98	27.2	12.5	52.5




Abundance Ion 162.00 (161.70 to 162.70): E
 Ion 164.00 (163.70 to 164.70): E
 Ion 98.00 (97.70 to 98.70): BF0






#30
 1,2,4-Trichlorobenzene
 Concen: 42.45 ng
 RT: 8.10 min Scan# 526
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion	Ratio	Lower	Upper
180	100		
182	97.8	74.9	112.3
145	30.8	27.8	41.8



Abundance Ion 180.00 (179.70 to 180.70): E
 Ion 182.00 (181.70 to 182.70): E
 Ion 145.00 (144.70 to 145.70): E





#31

Naphthalene

Concen: 43.26 ng

RT: 8.18 min Scan# 533

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:128 Resp: 1513187

Ion Ratio Lower Upper

128 100

129 11.8 9.5 14.3




127 14.1 11.4 17.0



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#32

Benzoic acid

Concen: 5.39 ng

RT: 7.88 min Scan# 507

Delta R.T. -0.06 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:122 Resp: 44631

Ion Ratio Lower Upper

122 100

105 139.7 122.6 162.6



77 121.7 100.9 140.9




Abundance Ion 122.00 (121.70 to 122.70): E

Ion 105.00 (104.70 to 105.70): E

Ion 77.00 (76.70 to 77.70): BF0









#33
4-Chloroaniline
Concen: 12.02 ng
RT: 8.22 min Scan# 537
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37




Instrument :
BNA_F
ClientSampleId :
OCFEW1-10MS


Tgt Ion:	127	Resp:	179497
Ion	Ratio	Lower	Upper
127	100		
129	32.2	26.3	39.5
65	30.7	37.8	56.8#
92	18.5	20.6	31.0#



#34
Hexachlorobutadiene
Concen: 43.22 ng
RT: 8.30 min Scan# 544
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Tgt Ion:	225	Resp:	317270
Ion	Ratio	Lower	Upper
225	100		
223	62.3	50.5	75.7
227	64.6	50.2	75.2









#35
 Caprolactam
 Concen: 30.88 ng
 RT: 8.59 min Scan# 569
 Delta R.T. -0.02 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS

Tgt Ion:113 Resp: 98546
 Ion Ratio Lower Upper
 113 100
 55 191.5 195.5 235.5#
 56 152.5 153.5 193.5#




Abundance Ion 113.00 (112.70 to 113.70): E
 Ion 55.00 (54.70 to 55.70): BF0
 Ion 56.00 (55.70 to 56.70): BF0






#36
 4-Chloro-3-methylphenol
 Concen: 42.81 ng
 RT: 8.72 min Scan# 580
 Delta R.T. -0.00 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion:107 Resp: 524346
 Ion Ratio Lower Upper
 107 100
 144 24.3 15.4 23.0#
 142 73.5 47.8 71.8#



Abundance Ion 107.00 (106.70 to 107.70): E
 Ion 144.00 (143.70 to 144.70): E
 Ion 142.00 (141.70 to 142.70): E





#37

2-Methylnaphthalene

Concen: 39.63 ng

RT: 8.86 min Scan# 593

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:142 Resp: 898311

Ion Ratio Lower Upper

142 100

141 87.6 72.3 108.5




115 43.6 38.1 57.1



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.90 min Scan# 684

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:164 Resp: 308506

Ion Ratio Lower Upper

164 100

162 105.1 84.9 127.3



160 46.1 37.5 56.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#39
 1,2,4,5-Tetrachlorobenzene
 Concen: 44.50 ng
 RT: 9.04 min Scan# 608
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS

Tgt Ion:	216	Resp:	458066
Ion	Ratio	Lower	Upper
216	100		
214	81.4	62.2	93.2
179	23.8	18.1	27.1
108	21.0	16.6	25.0




Abundance Ion 216.00 (215.70 to 216.70): E
 Ion 214.00 (213.70 to 214.70): E
 Ion 179.00 (178.70 to 179.70): E
 Ion 108.00 (107.70 to 108.70): E






#40
 Hexachlorocyclopentadiene
 Concen: 28.96 ng
 RT: 9.02 min Scan# 607
 Delta R.T. -0.02 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion:	237	Resp:	187403
Ion	Ratio	Lower	Upper
237	100		
235	61.6	44.3	84.3
272	9.9	0.0	31.9



Abundance Ion 236.80 (236.50 to 237.50): E
 Ion 234.90 (234.60 to 235.60): E
 Ion 271.75 (271.45 to 272.45): E









#41
 2,4,6-Tribromophenol
 Concen: 123.81 ng
 RT: 10.70 min Scan# 754
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFW1-10MS

Tgt Ion:330 Resp: 418006
 Ion Ratio Lower Upper
 330 100
 332 96.4 76.6 114.8
 141 33.0 41.2 61.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#42
 2,4,6-Trichlorophenol
 Concen: 47.20 ng
 RT: 9.15 min Scan# 618
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion:196 Resp: 350815
 Ion Ratio Lower Upper
 196 100
 198 97.8 76.3 114.5
 200 30.7 23.9 35.9



Abundance Ion 196.00 (195.70 to 196.70): E
 Ion 198.00 (197.70 to 198.70): E
 Ion 200.00 (199.70 to 200.70): E









#43
 2,4,5-Trichlorophenol
 Concen: 42.62 ng
 RT: 9.20 min Scan# 622
 Delta R.T. -0.00 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS

Tgt Ion:196 Resp: 315696
 Ion Ratio Lower Upper
 196 100
 198 96.1 75.8 113.8
 97 37.4 62.3 93.5#
 132 22.4 27.4 41.2#




Abundance Ion 196.00 (195.70 to 196.70): E
 Ion 198.00 (197.70 to 198.70): E
 Ion 97.00 (96.70 to 97.70): BF0
 Ion 132.00 (131.70 to 132.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.95 ng
 RT: 9.23 min Scan# 625
 Delta R.T. -0.02 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion:172 Resp: 1693757
 Ion Ratio Lower Upper
 172 100
 171 37.1 30.8 46.2
 170 25.4 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#45
 1,1'-Biphenyl
 Concen: 44.84 ng
 RT: 9.33 min Scan# 634
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS

Tgt Ion:154 Resp: 1168394
 Ion Ratio Lower Upper
 154 100
 153 41.5 22.0 62.0
 76 13.3 0.0 29.0




Abundance Ion 154.00 (153.70 to 154.70): E
 Ion 153.00 (152.70 to 153.70): E
 Ion 76.00 (75.70 to 76.70): BF0






#46
 2-Chloronaphthalene
 Concen: 44.27 ng
 RT: 9.36 min Scan# 636
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion:162 Resp: 900737
 Ion Ratio Lower Upper
 162 100
 127 44.1 32.7 49.1
 164 33.4 27.4 41.0



Abundance Ion 162.00 (161.70 to 162.70): E
 Ion 127.00 (126.70 to 127.70): E
 Ion 164.00 (163.70 to 164.70): E





#47

2-Nitroaniline

Concen: 44.94 ng

RT: 9.45 min Scan# 644

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS





Tgt Ion: 65 Resp: 355480

Ion Ratio Lower Upper

65 100

92 65.7 46.6 70.0

138 85.4 54.6 81.8#



#48

Acenaphthylene

Concen: 39.78 ng

RT: 9.77 min Scan# 672

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37




Tgt Ion: 152 Resp: 1294855


Ion Ratio Lower Upper

152 100

151 21.0 17.3 25.9

153 14.0 11.3 16.9





#49

Dimethylphthalate

Concen: 64.81 ng

RT: 9.64 min Scan# 661

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:163 Resp: 1633006

Ion Ratio Lower Upper

163 100

194 4.0 2.6 4.0#




164 10.3 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#50

2,6-Dinitrotoluene

Concen: 45.02 ng

RT: 9.69 min Scan# 665

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:165 Resp: 235108

Ion Ratio Lower Upper

165 100

63 81.5 55.5 83.3



89 79.2 55.0 82.6




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0





#51

Acenaphthene

Concen: 38.45 ng

RT: 9.94 min Scan# 687

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:154 Resp: 794378

Ion Ratio Lower Upper

154 100

153 113.7 90.1 135.1




152 54.8 44.3 66.5



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#52

3-Nitroaniline

Concen: 35.21 ng

RT: 9.86 min Scan# 680

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:138 Resp: 204568

Ion Ratio Lower Upper

138 100

108 10.7 11.3 16.9#



92 112.9 122.4 183.6#




Abundance Ion 138.00 (137.70 to 138.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 92.00 (91.70 to 92.70): BF0









#53
2,4-Dinitrophenol
Concen: 14.74 ng
RT: 9.96 min Scan# 689
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Instrument :
BNA_F
ClientSampleId :
OCFEW1-10MS

Tgt Ion:184 Resp: 24436
Ion Ratio Lower Upper
184 100
63 49.6 98.6 148.0#
154 71.2 183.9 275.9#




Abundance Ion 184.00 (183.70 to 184.70): E
Ion 63.00 (62.70 to 63.70): BF0
Ion 154.00 (153.70 to 154.70): E






#54
Dibenzofuran
Concen: 41.97 ng
RT: 10.11 min Scan# 702
Delta R.T. -0.02 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Tgt Ion:168 Resp: 1176836
Ion Ratio Lower Upper
168 100
139 44.7 37.8 56.6
169 14.5 11.3 16.9



Abundance Ion 168.00 (167.70 to 168.70): E
Ion 139.00 (138.70 to 139.70): E
Ion 169.00 (168.70 to 169.70): E





#55

4-Nitrophenol

Concen: 63.36 ng

RT: 10.02 min Scan# 694

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS





Tgt Ion:139 Resp: 276970

Ion Ratio Lower Upper

139 100

109 92.1 73.7 113.7

65 135.3 82.9 122.9#



#56

2,4-Dinitrotoluene

Concen: 46.95 ng

RT: 10.10 min Scan# 701

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Tgt Ion:165 Resp: 331566




Ion Ratio Lower Upper


165 100

63 28.9 43.4 65.0#

89 52.6 70.6 106.0#

182 2.6 1.5 2.3#





#57

Fluorene

Concen: 39.25 ng

RT: 10.45 min Scan# 732

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:166 Resp: 887682

Ion Ratio Lower Upper

166 100

165 100.3 80.2 120.4




167 14.5 11.2 16.8



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#58

2,3,4,6-Tetrachlorophenol

Concen: 40.38 ng

RT: 10.24 min Scan# 713

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Tgt Ion:232 Resp: 252742


Ion Ratio Lower Upper

232 100

131 45.9 46.2 69.2#

130 2.1 2.4 3.6#

166 30.4 28.2 42.2






Abundance Ion 232.00 (231.70 to 232.70): E

Ion 131.00 (130.70 to 131.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 166.00 (165.70 to 166.70): E









#59
Diethylphthalate
Concen: 46.15 ng
RT: 10.34 min Scan# 722
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Instrument :
BNA_F
ClientSampleId :
OCFEW1-10MS

Tgt Ion:149 Resp: 1183770
Ion Ratio Lower Upper
149 100
177 23.5 17.9 26.9
150 12.7 10.1 15.1




Abundance Ion 149.00 (148.70 to 149.70): E
Ion 177.00 (176.70 to 177.70): E
Ion 150.00 (149.70 to 150.70): E






#60
4-Chlorophenyl-phenylether
Concen: 46.64 ng
RT: 10.45 min Scan# 732
Delta R.T. -0.01 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Tgt Ion:204 Resp: 512625
Ion Ratio Lower Upper
204 100
206 35.0 28.5 42.7
141 56.3 44.6 66.8



Abundance Ion 204.00 (203.70 to 204.70): E
Ion 206.00 (205.70 to 206.70): E
Ion 141.00 (140.70 to 141.70): E





#61

4-Nitroaniline

Concen: 38.28 ng

RT: 10.46 min Scan# 733

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:138 Resp: 212236

Ion Ratio Lower Upper

138 100

92 61.8 45.8 85.8




108 93.7 89.4 129.4



Abundance Ion 138.00 (137.70 to 138.70): E

Ion 92.00 (91.70 to 92.70): BF0

Ion 108.00 (107.70 to 108.70): E



#62

Azobenzene

Concen: 42.59 ng

RT: 10.61 min Scan# 746

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Tgt Ion: 77 Resp: 1231894


Ion Ratio Lower Upper

77 100

182 30.9 9.3 49.3

105 23.4 2.6 42.6

51 26.6 9.9 49.9






Abundance Ion 77.00 (76.70 to 77.70): BF0

Ion 182.00 (181.70 to 182.70): E

Ion 105.00 (104.70 to 105.70): E

Ion 51.00 (50.70 to 51.70): BF0









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.39 min Scan# 814
Delta R.T. -0.02 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37




Instrument :
BNA_F
ClientSampleId :
OCFEW1-10MS


Tgt Ion:188 Resp: 549838
Ion Ratio Lower Upper
188 100
94 7.7 6.1 9.1
80 8.3 7.0 10.6



#64
4,6-Dinitro-2-methylphenol
Concen: 14.50 ng
RT: 10.50 min Scan# 736
Delta R.T. -0.02 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Tgt Ion:198 Resp: 48091
Ion Ratio Lower Upper
198 100
51 53.9 17.3 57.3
105 51.9 21.7 61.7









#65
 n-Nitrosodiphenylamine
 Concen: 44.33 ng
 RT: 10.57 min Scan# 742
 Delta R.T. -0.02 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFW1-10MS

Tgt Ion:169 Resp: 837804
 Ion Ratio Lower Upper
 169 100
 168 67.5 55.0 82.6
 167 38.0 30.5 45.7




Abundance Ion 169.00 (168.70 to 169.70): E
 Ion 168.00 (167.70 to 168.70): E
 Ion 167.00 (166.70 to 167.70): E






#66
 4-Bromophenyl-phenylether
 Concen: 45.11 ng
 RT: 10.94 min Scan# 775
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion:248 Resp: 281100
 Ion Ratio Lower Upper
 248 100
 250 98.5 79.4 119.2
 141 36.4 36.3 54.5



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E





#67

Hexachlorobenzene

Concen: 44.64 ng

RT: 11.01 min Scan# 781

Delta R.T. -0.01 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:284 Resp: 308412

Ion Ratio Lower Upper

284 100

142 13.9 47.9 71.9#




249 27.5 29.7 44.5#



Abundance Ion 283.80 (283.50 to 284.50): E

Ion 142.00 (141.70 to 142.70): E

Ion 249.00 (248.70 to 249.70): E



#68

Atrazine

Concen: 42.81 ng

RT: 11.09 min Scan# 788

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:200 Resp: 264769

Ion Ratio Lower Upper

200 100

173 27.6 6.9 46.9



215 43.4 22.9 62.9




Abundance Ion 200.00 (199.70 to 200.70): E

Ion 173.00 (172.70 to 173.70): E

Ion 215.00 (214.70 to 215.70): E









#69
 Pentachlorophenol
 Concen: 60.31 ng
 RT: 11.20 min Scan# 797
 Delta R.T. -0.02 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFW1-10MS

Tgt Ion: 266 Resp: 274777
 Ion Ratio Lower Upper
 266 100
 268 61.6 51.0 76.6
 264 61.6 50.6 75.8




Abundance Ion 265.70 (265.40 to 266.40): E
 Ion 268.00 (267.70 to 268.70): E
 Ion 264.00 (263.70 to 264.70): E






#70
 Phenanthrene
 Concen: 40.61 ng
 RT: 11.41 min Scan# 816
 Delta R.T. -0.02 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion: 178 Resp: 1259372
 Ion Ratio Lower Upper
 178 100
 176 20.6 17.0 25.4
 179 16.1 13.4 20.0



Abundance Ion 178.00 (177.70 to 178.70): E
 Ion 176.00 (175.70 to 176.70): E
 Ion 179.00 (178.70 to 179.70): E









#71
 Anthracene
 Concen: 44.80 ng
 RT: 11.47 min Scan# 821
 Delta R.T. -0.01 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS

Tgt Ion:178 Resp: 1398877
 Ion Ratio Lower Upper
 178 100
 176 19.4 16.5 24.7
 179 15.7 13.2 19.8




Abundance Ion 178.00 (177.70 to 178.70): E
 Ion 176.00 (175.70 to 176.70): E
 Ion 179.00 (178.70 to 179.70): E






#72
 Carbazole
 Concen: 45.61 ng
 RT: 11.62 min Scan# 834
 Delta R.T. -0.02 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion:167 Resp: 1240628
 Ion Ratio Lower Upper
 167 100
 166 23.1 18.7 28.1
 139 14.1 11.8 17.6



Abundance Ion 167.00 (166.70 to 167.70): E
 Ion 166.00 (165.70 to 166.70): E
 Ion 139.00 (138.70 to 139.70): E





#73

Di-n-butylphthalate

Concen: 49.79 ng

RT: 11.96 min Scan# 864

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:149 Resp: 1723914

Ion Ratio Lower Upper

149 100

150 9.7 8.1 12.1




104 4.8 5.2 7.8#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 104.00 (103.70 to 104.70): E



#74

Fluoranthene

Concen: 39.75 ng

RT: 12.60 min Scan# 920

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:202 Resp: 1260224

Ion Ratio Lower Upper

202 100

101 6.8 0.0 30.5



203 17.9 0.0 38.5




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.02 min Scan# 1044

Delta R.T. -0.03 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:240 Resp: 341023

Ion Ratio Lower Upper

240 100

120 13.8 10.9 16.3




236 26.3 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#76

Benzidine

Concen: 34.17 ng

RT: 12.72 min Scan# 930

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:184 Resp: 525551

Ion Ratio Lower Upper

184 100

185 14.9 12.0 18.0



183 11.8 9.6 14.4




Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E





#77

Pyrene

Concen: 48.88 ng

RT: 12.83 min Scan# 940

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:202 Resp: 1234307

Ion Ratio Lower Upper

202 100

200 22.0 18.7 28.1




203 18.1 14.8 22.2



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#78

Terphenyl-d14

Concen: 97.28 ng

RT: 12.98 min Scan# 953

Delta R.T. -0.02 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:244 Resp: 1515845

Ion Ratio Lower Upper

244 100

212 7.3 7.6 11.4#



122 5.3 11.3 16.9#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#79
Butylbenzylphthalate
Concen: 49.30 ng
RT: 13.45 min Scan# 994
Delta R.T. -0.03 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Instrument :
BNA_F
ClientSampleId :
OCFEW1-10MS

Tgt Ion:149 Resp: 545254
Ion Ratio Lower Upper
149 100
91 86.8 67.7 101.5
206 16.9 14.6 22.0




Abundance Ion 149.00 (148.70 to 149.70): E
Ion 91.00 (90.70 to 91.70): BF0
Ion 206.00 (205.70 to 206.70): E






#80
Benzo(a)anthracene
Concen: 43.98 ng
RT: 14.01 min Scan# 1043
Delta R.T. -0.03 min
Lab File: BF082745.D
Acq: 6 Nov 2015 1:37

Tgt Ion:228 Resp: 952744
Ion Ratio Lower Upper
228 100
226 27.7 23.4 35.2
229 20.3 16.3 24.5



Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E









#81
 3,3'-Dichlorobenzidine
 Concen: 38.79 ng
 RT: 13.97 min Scan# 1040
 Delta R.T. -0.03 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37




Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS


Tgt Ion	Ratio	Lower	Upper
252	100		
254	64.3	51.4	77.0
126	12.5	10.7	16.1



#82
 Chrysene
 Concen: 48.82 ng
 RT: 14.05 min Scan# 1047
 Delta R.T. -0.03 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion	Ratio	Lower	Upper
228	100		
226	31.3	25.5	38.3
229	20.3	16.3	24.5





#83

Bis(2-ethylhexyl)phthalate

Concen: 58.32 ng

RT: 14.02 min Scan# 1044

Delta R.T. -0.03 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:149 Resp: 836251

Ion Ratio Lower Upper

149 100

167 26.7 21.2 31.8




279 3.2 2.2 3.2



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#84

Di-n-octyl phthalate

Concen: 52.43 ng

RT: 14.63 min Scan# 1097

Delta R.T. -0.05 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:149 Resp: 1172504

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9



43 11.3 10.1 15.1




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 43.00 (42.70 to 43.70): BF0









#85
 Indeno(1,2,3-cd)pyrene
 Concen: 52.28 ng
 RT: 16.85 min Scan# 1292
 Delta R.T. -0.08 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37




Instrument :
 BNA_F
 ClientSampleId :
 OCFEW1-10MS


Tgt Ion	Ratio	Lower	Upper
276	100		
138	19.4	15.3	22.9
277	24.7	20.2	30.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.46 min Scan# 1170
 Delta R.T. -0.05 min
 Lab File: BF082745.D
 Acq: 6 Nov 2015 1:37

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.8	29.6
265	20.7	17.4	26.0





#87

Benzo(b)fluoranthene

Concen: 69.79 ng

RT: 15.05 min Scan# 1134

Delta R.T. -0.05 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:252 Resp: 1783206

Ion Ratio Lower Upper

252 100

253 22.6 17.8 26.8




125 6.7 5.4 8.2



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#88

Benzo(k)fluoranthene

Concen: 91.65 ng

RT: 15.05 min Scan# 1134

Delta R.T. -0.08 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:252 Resp: 1783982

Ion Ratio Lower Upper

252 100

253 22.6 17.9 26.9



125 6.7 3.5 5.3#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#89

Benzo(a)pyrene

Concen: 43.06 ng

RT: 15.39 min Scan# 1164

Delta R.T. -0.06 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion:252 Resp: 866535

Ion Ratio Lower Upper

252 100

253 22.6 17.3 25.9




125 10.2 7.1 10.7



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#90

Dibenzo(a,h)anthracene

Concen: 39.13 ng

RT: 16.88 min Scan# 1294

Delta R.T. -0.08 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37


Tgt Ion:278 Resp: 734682

Ion Ratio Lower Upper

278 100

139 11.3 9.9 14.9



279 23.7 19.6 29.4




Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E





#91

Benzo(g,h,i)perylene

Concen: 35.93 ng

RT: 17.28 min Scan# 1329

Delta R.T. -0.08 min

Lab File: BF082745.D

Acq: 6 Nov 2015 1:37

Instrument :

BNA_F

ClientSampleId :

OCFEW1-10MS


Tgt Ion: 276 Resp: 653713

Ion Ratio Lower Upper

276 100

277 23.7 19.2 28.8

138 17.1 13.1 19.7



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

