

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110615\
 Data File : BF082725.D
 Acq On : 5 Nov 2015 13:11
 Operator : UM/IZ
 Sample : G4241-12
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-12(18-20)

Quant Time: Nov 06 02:34:21 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF103015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 03 12:27:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	177350	20.00	ng	-0.01
21) Naphthalene-d8	8.14	136	649584	20.00	ng	-0.02
38) Acenaphthene-d10	9.90	164	370974	20.00	ng	-0.02
63) Phenanthrene-d10	11.38	188	662261	20.00	ng	-0.03
75) Chrysene-d12	14.02	240	687063	20.00	ng	-0.03
86) Perylene-d12	15.46	264	516750	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	1223145	103.88	ng	0.00
7) Phenol-d6	6.50	99	1866159	119.29	ng	-0.01
23) Nitrobenzene-d5	7.42	82	1228224	77.21	ng	-0.02
41) 2,4,6-Tribromophenol	10.69	330	538093	132.54	ng	-0.02
44) 2-Fluorobiphenyl	9.23	172	1957818	74.93	ng	-0.02
78) Terphenyl-d14	12.98	244	1958771	62.39	ng	-0.02
Target Compounds						
49) Dimethylphthalate	9.62	163	471101	15.55	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110615\
Data File : BF082725.D
Acq On : 5 Nov 2015 13:11
Operator : UM/IZ
Sample : G4241-12
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-12(18-20)

Quant Time: Nov 06 02:34:21 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF103015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 03 12:27:47 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.86 min Scan# 418

Delta R.T. -0.01 min

Lab File: BF082725.D

Acq: 5 Nov 2015 13:11

Instrument :

BNA_F

ClientSampleId :

SB-12(18-20)





Tot Ion:152 Resp: 177350

Ion Ratio Lower Upper

152 100

150 153.8 127.0 190.4

115 60.3 47.0 70.6



#5

2-Fluorophenol

Concen: 103.88 ng

RT: 5.47 min Scan# 296

Delta R.T. 0.00 min

Lab File: BF082725.D

Acq: 5 Nov 2015 13:11




Tgt Ion:112 Resp: 1223145


Ion Ratio Lower Upper

112 100

64 69.1 48.9 73.3

63 37.9 28.1 42.1





#7

Phenol-d6

Concen: 119.29 ng

RT: 6.50 min Scan# 386

Delta R.T. -0.01 min

Lab File: BF082725.D

Acq: 5 Nov 2015 13:11

Instrument :

BNA_F

ClientSampleId :

SB-12(18-20)


Tot Ion: 99 Resp: 1866159

Ion Ratio Lower Upper

99 100

42 20.7 19.2 28.8




71 40.3 35.0 52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.14 min Scan# 530

Delta R.T. -0.02 min

Lab File: BF082725.D

Acq: 5 Nov 2015 13:11

Tgt Ion: 136 Resp: 649584


Ion Ratio Lower Upper

136 100

137 11.2 9.1 13.7

54 9.4 9.1 13.7

68 6.0 4.8 7.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 77.21 ng
 RT: 7.42 min Scan# 467
 Delta R.T. -0.02 min
 Lab File: BF082725.D
 Acq: 5 Nov 2015 13:11

Instrument :
 BNA_F
 ClientSampleId :
 SB-12(18-20)

Tot Ion: 82 Resp: 1228224
 Ion Ratio Lower Upper
 82 100
 128 36.6 26.8 40.2
 54 52.3 45.7 68.5




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): BF0
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.90 min Scan# 684
 Delta R.T. -0.02 min
 Lab File: BF082725.D
 Acq: 5 Nov 2015 13:11

Tgt Ion: 164 Resp: 370974
 Ion Ratio Lower Upper
 164 100
 162 103.4 84.9 127.3
 160 47.3 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 132.54 ng
 RT: 10.69 min Scan# 753
 Delta R.T. -0.02 min
 Lab File: BF082725.D
 Acq: 5 Nov 2015 13:11

Instrument :
 BNA_F
 ClientSampleId :
 SB-12(18-20)

Tot Ion:330 Resp: 538093
 Ion Ratio Lower Upper
 330 100
 332 96.9 76.6 114.8
 141 34.6 41.2 61.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 74.93 ng
 RT: 9.23 min Scan# 625
 Delta R.T. -0.02 min
 Lab File: BF082725.D
 Acq: 5 Nov 2015 13:11

Tgt Ion:172 Resp: 1957818
 Ion Ratio Lower Upper
 172 100
 171 38.1 30.8 46.2
 170 25.8 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 15.55 ng

RT: 9.62 min Scan# 659

Delta R.T. -0.03 min

Lab File: BF082725.D

Acq: 5 Nov 2015 13:11

Instrument :

BNA_F

ClientSampleId :

SB-12(18-20)


Tot Ion:163 Resp: 471101

Ion Ratio Lower Upper

163 100

194 3.5 2.6 4.0




164 10.1 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.38 min Scan# 813

Delta R.T. -0.03 min

Lab File: BF082725.D

Acq: 5 Nov 2015 13:11


Tgt Ion:188 Resp: 662261

Ion Ratio Lower Upper

188 100

94 10.5 6.1 9.1#



80 12.2 7.0 10.6#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.02 min Scan# 1044

Delta R.T. -0.03 min

Lab File: BF082725.D

Acq: 5 Nov 2015 13:11

Instrument :

BNA_F

ClientSampleId :

SB-12(18-20)


Tot Ion:240 Resp: 687063

Ion Ratio Lower Upper

240 100

120 7.2 10.9 16.3#




236 26.8 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 62.39 ng

RT: 12.98 min Scan# 953

Delta R.T. -0.02 min

Lab File: BF082725.D

Acq: 5 Nov 2015 13:11


Tgt Ion:244 Resp: 1958771

Ion Ratio Lower Upper

244 100

212 7.3 7.6 11.4#



122 4.2 11.3 16.9#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.46 min Scan# 1170
 Delta R.T. -0.05 min
 Lab File: BF082725.D
 Acq: 5 Nov 2015 13:11

Instrument :
 BNA_F
 ClientSampleId :
 SB-12(18-20)

Tot Ion:264 Resp: 516750
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.8 29.6
 265 21.7 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

