

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110624\
 Data File : BF140254.D
 Acq On : 06 Nov 2024 13:08
 Operator : RC/JU
 Sample : PB164366BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB164366BL

Quant Time: Nov 06 13:43:29 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110524.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 05 16:47:56 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	194346	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	748217	20.000	ng	0.00
39) Acenaphthene-d10	9.910	164	449315	20.000	ng	-0.01
64) Phenanthrene-d10	11.404	188	819195	20.000	ng	0.00
76) Chrysene-d12	14.063	240	509272	20.000	ng	0.00
86) Perylene-d12	15.580	264	417555	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	1460290	124.520	ng	0.02
7) Phenol-d6	6.498	99	1811235	120.075	ng	0.00
23) Nitrobenzene-d5	7.434	82	1267081	84.196	ng	-0.01
42) 2,4,6-Tribromophenol	10.704	330	579902	130.572	ng	0.00
45) 2-Fluorobiphenyl	9.234	172	2354201	83.665	ng	0.00
79) Terphenyl-d14	12.998	244	2858535	91.948	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110624\
Data File : BF140254.D
Acq On : 06 Nov 2024 13:08
Operator : RC/JU
Sample : PB164366BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB164366BL

Quant Time: Nov 06 13:43:29 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110524.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 05 16:47:56 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 814
Delta R.T. -0.006 min
Lab File: BF140254.D
Acq: 06 Nov 2024 13:08




Instrument :
BNA_F
ClientSampleId :
PB164366BL

Tgt Ion:152 Resp: 194346
Ion Ratio Lower Upper
152 100
150 155.3 129.4 194.2
115 63.6 51.5 77.3



#5
2-Fluorophenol
Concen: 124.520 ng
RT: 5.510 min Scan# 581
Delta R.T. 0.018 min
Lab File: BF140254.D
Acq: 06 Nov 2024 13:08

Tgt Ion:112 Resp: 1460290
Ion Ratio Lower Upper
112 100
64 64.1 53.4 80.2
63 34.4 28.9 43.3









#7
Phenol-d6
Concen: 120.075 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF140254.D
Acq: 06 Nov 2024 13:08




Instrument :
BNA_F
ClientSampleId :
PB164366BL


Tgt Ion: 99 Resp: 1811235
Ion Ratio Lower Upper
99 100
42 21.6 18.2 27.2
71 39.4 30.9 46.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF140254.D
Acq: 06 Nov 2024 13:08

Tgt Ion: 136 Resp: 748217
Ion Ratio Lower Upper
136 100
137 10.9 9.0 13.6
54 9.0 7.7 11.5
68 6.2 5.2 7.8





#23

Nitrobenzene-d5

Concen: 84.196 ng

RT: 7.434 min Scan# 90

Delta R.T. -0.012 min

Lab File: BF140254.D

Acq: 06 Nov 2024 13:08

Instrument :





BNA_F

ClientSampleId :

PB164366BL

Tgt Ion: 82 Resp: 1267081

Ion	Ratio	Lower	Upper
82	100		
128	40.9	32.8	49.2
54	54.1	44.3	66.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.910 min Scan# 1329




Delta R.T. -0.012 min


Lab File: BF140254.D

Acq: 06 Nov 2024 13:08

Tgt Ion:164 Resp: 449315

Ion	Ratio	Lower	Upper
164	100		
162	95.7	77.0	115.4
160	42.0	34.1	51.1









#42
2,4,6-Tribromophenol
Concen: 130.572 ng
RT: 10.704 min Scan# 1464
Delta R.T. -0.006 min
Lab File: BF140254.D
Acq: 06 Nov 2024 13:08




Instrument :
BNA_F
ClientSampleId :
PB164366BL


Tgt Ion:330 Resp: 579902
Ion Ratio Lower Upper
330 100
332 95.9 76.4 114.6
141 30.1 27.0 40.4



#45
2-Fluorobiphenyl
Concen: 83.665 ng
RT: 9.234 min Scan# 1214
Delta R.T. -0.006 min
Lab File: BF140254.D
Acq: 06 Nov 2024 13:08

Tgt Ion:172 Resp: 2354201
Ion Ratio Lower Upper
172 100
171 35.6 28.8 43.2
170 24.0 19.6 29.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF140254.D
Acq: 06 Nov 2024 13:08




Instrument :
BNA_F
ClientSampleId :
PB164366BL


Tgt Ion:188 Resp: 819195
Ion Ratio Lower Upper
188 100
94 8.8 6.9 10.3
80 9.6 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.063 min Scan# 2035
Delta R.T. 0.000 min
Lab File: BF140254.D
Acq: 06 Nov 2024 13:08

Tgt Ion:240 Resp: 509272
Ion Ratio Lower Upper
240 100
120 9.2 7.5 11.3
236 26.1 20.9 31.3









#79
 Terphenyl-d14
 Concen: 91.948 ng
 RT: 12.998 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF140254.D
 Acq: 06 Nov 2024 13:08

Instrument :
 BNA_F
 ClientSampleId :
 PB164366BL

Tgt Ion:244 Resp: 2858535
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.0 9.0
 122 9.6 7.6 11.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.580 min Scan# 2293
 Delta R.T. 0.018 min
 Lab File: BF140254.D
 Acq: 06 Nov 2024 13:08

Tgt Ion:264 Resp: 417555
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.8 28.2
 265 21.2 17.3 25.9

