

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110715\
 Data File : BF082784.D
 Acq On : 7 Nov 2015 2:16
 Operator : UM/IZ
 Sample : G4258-09
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COFF-WP11-5(0-2)

Quant Time: Nov 07 03:59:18 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Nov 07 02:32:49 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	209525	20.00	ng	-0.01
21) Naphthalene-d8	8.13	136	947103	20.00	ng	-0.01
38) Acenaphthene-d10	9.88	164	470494	20.00	ng	-0.01
63) Phenanthrene-d10	11.37	188	931744	20.00	ng	-0.01
75) Chrysene-d12	14.00	240	847715	20.00	ng	-0.02
86) Perylene-d12	15.43	264	716351	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	1647557	122.35	ng	0.01
7) Phenol-d6	6.48	99	1863780	104.11	ng	0.00
23) Nitrobenzene-d5	7.41	82	1361727	62.56	ng	0.00
41) 2,4,6-Tribromophenol	10.67	330	455374	84.41	ng	-0.01
44) 2-Fluorobiphenyl	9.21	172	1868609	56.92	ng	-0.01
78) Terphenyl-d14	12.96	244	1738157	48.63	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.61	163	738941	19.17	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110715\
Data File : BF082784.D
Acq On : 7 Nov 2015 2:16
Operator : UM/IZ
Sample : G4258-09
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COFF-WP11-5(0-2)

Quant Time: Nov 07 03:59:18 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Nov 07 02:32:49 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.84 min Scan# 416

Delta R.T. -0.01 min

Lab File: BF082784.D

Acq: 7 Nov 2015 2:16

Instrument :

BNA_F

ClientSampleId :

COFF-WP11-5(0-2)


Tot Ion:152 Resp: 209525

Ion Ratio Lower Upper

152 100

150 161.6 127.0 190.4




115 76.0 47.0 70.6#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 122.35 ng

RT: 5.46 min Scan# 295

Delta R.T. 0.01 min

Lab File: BF082784.D

Acq: 7 Nov 2015 2:16


Tgt Ion:112 Resp: 1647557

Ion Ratio Lower Upper

112 100

64 51.0 48.9 73.3



63 25.3 28.1 42.1#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 104.11 ng

RT: 6.48 min Scan# 384

Delta R.T. 0.00 min

Lab File: BF082784.D

Acq: 7 Nov 2015 2:16

Instrument :


BNA_F

ClientSampleId :

COFF-WP11-5(0-2)

Tot Ion: 99 Resp: 1863780

Ion	Ratio	Lower	Upper
99	100		
42	20.3	19.2	28.8
71	37.9	35.0	52.4






Abundance

Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 529


Delta R.T. -0.01 min

Lab File: BF082784.D

Acq: 7 Nov 2015 2:16

Tgt Ion: 136 Resp: 947103

Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.1	13.7
54	8.5	9.1	13.7#
68	6.5	4.8	7.2





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 62.56 ng
 RT: 7.41 min Scan# 466
 Delta R.T. 0.00 min
 Lab File: BF082784.D
 Acq: 7 Nov 2015 2:16

Instrument :
 BNA_F
 ClientSampleId :
 COFF-WP11-5(0-2)

Tot Ion: 82 Resp: 1361727
 Ion Ratio Lower Upper
 82 100
 128 45.8 26.8 40.2#
 54 46.4 45.7 68.5




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.88 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF082784.D
 Acq: 7 Nov 2015 2:16

Tgt Ion:164 Resp: 470494
 Ion Ratio Lower Upper
 164 100
 162 100.2 84.9 127.3
 160 43.7 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 84.41 ng
 RT: 10.67 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF082784.D
 Acq: 7 Nov 2015 2:16




Instrument :
 BNA_F
 ClientSampleId :
 COFF-WP11-5(0-2)


Tot Ion:330 Resp: 455374
 Ion Ratio Lower Upper
 330 100
 332 97.7 76.6 114.8
 141 37.1 41.2 61.8#



#44
 2-Fluorobiphenyl
 Concen: 56.92 ng
 RT: 9.21 min Scan# 623
 Delta R.T. -0.01 min
 Lab File: BF082784.D
 Acq: 7 Nov 2015 2:16

Tgt Ion:172 Resp: 1868609
 Ion Ratio Lower Upper
 172 100
 171 36.4 30.8 46.2
 170 25.0 21.2 31.8





#49

Dimethylphthalate

Concen: 19.17 ng

RT: 9.61 min Scan# 658

Delta R.T. -0.01 min

Lab File: BF082784.D

Acq: 7 Nov 2015 2:16

Instrument :

BNA_F

ClientSampleId :

COFF-WP11-5(0-2)


Tot Ion:163 Resp: 738941

Ion Ratio Lower Upper

163 100

194 3.8 2.6 4.0




164 10.0 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.37 min Scan# 812

Delta R.T. -0.01 min

Lab File: BF082784.D

Acq: 7 Nov 2015 2:16


Tgt Ion:188 Resp: 931744

Ion Ratio Lower Upper

188 100

94 9.8 6.1 9.1#



80 11.1 7.0 10.6#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.00 min Scan# 1042

Delta R.T. -0.02 min

Lab File: BF082784.D

Acq: 7 Nov 2015 2:16

Instrument :

BNA_F

ClientSampleId :

COFF-WP11-5(0-2)


Tot Ion:240 Resp: 847715

Ion Ratio Lower Upper

240 100

120 14.3 10.9 16.3




236 26.2 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 48.63 ng

RT: 12.96 min Scan# 951

Delta R.T. -0.01 min

Lab File: BF082784.D

Acq: 7 Nov 2015 2:16


Tgt Ion:244 Resp: 1738157

Ion Ratio Lower Upper

244 100

212 7.9 7.6 11.4



122 12.8 11.3 16.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.43 min Scan# 1167
 Delta R.T. -0.03 min
 Lab File: BF082784.D
 Acq: 7 Nov 2015 2:16

Instrument :
 BNA_F
 ClientSampleId :
 COFF-WP11-5(0-2)

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.8	29.6
265	21.7	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

