

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110722\
 Data File : BF131045.D
 Acq On : 07 Nov 2022 15:46
 Operator : CG\JU
 Sample : PB148810BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB148810BL

Quant Time: Nov 08 02:16:04 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 08 01:40:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	76098	20.000	ng	0.00
21) Naphthalene-d8	8.181	136	298200	20.000	ng	0.00
39) Acenaphthene-d10	9.945	164	201704	20.000	ng	0.00
64) Phenanthrene-d10	11.439	188	335334	20.000	ng	0.00
76) Chrysene-d12	14.086	240	311549	20.000	ng	0.00
86) Perylene-d12	15.580	264	193315	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	677616	143.585	ng	0.01
7) Phenol-d6	6.528	99	777779	135.028	ng	0.00
23) Nitrobenzene-d5	7.463	82	481137	74.789	ng	0.00
42) 2,4,6-Tribromophenol	10.739	330	235157	105.893	ng	0.00
45) 2-Fluorobiphenyl	9.263	172	889415	60.094	ng	0.00
79) Terphenyl-d14	13.033	244	1387528	71.403	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110722\
Data File : BF131045.D
Acq On : 07 Nov 2022 15:46
Operator : CG\JU
Sample : PB148810BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB148810BL

Quant Time: Nov 08 02:16:04 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 08 01:40:43 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.898 min Scan# 819
Delta R.T. -0.006 min
Lab File: BF131045.D
Acq: 07 Nov 2022 15:46




Instrument :
BNA_F
ClientSampleId :
PB148810BL


Tgt Ion:152 Resp: 76098
Ion Ratio Lower Upper
152 100
150 155.7 126.6 189.8
115 64.8 49.1 73.7



#5
2-Fluorophenol
Concen: 143.585 ng
RT: 5.528 min Scan# 585
Delta R.T. 0.012 min
Lab File: BF131045.D
Acq: 07 Nov 2022 15:46

Tgt Ion:112 Resp: 677616
Ion Ratio Lower Upper
112 100
64 65.1 52.2 78.4
63 36.4 29.0 43.4









#7
Phenol-d6
Concen: 135.028 ng
RT: 6.528 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF131045.D
Acq: 07 Nov 2022 15:46




Instrument :
BNA_F
ClientSampleId :
PB148810BL


Tgt Ion: 99 Resp: 777779
Ion Ratio Lower Upper
99 100
42 24.1 19.4 29.0
71 40.5 31.8 47.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.181 min Scan# 1036
Delta R.T. -0.006 min
Lab File: BF131045.D
Acq: 07 Nov 2022 15:46

Tgt Ion: 136 Resp: 298200
Ion Ratio Lower Upper
136 100
137 10.7 8.8 13.2
54 10.0 8.2 12.2
68 5.5 4.8 7.2





#23

Nitrobenzene-d5

Concen: 74.789 ng

RT: 7.463 min Scan# 915

Delta R.T. -0.006 min

Lab File: BF131045.D

Acq: 07 Nov 2022 15:46

Instrument :

BNA_F

ClientSampleId :

PB148810BL





Tgt Ion: 82 Resp: 481137

Ion Ratio Lower Upper

82 100

128 39.0 31.3 46.9

54 61.1 47.2 70.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.945 min Scan# 1336

Delta R.T. -0.006 min

Lab File: BF131045.D

Acq: 07 Nov 2022 15:46




Tgt Ion:164 Resp: 201704


Ion Ratio Lower Upper

164 100

162 100.2 85.0 127.6

160 46.1 37.0 55.6









#42
2,4,6-Tribromophenol
Concen: 105.893 ng
RT: 10.739 min Scan# 1471
Delta R.T. 0.000 min
Lab File: BF131045.D
Acq: 07 Nov 2022 15:46




Instrument :
BNA_F
ClientSampleId :
PB148810BL


Tgt Ion:330 Resp: 235157
Ion Ratio Lower Upper
330 100
332 96.2 77.0 115.4
141 36.7 28.3 42.5



#45
2-Fluorobiphenyl
Concen: 60.094 ng
RT: 9.263 min Scan# 1220
Delta R.T. -0.006 min
Lab File: BF131045.D
Acq: 07 Nov 2022 15:46

Tgt Ion:172 Resp: 889415
Ion Ratio Lower Upper
172 100
171 35.3 27.7 41.5
170 23.4 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.439 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF131045.D
Acq: 07 Nov 2022 15:46




Instrument :
BNA_F
ClientSampleId :
PB148810BL


Tgt Ion:188 Resp: 335334
Ion Ratio Lower Upper
188 100
94 7.4 7.0 10.6
80 8.4 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.086 min Scan# 2040
Delta R.T. -0.006 min
Lab File: BF131045.D
Acq: 07 Nov 2022 15:46

Tgt Ion:240 Resp: 311549
Ion Ratio Lower Upper
240 100
120 8.9 6.7 10.1
236 25.4 20.8 31.2









#79
 Terphenyl-d14
 Concen: 71.403 ng
 RT: 13.033 min Scan# 1861
 Delta R.T. 0.000 min
 Lab File: BF131045.D
 Acq: 07 Nov 2022 15:46

Instrument :
 BNA_F
 ClientSampleId :
 PB148810BL

Tgt Ion:244 Resp: 1387528
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.8 8.6
 122 8.5 7.0 10.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.580 min Scan# 2294
 Delta R.T. -0.006 min
 Lab File: BF131045.D
 Acq: 07 Nov 2022 15:46

Tgt Ion:264 Resp: 193315
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.8 28.2
 265 20.0 17.3 25.9

