

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110816\
 Data File : BF091082.D
 Acq On : 8 Nov 2016 15:18
 Operator : UM/SJ
 Sample : PB94597BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB94597BL

Quant Time: Nov 09 01:17:36 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 08 12:59:29 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	185427	20.00	ng	0.00
21) Naphthalene-d8	7.95	136	769624	20.00	ng	0.00
38) Acenaphthene-d10	9.70	164	423237	20.00	ng	0.00
63) Phenanthrene-d10	11.17	188	687019	20.00	ng	0.00
75) Chrysene-d12	13.80	240	590991	20.00	ng	-0.01
86) Perylene-d12	15.19	264	512644	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	1338641	119.23	ng	0.01
7) Phenol-d6	6.32	99	1667531	109.42	ng	0.00
23) Nitrobenzene-d5	7.23	82	1146979	81.30	ng	-0.01
41) 2,4,6-Tribromophenol	10.49	330	453036	118.40	ng	0.00
44) 2-Fluorobiphenyl	9.02	172	1880802	76.51	ng	-0.01
78) Terphenyl-d14	12.76	244	2194801	92.67	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110816\
Data File : BF091082.D
Acq On : 8 Nov 2016 15:18
Operator : UM/SJ
Sample : PB94597BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB94597BL

Quant Time: Nov 09 01:17:36 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 08 12:59:29 2016
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.66 min Scan# 435
Delta R.T. 0.00 min
Lab File: BF091082.D
Acq: 8 Nov 2016 15:18

Instrument :
BNA_F
ClientSampleId :
PB94597BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.3	126.8	190.2
115	65.4	53.3	79.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 119.23 ng
RT: 5.25 min Scan# 312
Delta R.T. 0.01 min
Lab File: BF091082.D
Acq: 8 Nov 2016 15:18

Tgt Ion	Ratio	Lower	Upper
112	100		
64	65.2	55.8	83.6
63	32.6	28.0	42.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 109.42 ng

RT: 6.32 min Scan# 405

Delta R.T. 0.00 min

Lab File: BF091082.D

Acq: 8 Nov 2016 15:18

Instrument :

BNA_F

ClientSampleId :

PB94597BL


Tot Ion: 99 Resp: 1667531

Ion Ratio Lower Upper

99 100

42 15.4 13.9 20.9




71 33.2 27.8 41.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.95 min Scan# 548

Delta R.T. 0.00 min

Lab File: BF091082.D

Acq: 8 Nov 2016 15:18

Tgt Ion: 136 Resp: 769624


Ion Ratio Lower Upper

136 100

137 10.8 8.9 13.3

54 6.9 6.2 9.2

68 6.2 5.5 8.3






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 81.30 ng
 RT: 7.23 min Scan# 485
 Delta R.T. -0.01 min
 Lab File: BF091082.D
 Acq: 8 Nov 2016 15:18

Instrument :
 BNA_F
 ClientSampled :
 PB94597BL

Tot Ion: 82 Resp: 1146979
 Ion Ratio Lower Upper
 82 100
 128 41.6 32.4 48.6
 54 48.2 39.2 58.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.70 min Scan# 701
 Delta R.T. 0.00 min
 Lab File: BF091082.D
 Acq: 8 Nov 2016 15:18

Tgt Ion: 164 Resp: 423237
 Ion Ratio Lower Upper
 164 100
 162 102.6 83.6 125.4
 160 47.3 37.9 56.9



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 118.40 ng
 RT: 10.49 min Scan# 770
 Delta R.T. 0.00 min
 Lab File: BF091082.D
 Acq: 8 Nov 2016 15:18

Instrument :
 BNA_F
 ClientSampleId :
 PB94597BL

Tot Ion:330 Resp: 453036
 Ion Ratio Lower Upper
 330 100
 332 96.2 75.9 113.9
 141 39.0 36.1 54.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 76.51 ng
 RT: 9.02 min Scan# 642
 Delta R.T. -0.01 min
 Lab File: BF091082.D
 Acq: 8 Nov 2016 15:18

Tgt Ion:172 Resp: 1880802
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.8 44.6
 170 24.8 20.3 30.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.17 min Scan# 830
Delta R.T. 0.00 min
Lab File: BF091082.D
Acq: 8 Nov 2016 15:18

Instrument :
BNA_F
ClientSampleId :
PB94597BL

Tot Ion:188 Resp: 687019
Ion Ratio Lower Upper
188 100
94 13.6 7.0 10.4#
80 15.5 7.5 11.3#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.80 min Scan# 1060
Delta R.T. -0.01 min
Lab File: BF091082.D
Acq: 8 Nov 2016 15:18

Tgt Ion:240 Resp: 590991
Ion Ratio Lower Upper
240 100
120 18.4 12.9 19.3
236 27.9 21.9 32.9



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 92.67 ng
 RT: 12.76 min Scan# 969
 Delta R.T. 0.00 min
 Lab File: BF091082.D
 Acq: 8 Nov 2016 15:18

Instrument :
 BNA_F
 ClientSampleId :
 PB94597BL

Tot Ion:244 Resp: 2194801
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.4 9.6
 122 14.3 12.3 18.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.19 min Scan# 1181
 Delta R.T. 0.00 min
 Lab File: BF091082.D
 Acq: 8 Nov 2016 15:18

Tgt Ion:264 Resp: 512644
 Ion Ratio Lower Upper
 264 100
 260 25.4 20.6 30.8
 265 21.7 17.8 26.8

