

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110816\
 Data File : BF091119.D
 Acq On : 9 Nov 2016 9:13
 Operator : UM/SJ
 Sample : H5547-06
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WATER-QUALITYDRY-6

Quant Time: Nov 09 10:31:48 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 08 12:59:29 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	173305	20.00	ng	0.00
21) Naphthalene-d8	7.95	136	692945	20.00	ng	0.00
38) Acenaphthene-d10	9.70	164	341409	20.00	ng	0.00
63) Phenanthrene-d10	11.17	188	466272	20.00	ng	0.00
75) Chrysene-d12	13.80	240	333358	20.00	ng	-0.01
86) Perylene-d12	15.17	264	288644	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	425950	40.59	ng	0.00
7) Phenol-d6	6.32	99	349720	24.55	ng	0.00
23) Nitrobenzene-d5	7.23	82	1005062	79.12	ng	-0.01
41) 2,4,6-Tribromophenol	10.49	330	312287	101.18	ng	0.00
44) 2-Fluorobiphenyl	9.02	172	1531676	77.24	ng	-0.01
78) Terphenyl-d14	12.76	244	1270901	95.14	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.42	163	268721	12.00	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF110816\
Data File : BF091119.D
Acq On : 9 Nov 2016 9:13
Operator : UM/SJ
Sample : H5547-06
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WATER-QUALITYDRY-6

Quant Time: Nov 09 10:31:48 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 08 12:59:29 2016
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.66 min Scan# 435
Delta R.T. 0.00 min
Lab File: BF091119.D
Acq: 9 Nov 2016 9:13

Instrument :
BNA_F
ClientSampleId :
WATER-QUALITYDRY-6




Tot Ion:152 Resp: 173305
Ion Ratio Lower Upper
152 100
150 156.9 126.8 190.2
115 65.0 53.3 79.9




#5

2-Fluorophenol
Concen: 40.59 ng
RT: 5.24 min Scan# 311
Delta R.T. 0.00 min
Lab File: BF091119.D
Acq: 9 Nov 2016 9:13

Tgt Ion:112 Resp: 425950
Ion Ratio Lower Upper
112 100
64 73.8 55.8 83.6
63 36.9 28.0 42.0





#7

Phenol-d6

Concen: 24.55 ng

RT: 6.32 min Scan# 405

Delta R.T. 0.00 min

Lab File: BF091119.D

Acq: 9 Nov 2016 9:13

Instrument :

BNA_F

ClientSampleId :

WATER-QUALITYDRY-6





Tot Ion: 99 Resp: 349720

Ion Ratio Lower Upper

99 100

42 14.9 13.9 20.9

71 32.0 27.8 41.8



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.95 min Scan# 548

Delta R.T. 0.00 min

Lab File: BF091119.D

Acq: 9 Nov 2016 9:13

Tgt Ion: 136 Resp: 692945




Ion Ratio Lower Upper


136 100

137 10.7 8.9 13.3

54 6.7 6.2 9.2

68 5.9 5.5 8.3









#23
 Nitrobenzene-d5
 Concen: 79.12 ng
 RT: 7.23 min Scan# 485
 Delta R.T. -0.01 min
 Lab File: BF091119.D
 Acq: 9 Nov 2016 9:13

Instrument :
 BNA_F
 ClientSampleId :
 WATER-QUALITYDRY-6

Tot Ion: 82 Resp: 1005062
 Ion Ratio Lower Upper
 82 100
 128 40.5 32.4 48.6
 54 49.3 39.2 58.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.70 min Scan# 701
 Delta R.T. 0.00 min
 Lab File: BF091119.D
 Acq: 9 Nov 2016 9:13

Tgt Ion: 164 Resp: 341409
 Ion Ratio Lower Upper
 164 100
 162 102.7 83.6 125.4
 160 47.4 37.9 56.9



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 101.18 ng
 RT: 10.49 min Scan# 770
 Delta R.T. 0.00 min
 Lab File: BF091119.D
 Acq: 9 Nov 2016 9:13

Instrument :
 BNA_F
 ClientSampleId :
 WATER-QUALITYDRY-6

Tot Ion:330 Resp: 312287
 Ion Ratio Lower Upper
 330 100
 332 97.0 75.9 113.9
 141 40.4 36.1 54.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.24 ng
 RT: 9.02 min Scan# 642
 Delta R.T. -0.01 min
 Lab File: BF091119.D
 Acq: 9 Nov 2016 9:13

Tgt Ion:172 Resp: 1531676
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.8 44.6
 170 25.2 20.3 30.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 12.00 ng
RT: 9.42 min Scan# 677
Delta R.T. -0.01 min
Lab File: BF091119.D
Acq: 9 Nov 2016 9:13

Instrument :
BNA_F
ClientSampleId :
WATER-QUALITYDRY-6

Tot Ion:163 Resp: 268721
Ion Ratio Lower Upper
163 100
194 3.0 2.6 4.0
164 9.9 8.7 13.1




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.17 min Scan# 830
Delta R.T. 0.00 min
Lab File: BF091119.D
Acq: 9 Nov 2016 9:13

Tgt Ion:188 Resp: 466272
Ion Ratio Lower Upper
188 100
94 12.3 7.0 10.4#
80 13.7 7.5 11.3#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.80 min Scan# 1060

Delta R.T. -0.01 min

Lab File: BF091119.D

Acq: 9 Nov 2016 9:13

Instrument :

BNA_F

ClientSampleId :

WATER-QUALITYDRY-6

Tot Ion:240 Resp: 333358

Ion Ratio Lower Upper

240 100

120 15.2 12.9 19.3




236 27.4 21.9 32.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 95.14 ng

RT: 12.76 min Scan# 969

Delta R.T. 0.00 min

Lab File: BF091119.D

Acq: 9 Nov 2016 9:13


Tgt Ion:244 Resp: 1270901

Ion Ratio Lower Upper

244 100

212 7.4 6.4 9.6



122 10.5 12.3 18.5#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.17 min Scan# 1180
Delta R.T. -0.01 min
Lab File: BF091119.D
Acq: 9 Nov 2016 9:13

Instrument :
BNA_F
ClientSampleId :
WATER-QUALITYDRY-6

Tot Ion:	264	Resp:	288644
Ion Ratio	Lower	Upper	
264	100		
260	25.0	20.6	30.8
265	22.3	17.8	26.8

