

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110822\
 Data File : BF131073.D
 Acq On : 08 Nov 2022 18:29
 Operator : CG\JU
 Sample : N5415-13RE
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 R-26RE

Quant Time: Nov 09 04:07:45 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 08 01:40:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	66554	20.000	ng	0.00
21) Naphthalene-d8	8.186	136	229579	20.000	ng	0.00
39) Acenaphthene-d10	9.945	164	108158	20.000	ng	0.00
64) Phenanthrene-d10	11.439	188	202607	20.000	ng	0.00
76) Chrysene-d12	14.086	240	183727	20.000	ng	0.00
86) Perylene-d12	15.586	264	181492	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	389713	94.421	ng	0.00
7) Phenol-d6	6.522	99	443665	88.069	ng	0.00
23) Nitrobenzene-d5	7.463	82	280283	56.590	ng	0.00
42) 2,4,6-Tribromophenol	10.733	330	89984	75.567	ng	0.00
45) 2-Fluorobiphenyl	9.263	172	411576	51.860	ng	0.00
79) Terphenyl-d14	13.027	244	482318	42.088	ng	0.00
Target Compounds						
87) Indeno(1,2,3-cd)pyrene	17.103	276	5215	3.640	ng	Qvalue # 83
92) Benzo(g,h,i)perylene	17.568	276	5152	3.768	ng	# 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110822\
Data File : BF131073.D
Acq On : 08 Nov 2022 18:29
Operator : CG\JU
Sample : N5415-13RE
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
R-26RE

Quant Time: Nov 09 04:07:45 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 08 01:40:43 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.898 min Scan# 819
Delta R.T. -0.006 min
Lab File: BF131073.D
Acq: 08 Nov 2022 18:29




Instrument :
BNA_F
ClientSampleId :
R-26RE


Tgt Ion:152 Resp: 66554
Ion Ratio Lower Upper
152 100
150 154.8 126.6 189.8
115 64.1 49.1 73.7



#5
2-Fluorophenol
Concen: 94.421 ng
RT: 5.516 min Scan# 583
Delta R.T. -0.000 min
Lab File: BF131073.D
Acq: 08 Nov 2022 18:29

Tgt Ion:112 Resp: 389713
Ion Ratio Lower Upper
112 100
64 66.7 52.2 78.4
63 36.0 29.0 43.4









#7
Phenol-d6
Concen: 88.069 ng
RT: 6.522 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF131073.D
Acq: 08 Nov 2022 18:29




Instrument :
BNA_F
ClientSampleId :
R-26RE


Tgt Ion: 99 Resp: 443665
Ion Ratio Lower Upper
99 100
42 24.4 19.4 29.0
71 40.0 31.8 47.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.186 min Scan# 1037
Delta R.T. 0.000 min
Lab File: BF131073.D
Acq: 08 Nov 2022 18:29

Tgt Ion: 136 Resp: 229579
Ion Ratio Lower Upper
136 100
137 10.7 8.8 13.2
54 8.7 8.2 12.2
68 5.1 4.8 7.2









#23
 Nitrobenzene-d5
 Concen: 56.590 ng
 RT: 7.463 min Scan# 915
 Delta R.T. -0.006 min
 Lab File: BF131073.D
 Acq: 08 Nov 2022 18:29




Instrument :
 BNA_F
 ClientSampleId :
 R-26RE


Tgt Ion: 82 Resp: 280283
 Ion Ratio Lower Upper
 82 100
 128 40.6 31.3 46.9
 54 58.2 47.2 70.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.945 min Scan# 1336
 Delta R.T. -0.006 min
 Lab File: BF131073.D
 Acq: 08 Nov 2022 18:29

Tgt Ion:164 Resp: 108158
 Ion Ratio Lower Upper
 164 100
 162 101.2 85.0 127.6
 160 46.1 37.0 55.6









#42
2,4,6-Tribromophenol
Concen: 75.567 ng
RT: 10.733 min Scan# 1471
Delta R.T. -0.006 min
Lab File: BF131073.D
Acq: 08 Nov 2022 18:29




Instrument :
BNA_F
ClientSampleId :
R-26RE


Tgt Ion: 330 Resp: 89984
Ion Ratio Lower Upper
330 100
332 97.2 77.0 115.4
141 35.8 28.3 42.5



#45
2-Fluorobiphenyl
Concen: 51.860 ng
RT: 9.263 min Scan# 1220
Delta R.T. -0.006 min
Lab File: BF131073.D
Acq: 08 Nov 2022 18:29

Tgt Ion: 172 Resp: 411576
Ion Ratio Lower Upper
172 100
171 35.3 27.7 41.5
170 24.0 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.439 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF131073.D
Acq: 08 Nov 2022 18:29




Instrument :
BNA_F
ClientSampleId :
R-26RE


Tgt Ion:188 Resp: 202607
Ion Ratio Lower Upper
188 100
94 7.7 7.0 10.6
80 8.4 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.086 min Scan# 2040
Delta R.T. -0.006 min
Lab File: BF131073.D
Acq: 08 Nov 2022 18:29

Tgt Ion:240 Resp: 183727
Ion Ratio Lower Upper
240 100
120 10.1 6.7 10.1
236 25.1 20.8 31.2









#79
 Terphenyl-d14
 Concen: 42.088 ng
 RT: 13.027 min Scan# 1860
 Delta R.T. -0.006 min
 Lab File: BF131073.D
 Acq: 08 Nov 2022 18:29




Instrument :
 BNA_F
 ClientSampleId :
 R-26RE


Tgt Ion:244 Resp: 482318
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.6
 122 9.3 7.0 10.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.586 min Scan# 2295
 Delta R.T. 0.000 min
 Lab File: BF131073.D
 Acq: 08 Nov 2022 18:29

Tgt Ion:264 Resp: 181492
 Ion Ratio Lower Upper
 264 100
 260 23.9 18.8 28.2
 265 21.4 17.3 25.9





#87

Indeno(1,2,3-cd)pyrene

Concen: 3.640 ng

RT: 17.103 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF131073.D

Acq: 08 Nov 2022 18:29

Instrument :

BNA_F

ClientSampleId :

R-26RE





Tgt Ion:276 Resp: 5215

Ion Ratio Lower Upper

276 100

138 29.8 17.3 25.9#

277 33.3 20.2 30.4#



#92

Benzo(g,h,i)perylene

Concen: 3.768 ng

RT: 17.568 min Scan# 2632

Delta R.T. -0.006 min

Lab File: BF131073.D

Acq: 08 Nov 2022 18:29

Tgt Ion:276 Resp: 5152

Ion Ratio Lower Upper

276 100

277 23.4 20.0 30.0

138 28.4 14.8 22.2#

