

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110824\
 Data File : BF140289.D
 Acq On : 08 Nov 2024 10:55
 Operator : RC/JU
 Sample : PB164680BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB164680BL

Quant Time: Nov 08 11:37:22 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110524.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 05 16:47:56 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	151320	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	591598	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	368591	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	737164	20.000	ng	0.00
76) Chrysene-d12	14.051	240	536164	20.000	ng	-0.01
86) Perylene-d12	15.551	264	403684	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	1114229	122.027	ng	0.01
7) Phenol-d6	6.498	99	1387815	118.165	ng	0.00
23) Nitrobenzene-d5	7.434	82	943287	79.275	ng	-0.01
42) 2,4,6-Tribromophenol	10.710	330	533009	146.297	ng	0.00
45) 2-Fluorobiphenyl	9.234	172	1838351	79.641	ng	0.00
79) Terphenyl-d14	12.998	244	2657853	81.205	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110824\
Data File : BF140289.D
Acq On : 08 Nov 2024 10:55
Operator : RC/JU
Sample : PB164680BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB164680BL

Quant Time: Nov 08 11:37:22 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110524.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 05 16:47:56 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 814
Delta R.T. -0.006 min
Lab File: BF140289.D
Acq: 08 Nov 2024 10:55




Instrument :
BNA_F
ClientSampleId :
PB164680BL


Tgt Ion:152 Resp: 151320
Ion Ratio Lower Upper
152 100
150 156.7 129.4 194.2
115 63.8 51.5 77.3



#5
2-Fluorophenol
Concen: 122.027 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.012 min
Lab File: BF140289.D
Acq: 08 Nov 2024 10:55

Tgt Ion:112 Resp: 1114229
Ion Ratio Lower Upper
112 100
64 62.7 53.4 80.2
63 33.4 28.9 43.3









#7
Phenol-d6
Concen: 118.165 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF140289.D
Acq: 08 Nov 2024 10:55




Instrument :
BNA_F
ClientSampleId :
PB164680BL


Tgt Ion: 99 Resp: 1387815
Ion Ratio Lower Upper
99 100
42 20.6 18.2 27.2
71 37.4 30.9 46.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1031
Delta R.T. 0.000 min
Lab File: BF140289.D
Acq: 08 Nov 2024 10:55

Tgt Ion: 136 Resp: 591598
Ion Ratio Lower Upper
136 100
137 11.1 9.0 13.6
54 8.5 7.7 11.5
68 5.8 5.2 7.8









#23
Nitrobenzene-d5
Concen: 79.275 ng
RT: 7.434 min Scan# 90
Delta R.T. -0.012 min
Lab File: BF140289.D
Acq: 08 Nov 2024 10:55




Instrument :
BNA_F
ClientSampleId :
PB164680BL


Tgt Ion: 82 Resp: 943287
Ion Ratio Lower Upper
82 100
128 41.4 32.8 49.2
54 53.0 44.3 66.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1330
Delta R.T. -0.006 min
Lab File: BF140289.D
Acq: 08 Nov 2024 10:55

Tgt Ion:164 Resp: 368591
Ion Ratio Lower Upper
164 100
162 95.2 77.0 115.4
160 42.6 34.1 51.1





#42

2,4,6-Tribromophenol

Concen: 146.297 ng

RT: 10.710 min Scan# 1465

Delta R.T. 0.000 min

Lab File: BF140289.D

Acq: 08 Nov 2024 10:55

Instrument :

BNA_F

ClientSampleId :

PB164680BL





Tgt Ion:330 Resp: 533009

Ion Ratio Lower Upper

330 100

332 94.8 76.4 114.6

141 28.5 27.0 40.4



#45

2-Fluorobiphenyl

Concen: 79.641 ng

RT: 9.234 min Scan# 1214

Delta R.T. -0.006 min

Lab File: BF140289.D

Acq: 08 Nov 2024 10:55




Tgt Ion:172 Resp: 1838351


Ion Ratio Lower Upper

172 100

171 35.7 28.8 43.2

170 23.9 19.6 29.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF140289.D
Acq: 08 Nov 2024 10:55




Instrument :
BNA_F
ClientSampleId :
PB164680BL


Tgt Ion:188 Resp: 737164
Ion Ratio Lower Upper
188 100
94 8.8 6.9 10.3
80 9.7 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2033
Delta R.T. -0.012 min
Lab File: BF140289.D
Acq: 08 Nov 2024 10:55

Tgt Ion:240 Resp: 536164
Ion Ratio Lower Upper
240 100
120 9.9 7.5 11.3
236 26.1 20.9 31.3









#79
 Terphenyl-d14
 Concen: 81.205 ng
 RT: 12.998 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF140289.D
 Acq: 08 Nov 2024 10:55

Instrument :
 BNA_F
 ClientSampleId :
 PB164680BL

Tgt Ion:244 Resp: 2657853
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.0 9.0
 122 9.5 7.6 11.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.551 min Scan# 2288
 Delta R.T. -0.012 min
 Lab File: BF140289.D
 Acq: 08 Nov 2024 10:55

Tgt Ion:264 Resp: 403684
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.8 28.2
 265 21.4 17.3 25.9

