

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110921\
 Data File : BP007904.D
 Acq On : 09 Nov 2021 23:11
 Operator : CG/JU
 Sample : M4485-06
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 AG-7

Quant Time: Nov 10 11:06:19 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP110221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 09 10:45:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.857	152	146991	20.000	ng	0.00
21) Naphthalene-d8	10.657	136	497191	20.000	ng	0.00
39) Acenaphthene-d10	14.492	164	322758	20.000	ng	-0.01
64) Phenanthrene-d10	17.251	188	723186	20.000	ng	# 0.00
76) Chrysene-d12	21.339	240	879223	20.000	ng	#-0.01
86) Perylene-d12	23.751	264	993333	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	897934	103.601	ng	0.00
7) Phenol-d6	7.034	99	1091950	87.043	ng	0.00
23) Nitrobenzene-d5	9.016	82	613240	66.255	ng	-0.01
42) 2,4,6-Tribromophenol	15.986	330	498168	108.151	ng	-0.01
45) 2-Fluorobiphenyl	13.116	172	1473135	66.467	ng	-0.01
79) Terphenyl-d14	19.810	244	2749676	63.683	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.358	88	275	Below Cal	#	Qvalue 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110921\
Data File : BP007904.D
Acq On : 09 Nov 2021 23:11
Operator : CG/JU
Sample : M4485-06
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
AG-7

Quant Time: Nov 10 11:06:19 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP110221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 09 10:45:24 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.857 min Scan# 7
 Delta R.T. -0.007 min
 Lab File: BP007904.D
 Acq: 09 Nov 2021 23:11




Instrument :
 BNA_F
 ClientSampleId :
 AG-7


Tgt Ion:152 Resp: 146991
 Ion Ratio Lower Upper
 152 100
 150 154.5 124.1 186.1
 115 62.3 48.1 72.1



#2
 1,4-Dioxane
 Concen: Below Cal
 RT: 3.358 min Scan# 12
 Delta R.T. 0.006 min
 Lab File: BP007904.D
 Acq: 09 Nov 2021 23:11

Tgt Ion: 88 Resp: 275
 Ion Ratio Lower Upper
 88 100
 58 0.0 58.1 87.1#
 43 122.2 22.2 33.4#









#5
2-Fluorophenol
Concen: 103.601 ng
RT: 5.446 min Scan# 30
Delta R.T. -0.000 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11




Instrument :
BNA_F
ClientSampleId :
AG-7


Tgt Ion:112 Resp: 897934
Ion Ratio Lower Upper
112 100
64 55.6 46.6 70.0
63 30.6 25.0 37.6



#7
Phenol-d6
Concen: 87.043 ng
RT: 7.034 min Scan# 637
Delta R.T. -0.006 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11

Tgt Ion: 99 Resp: 1091950
Ion Ratio Lower Upper
99 100
42 17.8 14.9 22.3
71 39.7 29.2 43.8









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.657 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11




Instrument :
BNA_F
ClientSampleId :
AG-7


Tgt Ion:	136	Resp:	497191
Ion Ratio	Lower	Upper	
136	100		
137	10.5	8.6	13.0
54	7.2	6.2	9.4
68	5.1	4.7	7.1



#23
Nitrobenzene-d5
Concen: 66.255 ng
RT: 9.016 min Scan# 974
Delta R.T. -0.012 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11

Tgt Ion:	82	Resp:	613240
Ion Ratio	Lower	Upper	
82	100		
128	43.2	32.6	48.8
54	49.1	40.4	60.6









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.492 min Scan# 1905
Delta R.T. -0.012 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11




Instrument :
BNA_F
ClientSampleId :
AG-7


Tgt Ion:164 Resp: 322758
Ion Ratio Lower Upper
164 100
162 101.0 81.1 121.7
160 44.5 36.0 54.0



#42
2,4,6-Tribromophenol
Concen: 108.151 ng
RT: 15.986 min Scan# 2159
Delta R.T. -0.012 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11

Tgt Ion:330 Resp: 498168
Ion Ratio Lower Upper
330 100
332 97.3 78.9 118.3
141 33.1 30.7 46.1









#45
2-Fluorobiphenyl
Concen: 66.467 ng
RT: 13.116 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11




Instrument :
BNA_F
ClientSampleId :
AG-7


Tgt Ion:172 Resp: 1473135
Ion Ratio Lower Upper
172 100
171 35.2 28.2 42.2
170 23.5 19.0 28.4



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.251 min Scan# 2374
Delta R.T. -0.006 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11

Tgt Ion:188 Resp: 723186
Ion Ratio Lower Upper
188 100
94 6.9 7.1 10.7#
80 7.4 7.8 11.6#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.339 min Scan# 3082
Delta R.T. -0.012 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11




Instrument :
BNA_F
ClientSampleId :
AG-7


Tgt Ion:240 Resp: 879223
Ion Ratio Lower Upper
240 100
120 7.8 7.8 11.8#
236 26.2 20.6 30.8



#79
Terphenyl-d14
Concen: 63.683 ng
RT: 19.810 min Scan# 2809
Delta R.T. -0.012 min
Lab File: BP007904.D
Acq: 09 Nov 2021 23:11

Tgt Ion:244 Resp: 2749676
Ion Ratio Lower Upper
244 100
212 7.8 6.2 9.2
122 7.9 7.8 11.8





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.751 min Scan# 34
 Delta R.T. -0.018 min
 Lab File: BP007904.D
 Acq: 09 Nov 2021 23:11

Instrument :
 BNA_F
 ClientSampleId :
 AG-7

Tgt Ion:264 Resp: 993333
 Ion Ratio Lower Upper
 264 100
 260 24.5 19.1 28.7
 265 22.3 16.7 25.1

