

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110921\
 Data File : BF126076.D
 Acq On : 9 Nov 2021 11:23
 Operator : JU/CG
 Sample : PB140520BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB140520BL

Quant Time: Nov 09 12:15:51 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF110321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 03 17:21:25 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.851	152	206812	20.000	ng	0.00
21) Naphthalene-d8	8.134	136	770292	20.000	ng	# 0.00
39) Acenaphthene-d10	9.886	164	479709	20.000	ng	0.00
64) Phenanthrene-d10	11.375	188	927506	20.000	ng	# 0.00
76) Chrysene-d12	14.010	240	710797	20.000	ng	# 0.00
86) Perylene-d12	15.474	264	529681	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	1470970	122.143	ng	0.02
7) Phenol-d6	6.481	99	1917997	112.978	ng	0.00
23) Nitrobenzene-d5	7.416	82	1384173	84.745	ng	0.00
42) 2,4,6-Tribromophenol	10.680	330	729187	132.640	ng	0.00
45) 2-Fluorobiphenyl	9.210	172	2733167	76.995	ng	0.00
79) Terphenyl-d14	12.963	244	3419759	77.582	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110921\
Data File : BF126076.D
Acq On : 9 Nov 2021 11:23
Operator : JU/CG
Sample : PB140520BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB140520BL

Quant Time: Nov 09 12:15:51 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF110321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 03 17:21:25 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.851 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23




Instrument :
BNA_F
ClientSampleId :
PB140520BL


Tgt Ion:152 Resp: 206812
Ion Ratio Lower Upper
152 100
150 141.3 117.6 176.4
115 62.4 47.1 70.7



#5
2-Fluorophenol
Concen: 122.143 ng
RT: 5.481 min Scan# 577
Delta R.T. 0.018 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23

Tgt Ion:112 Resp: 1470970
Ion Ratio Lower Upper
112 100
64 71.4 44.2 66.2#
63 40.2 26.2 39.2#









#7
Phenol-d6
Concen: 112.978 ng
RT: 6.481 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23




Instrument :
BNA_F
ClientSampleId :
PB140520BL


Tgt Ion: 99 Resp: 1917997
Ion Ratio Lower Upper
99 100
42 26.7 23.5 35.3
71 46.3 25.6 38.4#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.134 min Scan# 1028
Delta R.T. -0.005 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23

Tgt Ion:136 Resp: 770292
Ion Ratio Lower Upper
136 100
137 10.5 9.8 14.6
54 9.6 6.4 9.6#
68 5.0 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 84.745 ng
RT: 7.416 min Scan# 907
Delta R.T. -0.006 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23




Instrument :
BNA_F
ClientSampleId :
PB140520BL


Tgt Ion: 82 Resp: 1384173
Ion Ratio Lower Upper
82 100
128 36.6 40.6 60.8#
54 59.7 49.6 74.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.886 min Scan# 1326
Delta R.T. -0.006 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23


Tgt Ion:164 Resp: 479709
Ion Ratio Lower Upper
164 100
162 105.1 81.3 121.9
160 44.4 38.0 57.0








#42
2,4,6-Tribromophenol
Concen: 132.640 ng
RT: 10.680 min Scan# 1461
Delta R.T. 0.000 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23


Instrument :
BNA_F
ClientSampleId :
PB140520BL





Tgt Ion:330 Resp: 729187
Ion Ratio Lower Upper
330 100
332 96.5 76.2 114.4
141 35.3 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 76.995 ng
RT: 9.210 min Scan# 1211
Delta R.T. -0.006 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23



Tgt Ion:172 Resp: 2733167
Ion Ratio Lower Upper
172 100
171 37.2 26.5 39.7
170 24.8 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.375 min Scan# 1579
Delta R.T. -0.000 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23




Instrument :
BNA_F
ClientSampleId :
PB140520BL

Tgt Ion:188 Resp: 927506
Ion Ratio Lower Upper
188 100
94 6.1 6.7 10.1#
80 7.0 7.5 11.3#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.010 min Scan# 2027
Delta R.T. -0.000 min
Lab File: BF126076.D
Acq: 9 Nov 2021 11:23


Tgt Ion:240 Resp: 710797
Ion Ratio Lower Upper
240 100
120 7.1 10.8 16.2#
236 25.8 21.6 32.4








#79
 Terphenyl-d14
 Concen: 77.582 ng
 RT: 12.963 min Scan# 1849
 Delta R.T. -0.000 min
 Lab File: BF126076.D
 Acq: 9 Nov 2021 11:23

Instrument :
 BNA_F
 ClientSampleId :
 PB140520BL



Tgt Ion:244 Resp: 3419759

Ion	Ratio	Lower	Upper
244	100		
212	8.3	5.9	8.9
122	11.1	9.0	13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.474 min Scan# 2276
 Delta R.T. 0.006 min
 Lab File: BF126076.D
 Acq: 9 Nov 2021 11:23

Tgt Ion:264 Resp: 529681

Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.6	29.4
265	21.1	17.2	25.8

