

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF111017\
 Data File : BF100416.D
 Acq On : 11 Nov 2017 3:01
 Operator : SJ/JU
 Sample : I6355-06
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 110317-TIFR-F-D-M

Quant Time: Nov 13 07:47:20 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:44:40 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	150541	20.00	ng	0.00
21) Naphthalene-d8	8.18	136	546417	20.00	ng	0.00
38) Acenaphthene-d10	9.94	164	231981	20.00	ng	0.00
63) Phenanthrene-d10	11.42	188	388107	20.00	ng	0.00
75) Chrysene-d12	14.06	240	303405	20.00	ng	0.00
86) Perylene-d12	15.54	264	238179	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	484768	51.62	ng	0.00
7) Phenol-d6	6.52	99	409503	35.36	ng	-0.01
23) Nitrobenzene-d5	7.47	82	984624	119.13	ng	0.00
41) 2,4,6-Tribromophenol	10.73	330	222604	94.17	ng	0.00
44) 2-Fluorobiphenyl	9.26	172	1609678	105.66	ng	0.00
78) Terphenyl-d14	13.01	244	1241644	94.03	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF111017\
Data File : BF100416.D
Acq On : 11 Nov 2017 3:01
Operator : SJ/JU
Sample : I6355-06
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
110317-TIFR-F-D-M

Quant Time: Nov 13 07:47:20 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:44:40 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.90 min Scan# 819
Delta R.T. 0.00 min
Lab File: BF100416.D
Acq: 11 Nov 2017 3:01

Instrument :
BNA_F
ClientSampleId :
110317-TIFR-F-D-M

Tot Ion:152 Resp: 150541
Ion Ratio Lower Upper
152 100
150 157.8 124.6 186.8
115 57.9 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 51.619 ng
RT: 5.52 min Scan# 583
Delta R.T. 0.00 min
Lab File: BF100416.D
Acq: 11 Nov 2017 3:01

Tgt Ion:112 Resp: 484768
Ion Ratio Lower Upper
112 100
64 62.8 47.9 71.9
63 31.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 35.361 ng

RT: 6.52 min Scan# 753

Delta R.T. -0.01 min

Lab File: BF100416.D

Acq: 11 Nov 2017 3:01

Instrument :

BNA_F

ClientSampleId :

110317-TIFR-F-D-M





Tot Ion: 99 Resp: 409503

Ion Ratio Lower Upper

99 100

42 20.4 14.5 21.7

71 32.3 25.4 38.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.18 min Scan# 1036

Delta R.T. -0.01 min

Lab File: BF100416.D

Acq: 11 Nov 2017 3:01

Tgt Ion: 136 Resp: 546417




Ion Ratio Lower Upper

136 100

137 11.4 8.9 13.3

54 9.4 6.6 9.8

68 6.7 5.0 7.4









#23
 Nitrobenzene-d5
 Concen: 119.134 ng
 RT: 7.47 min Scan# 915
 Delta R.T. 0.00 min
 Lab File: BF100416.D
 Acq: 11 Nov 2017 3:01

Instrument :
 BNA_F
 ClientSampleId :
 110317-TIFR-F-D-M

Tot Ion: 82 Resp: 984624
 Ion Ratio Lower Upper
 82 100
 128 48.0 36.1 54.1
 54 53.1 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.94 min Scan# 1335
 Delta R.T. -0.01 min
 Lab File: BF100416.D
 Acq: 11 Nov 2017 3:01

Tgt Ion: 164 Resp: 231981
 Ion Ratio Lower Upper
 164 100
 162 103.8 86.1 129.1
 160 47.8 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 94.169 ng
 RT: 10.73 min Scan# 1469
 Delta R.T. -0.01 min
 Lab File: BF100416.D
 Acq: 11 Nov 2017 3:01

Instrument :
 BNA_F
 ClientSampleId :
 110317-TIFR-F-D-M

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.0	115.6
141	31.6	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 105.658 ng
 RT: 9.26 min Scan# 1220
 Delta R.T. 0.00 min
 Lab File: BF100416.D
 Acq: 11 Nov 2017 3:01

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	29.7	44.5
170	24.3	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.42 min Scan# 1587

Delta R.T. -0.01 min

Lab File: BF100416.D

Acq: 11 Nov 2017 3:01

Instrument :

BNA_F

ClientSampleId :

110317-TIFR-F-D-M


Tot Ion:188 Resp: 388107

Ion Ratio Lower Upper

188 100

94 10.8 8.5 12.7




80 12.0 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.06 min Scan# 2036

Delta R.T. -0.01 min

Lab File: BF100416.D

Acq: 11 Nov 2017 3:01


Tgt Ion:240 Resp: 303405

Ion Ratio Lower Upper

240 100

120 11.2 9.5 14.3



236 26.1 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 94.031 ng

RT: 13.01 min Scan# 1857

Delta R.T. 0.00 min

Lab File: BF100416.D

Acq: 11 Nov 2017 3:01

Instrument :

BNA_F

ClientSampleId :

110317-TIFR-F-D-M


Tot Ion:244 Resp: 1241644

Ion Ratio Lower Upper

244 100

212 7.4 5.4 8.0




122 11.9 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.54 min Scan# 2288

Delta R.T. 0.00 min

Lab File: BF100416.D

Acq: 11 Nov 2017 3:01


Tgt Ion:264 Resp: 238179

Ion Ratio Lower Upper

264 100

260 25.0 19.2 28.8

265 21.9 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

