

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF111017\
 Data File : BF100425.D
 Acq On : 11 Nov 2017 7:04
 Operator : SJ/JU
 Sample : I6355-15
 Misc :
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 110317-SIDI-E-D-B

Quant Time: Nov 13 08:15:00 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:44:40 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	168952	20.00	ng	0.00
21) Naphthalene-d8	8.18	136	621322	20.00	ng	0.00
38) Acenaphthene-d10	9.94	164	263217	20.00	ng	0.00
63) Phenanthrene-d10	11.42	188	421503	20.00	ng	0.00
75) Chrysene-d12	14.06	240	344914	20.00	ng	0.00
86) Perylene-d12	15.54	264	262433	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	409631	38.87	ng	0.00
7) Phenol-d6	6.52	99	314786	24.22	ng	-0.01
23) Nitrobenzene-d5	7.46	82	917359	97.61	ng	0.00
41) 2,4,6-Tribromophenol	10.73	330	197571	73.66	ng	0.00
44) 2-Fluorobiphenyl	9.26	172	1514573	87.62	ng	0.00
78) Terphenyl-d14	13.01	244	1134082	75.55	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF111017\
Data File : BF100425.D
Acq On : 11 Nov 2017 7:04
Operator : SJ/JU
Sample : I6355-15
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
110317-SIDI-E-D-B

Quant Time: Nov 13 08:15:00 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:44:40 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.90 min Scan# 818
Delta R.T. -0.01 min
Lab File: BF100425.D
Acq: 11 Nov 2017 7:04

Instrument :
BNA_F
ClientSampleId :
110317-SIDI-E-D-B

Tot Ion:152 Resp: 168952
Ion Ratio Lower Upper
152 100
150 157.7 124.6 186.8
115 63.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 38.865 ng
RT: 5.52 min Scan# 583
Delta R.T. 0.00 min
Lab File: BF100425.D
Acq: 11 Nov 2017 7:04

Tgt Ion:112 Resp: 409631
Ion Ratio Lower Upper
112 100
64 59.5 47.9 71.9
63 30.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 24.220 ng

RT: 6.52 min Scan# 753

Delta R.T. -0.01 min

Lab File: BF100425.D

Acq: 11 Nov 2017 7:04

Instrument :

BNA_F

ClientSampleId :

110317-SIDI-E-D-B





Tot Ion: 99 Resp: 314786

Ion Ratio Lower Upper

99 100

42 19.7 14.5 21.7

71 31.9 25.4 38.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.18 min Scan# 1036

Delta R.T. -0.01 min

Lab File: BF100425.D

Acq: 11 Nov 2017 7:04

Tgt Ion: 136 Resp: 621322




Ion Ratio Lower Upper

136 100

137 11.4 8.9 13.3

54 9.3 6.6 9.8

68 6.8 5.0 7.4









#23
Nitrobenzene-d5
Concen: 97.614 ng
RT: 7.46 min Scan# 914
Delta R.T. -0.01 min
Lab File: BF100425.D
Acq: 11 Nov 2017 7:04




Instrument :
BNA_F
ClientSampleId :
110317-SIDI-E-D-B

Tot Ion	82	Resp	917359
Ion Ratio	100	Lower	Upper
128	44.4	36.1	54.1
54	55.6	41.4	62.2



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.94 min Scan# 1335
Delta R.T. -0.01 min
Lab File: BF100425.D
Acq: 11 Nov 2017 7:04

Tgt Ion	164	Resp	263217
Ion Ratio	100	Lower	Upper
162	105.1	86.1	129.1
160	47.8	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 73.661 ng
 RT: 10.73 min Scan# 1469
 Delta R.T. -0.01 min
 Lab File: BF100425.D
 Acq: 11 Nov 2017 7:04

Instrument :
 BNA_F
 ClientSampleId :
 110317-SIDI-E-D-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.0	77.0	115.6
141	31.4	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 87.618 ng
 RT: 9.26 min Scan# 1220
 Delta R.T. 0.00 min
 Lab File: BF100425.D
 Acq: 11 Nov 2017 7:04

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	29.7	44.5
170	24.1	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.42 min Scan# 1587

Delta R.T. -0.01 min

Lab File: BF100425.D

Acq: 11 Nov 2017 7:04

Instrument :

BNA_F

ClientSampleId :

110317-SIDI-E-D-B


Tot Ion:188 Resp: 421503

Ion Ratio Lower Upper

188 100

94 10.7 8.5 12.7




80 12.0 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.06 min Scan# 2036

Delta R.T. -0.01 min

Lab File: BF100425.D

Acq: 11 Nov 2017 7:04


Tgt Ion:240 Resp: 344914

Ion Ratio Lower Upper

240 100

120 10.6 9.5 14.3



236 26.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 75.549 ng

RT: 13.01 min Scan# 1857

Delta R.T. 0.00 min

Lab File: BF100425.D

Acq: 11 Nov 2017 7:04

Instrument :

BNA_F

ClientSampleId :

110317-SIDI-E-D-B


Tot Ion:244 Resp: 1134082

Ion Ratio Lower Upper

244 100

212 7.2 5.4 8.0




122 11.8 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.54 min Scan# 2288

Delta R.T. 0.00 min

Lab File: BF100425.D

Acq: 11 Nov 2017 7:04


Tgt Ion:264 Resp: 262433

Ion Ratio Lower Upper

264 100

260 24.5 19.2 28.8

265 22.5 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

