

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111022\
 Data File : BF131135.D
 Acq On : 10 Nov 2022 21:41
 Operator : CG\JU
 Sample : N5494-11
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-24

Quant Time: Nov 11 00:51:42 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 10 04:15:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.887	152	65417	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	258071	20.000	ng	0.00
39) Acenaphthene-d10	9.933	164	131480	20.000	ng	0.00
64) Phenanthrene-d10	11.422	188	172785	20.000	ng	0.00
76) Chrysene-d12	14.074	240	136716	20.000	ng	0.00
86) Perylene-d12	15.568	264	131885	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	453442	117.879	ng	0.00
7) Phenol-d6	6.516	99	575402	114.416	ng	0.00
23) Nitrobenzene-d5	7.451	82	362909	63.448	ng	-0.01
42) 2,4,6-Tribromophenol	10.722	330	124584	91.686	ng	-0.01
45) 2-Fluorobiphenyl	9.251	172	656689	69.723	ng	0.00
79) Terphenyl-d14	13.010	244	420285	53.900	ng	0.00
Target Compounds						
87) Indeno(1,2,3-cd)pyrene	17.074	276	4000	4.206	ng	# 94
92) Benzo(g,h,i)perylene	17.539	276	4111	4.769	ng	# 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111022\
Data File : BF131135.D
Acq On : 10 Nov 2022 21:41
Operator : CG\JU
Sample : N5494-11
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-24

Quant Time: Nov 11 00:51:42 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 10 04:15:17 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.887 min Scan# 81
Delta R.T. -0.005 min
Lab File: BF131135.D
Acq: 10 Nov 2022 21:41




Instrument :
BNA_F
ClientSampleId :
SB-24


Tgt Ion:152 Resp: 65417
Ion Ratio Lower Upper
152 100
150 159.0 125.5 188.3
115 67.3 52.2 78.2



#5
2-Fluorophenol
Concen: 117.879 ng
RT: 5.510 min Scan# 582
Delta R.T. 0.006 min
Lab File: BF131135.D
Acq: 10 Nov 2022 21:41

Tgt Ion:112 Resp: 453442
Ion Ratio Lower Upper
112 100
64 66.8 55.1 82.7
63 38.2 32.4 48.6









#7
Phenol-d6
Concen: 114.416 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF131135.D
Acq: 10 Nov 2022 21:41




Instrument :
BNA_F
ClientSampleId :
SB-24


Tgt Ion: 99 Resp: 575402
Ion Ratio Lower Upper
99 100
42 24.6 20.8 31.2
71 40.4 34.2 51.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.005 min
Lab File: BF131135.D
Acq: 10 Nov 2022 21:41

Tgt Ion: 136 Resp: 258071
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 8.8 7.2 10.8
68 5.3 4.2 6.4





#23

Nitrobenzene-d5

Concen: 63.448 ng

RT: 7.451 min Scan# 914

Delta R.T. -0.012 min

Lab File: BF131135.D

Acq: 10 Nov 2022 21:41

Instrument :

BNA_F

ClientSampleId :

SB-24





Tgt Ion: 82 Resp: 362909

Ion Ratio Lower Upper

82 100

128 38.4 30.5 45.7

54 61.9 49.1 73.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.933 min Scan# 1334

Delta R.T. -0.006 min

Lab File: BF131135.D

Acq: 10 Nov 2022 21:41




Tgt Ion:164 Resp: 131480


Ion Ratio Lower Upper

164 100

162 101.6 81.7 122.5

160 45.6 37.4 56.2





#42

2,4,6-Tribromophenol

Concen: 91.686 ng

RT: 10.722 min Scan# 1468

Delta R.T. -0.012 min

Lab File: BF131135.D

Acq: 10 Nov 2022 21:41

Instrument :

BNA_F

ClientSampleId :

SB-24





Tgt Ion:330 Resp: 124584

Ion Ratio Lower Upper

330 100

332 97.5 77.0 115.4

141 35.5 28.5 42.7



#45

2-Fluorobiphenyl

Concen: 69.723 ng

RT: 9.251 min Scan# 1218

Delta R.T. -0.006 min

Lab File: BF131135.D

Acq: 10 Nov 2022 21:41




Tgt Ion:172 Resp: 656689


Ion Ratio Lower Upper

172 100

171 34.9 27.7 41.5

170 23.2 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.422 min Scan# 11
Delta R.T. -0.005 min
Lab File: BF131135.D
Acq: 10 Nov 2022 21:41




Instrument :
BNA_F
ClientSampleId :
SB-24


Tgt Ion:188 Resp: 172785
Ion Ratio Lower Upper
188 100
94 9.6 7.0 10.6
80 10.1 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.074 min Scan# 2038
Delta R.T. -0.006 min
Lab File: BF131135.D
Acq: 10 Nov 2022 21:41

Tgt Ion:240 Resp: 136716
Ion Ratio Lower Upper
240 100
120 8.1 6.5 9.7
236 25.3 19.7 29.5









#79
 Terphenyl-d14
 Concen: 53.900 ng
 RT: 13.010 min Scan# 1858
 Delta R.T. -0.005 min
 Lab File: BF131135.D
 Acq: 10 Nov 2022 21:41




Instrument :
 BNA_F
 ClientSampleId :
 SB-24


Tgt Ion:244 Resp: 420285
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.2 9.2
 122 10.7 7.8 11.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.568 min Scan# 2292
 Delta R.T. 0.000 min
 Lab File: BF131135.D
 Acq: 10 Nov 2022 21:41

Tgt Ion:264 Resp: 131885
 Ion Ratio Lower Upper
 264 100
 260 22.7 19.1 28.7
 265 22.3 16.7 25.1









#87
 Indeno(1,2,3-cd)pyrene
 Concen: 4.206 ng
 RT: 17.074 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BF131135.D
 Acq: 10 Nov 2022 21:41

Instrument :
 BNA_F
 ClientSampleId :
 SB-24

Tgt Ion:276 Resp: 4000
 Ion Ratio Lower Upper
 276 100
 138 25.4 16.9 25.3#
 277 27.2 20.3 30.5



#92
 Benzo(g,h,i)perylene
 Concen: 4.769 ng
 RT: 17.539 min Scan# 2627
 Delta R.T. -0.006 min
 Lab File: BF131135.D
 Acq: 10 Nov 2022 21:41

Tgt Ion:276 Resp: 4111
 Ion Ratio Lower Upper
 276 100
 277 27.4 19.0 28.4
 138 24.9 14.6 21.8#

