

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111116\
 Data File : BF091146.D
 Acq On : 11 Nov 2016 18:02
 Operator : UM/SJ
 Sample : PB94661BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB94661BL

Quant Time: Nov 11 23:57:14 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 08 12:59:29 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.64	152	162774	20.00	ng	-0.02
21) Naphthalene-d8	7.93	136	698703	20.00	ng	-0.02
38) Acenaphthene-d10	9.68	164	394539	20.00	ng	-0.02
63) Phenanthrene-d10	11.15	188	613522	20.00	ng	-0.02
75) Chrysene-d12	13.78	240	508504	20.00	ng	-0.03
86) Perylene-d12	15.15	264	397546	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	1293000	131.19	ng	0.00
7) Phenol-d6	6.29	99	1445993	108.09	ng	-0.02
23) Nitrobenzene-d5	7.21	82	979511	76.47	ng	-0.03
41) 2,4,6-Tribromophenol	10.46	330	403307	113.07	ng	-0.02
44) 2-Fluorobiphenyl	9.01	172	1855261	80.96	ng	-0.02
78) Terphenyl-d14	12.74	244	1774198	87.07	ng	-0.02
Target Compounds						
9) Benzaldehyde	6.41	77	25619	3.45	ng	Qvalue 86
19) n-Nitroso-di-n-propylamine	7.21	70	131450	14.18	ng	# 77
25) Isophorone	7.21	82	904349	36.64	ng	# 67
50) 2,6-Dinitrotoluene	9.68	165	50373	9.09	ng	# 11
56) 2,4-Dinitrotoluene	9.68	165	50375	7.14	ng	# 26
66) 4-Bromophenyl-phenylether	10.46	248	26850	4.21	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111116\
Data File : BF091146.D
Acq On : 11 Nov 2016 18:02
Operator : UM/SJ
Sample : PB94661BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB94661BL

Quant Time: Nov 11 23:57:14 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 08 12:59:29 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.64 min Scan# 433
 Delta R.T. -0.02 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02

Instrument :
 BNA_F
 ClientSampleId :
 PB94661BL

Tgt Ion:152 Resp: 162774
 Ion Ratio Lower Upper
 152 100
 150 157.3 126.8 190.2
 115 74.4 53.3 79.9




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 131.19 ng
 RT: 5.24 min Scan# 311
 Delta R.T. 0.00 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02

Tgt Ion:112 Resp: 1293000
 Ion Ratio Lower Upper
 112 100
 64 56.7 55.8 83.6
 63 28.2 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 108.09 ng

RT: 6.29 min Scan# 403

Delta R.T. -0.02 min

Lab File: BF091146.D

Acq: 11 Nov 2016 18:02

Instrument :

BNA_F

ClientSampleId :

PB94661BL





Tgt Ion: 99 Resp: 1445993

Ion Ratio Lower Upper

99 100

42 16.2 13.9 20.9

71 33.3 27.8 41.8



#9

Benzaldehyde

Concen: 3.45 ng

RT: 6.41 min Scan# 413

Delta R.T. 0.21 min

Lab File: BF091146.D

Acq: 11 Nov 2016 18:02




Tgt Ion: 77 Resp: 25619


Ion Ratio Lower Upper

77 100

105 77.5 66.8 106.8

106 66.7 64.0 104.0









#19
n-Nitroso-di-n-propylamine
Concen: 14.18 ng
RT: 7.21 min Scan# 483
Delta R.T. 0.11 min
Lab File: BF091146.D
Acq: 11 Nov 2016 18:02




Instrument :
BNA_F
ClientSampleId :
PB94661BL


Tgt Ion: 70 Resp: 131450
Ion Ratio Lower Upper
70 100
42 39.4 41.7 62.5#
101 0.0 6.7 10.1#
130 1.9 13.8 20.8#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.93 min Scan# 546
Delta R.T. -0.02 min
Lab File: BF091146.D
Acq: 11 Nov 2016 18:02

Tgt Ion: 136 Resp: 698703
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 7.7 6.2 9.2
68 6.9 5.5 8.3









#23
Nitrobenzene-d5
Concen: 76.47 ng
RT: 7.21 min Scan# 483
Delta R.T. -0.03 min
Lab File: BF091146.D
Acq: 11 Nov 2016 18:02




Instrument :
BNA_F
ClientSampleID :
PB94661BL


Tgt Ion: 82 Resp: 979511
Ion Ratio Lower Upper
82 100
128 39.9 32.4 48.6
54 48.6 39.2 58.8



#25
Isophorone
Concen: 36.64 ng
RT: 7.21 min Scan# 483
Delta R.T. -0.29 min
Lab File: BF091146.D
Acq: 11 Nov 2016 18:02

Tgt Ion: 82 Resp: 904349
Ion Ratio Lower Upper
82 100
95 0.0 5.4 8.0#
138 0.0 13.0 19.4#





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.68 min Scan# 699

Delta R.T. -0.02 min

Lab File: BF091146.D

Acq: 11 Nov 2016 18:02

Instrument :

BNA_F

ClientSampleId :

PB94661BL


Tgt Ion:164 Resp: 394539

Ion Ratio Lower Upper

164 100

162 104.5 83.6 125.4




160 48.0 37.9 56.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 113.07 ng

RT: 10.46 min Scan# 768

Delta R.T. -0.02 min

Lab File: BF091146.D

Acq: 11 Nov 2016 18:02


Tgt Ion:330 Resp: 403307

Ion Ratio Lower Upper

330 100

332 96.3 75.9 113.9



141 36.9 36.1 54.1




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 80.96 ng
 RT: 9.01 min Scan# 641
 Delta R.T. -0.02 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02




Instrument :
 BNA_F
 ClientSampleId :
 PB94661BL


Tgt Ion:172 Resp: 1855261
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.8 44.6
 170 24.8 20.3 30.5



#50
 2,6-Dinitrotoluene
 Concen: 9.09 ng
 RT: 9.68 min Scan# 699
 Delta R.T. 0.17 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02

Tgt Ion:165 Resp: 50373
 Ion Ratio Lower Upper
 165 100
 63 0.8 65.6 98.4#
 89 1.1 59.8 89.6#









#56
 2,4-Dinitrotoluene
 Concen: 7.14 ng
 RT: 9.68 min Scan# 699
 Delta R.T. -0.23 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02

Instrument :
 BNA_F
 ClientSampleId :
 PB94661BL

Tgt Ion:165 Resp: 50375
 Ion Ratio Lower Upper
 165 100
 63 0.8 38.7 58.1#
 89 1.1 50.6 76.0#
 182 0.0 1.8 2.8#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0
 Ion 182.00 (181.70 to 182.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.15 min Scan# 828
 Delta R.T. -0.02 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02

Tgt Ion:188 Resp: 613522
 Ion Ratio Lower Upper
 188 100
 94 14.8 7.0 10.4#
 80 17.4 7.5 11.3#



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0









#66
 4-Bromophenyl-phenylether
 Concen: 4.21 ng
 RT: 10.46 min Scan# 768
 Delta R.T. -0.26 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02

Instrument :
 BNA_F
 ClientSampleId :
 PB94661BL

Tgt Ion:248 Resp: 26850
 Ion Ratio Lower Upper
 248 100
 250 199.9 76.3 114.5#
 141 505.4 86.8 130.2#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.78 min Scan# 1058
 Delta R.T. -0.03 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02

Tgt Ion:240 Resp: 508504
 Ion Ratio Lower Upper
 240 100
 120 18.6 12.9 19.3
 236 27.7 21.9 32.9



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 87.07 ng
 RT: 12.74 min Scan# 967
 Delta R.T. -0.02 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02

Instrument :
 BNA_F
 ClientSampleId :
 PB94661BL

Tgt Ion:244 Resp: 1774198
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.4 9.6
 122 13.7 12.3 18.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.15 min Scan# 1178
 Delta R.T. -0.03 min
 Lab File: BF091146.D
 Acq: 11 Nov 2016 18:02

Tgt Ion:264 Resp: 397546
 Ion Ratio Lower Upper
 264 100
 260 25.6 20.6 30.8
 265 22.1 17.8 26.8

