

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF111117\
 Data File : BF100445.D
 Acq On : 11 Nov 2017 17:17
 Operator : SJ/JU
 Sample : I6388-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 3N-2

Quant Time: Nov 13 03:50:41 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:44:40 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	148133	20.00	ng	0.00
21) Naphthalene-d8	8.19	136	515975	20.00	ng	0.00
38) Acenaphthene-d10	9.94	164	189159	20.00	ng	0.00
63) Phenanthrene-d10	11.43	188	315096	20.00	ng	0.00
75) Chrysene-d12	14.07	240	318533	20.00	ng	0.00
86) Perylene-d12	15.55	264	225215	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	844434	91.38	ng	0.01
7) Phenol-d6	6.53	99	1008579	88.51	ng	0.00
23) Nitrobenzene-d5	7.46	82	592183	75.88	ng	0.00
41) 2,4,6-Tribromophenol	10.73	330	141987	73.66	ng	0.00
44) 2-Fluorobiphenyl	9.26	172	861929	69.38	ng	0.00
78) Terphenyl-d14	13.01	244	632406	45.62	ng	0.00
Target Compounds						
10) Phenol	6.54	94	36305	3.035	ng	98
49) Dimethylphthalate	9.65	163	40919	2.833	ng	# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF111117\
Data File : BF100445.D
Acq On : 11 Nov 2017 17:17
Operator : SJ/JU
Sample : I6388-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
3N-2

Quant Time: Nov 13 03:50:41 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:44:40 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.90 min Scan# 819
Delta R.T. -0.00 min
Lab File: BF100445.D
Acq: 11 Nov 2017 17:17

Instrument :
BNA_F
ClientSampleId :
3N-2

Tot Ion:152 Resp: 148133
Ion Ratio Lower Upper
152 100
150 155.7 124.6 186.8
115 60.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 91.378 ng
RT: 5.53 min Scan# 585
Delta R.T. 0.01 min
Lab File: BF100445.D
Acq: 11 Nov 2017 17:17

Tgt Ion:112 Resp: 844434
Ion Ratio Lower Upper
112 100
64 61.1 47.9 71.9
63 31.4 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 88.507 ng

RT: 6.53 min Scan# 755

Delta R.T. -0.00 min

Lab File: BF100445.D

Acq: 11 Nov 2017 17:17

Instrument :


BNA_F

ClientSampleId :

3N-2

Tot Ion: 99 Resp: 1008579




Ion	Ratio	Lower	Upper
99	100		
42	21.1	14.5	21.7
71	33.7	25.4	38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 3.035 ng

RT: 6.54 min Scan# 757


Delta R.T. -0.00 min

Lab File: BF100445.D

Acq: 11 Nov 2017 17:17

Tgt Ion: 94 Resp: 36305



Ion	Ratio	Lower	Upper
94	100		
65	28.8	7.9	47.9
66	37.4	16.2	56.2




Abundance Ion 94.00 (93.70 to 94.70): BF1

Ion 65.00 (64.70 to 65.70): BF1

Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.19 min Scan# 1037

Delta R.T. -0.00 min

Lab File: BF100445.D

Acq: 11 Nov 2017 17:17

Instrument :

BNA_F

ClientSampleId :

3N-2

Tot Ion:136 Resp: 515975


Ion Ratio Lower Upper

136 100

137 10.9 8.9 13.3

54 8.8 6.6 9.8

68 6.5 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 75.878 ng

RT: 7.46 min Scan# 914

Delta R.T. -0.01 min

Lab File: BF100445.D

Acq: 11 Nov 2017 17:17


Tgt Ion: 82 Resp: 592183

Ion Ratio Lower Upper

82 100

128 43.7 36.1 54.1



54 55.0 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.94 min Scan# 1335
Delta R.T. -0.01 min
Lab File: BF100445.D
Acq: 11 Nov 2017 17:17

Instrument :
BNA_F
ClientSampleId :
3N-2

Tot Ion	Ratio	Lower	Upper
164	100		
162	105.9	86.1	129.1
160	47.1	38.3	57.5




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 73.663 ng
RT: 10.73 min Scan# 1469
Delta R.T. -0.01 min
Lab File: BF100445.D
Acq: 11 Nov 2017 17:17

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.6	77.0	115.6
141	31.8	29.9	44.9



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 69.384 ng
RT: 9.26 min Scan# 1219
Delta R.T. -0.01 min
Lab File: BF100445.D
Acq: 11 Nov 2017 17:17




Instrument :
BNA_F
ClientSampleId :
3N-2


Tot Ion:172 Resp: 861929
Ion Ratio Lower Upper
172 100
171 35.7 29.7 44.5
170 23.5 19.6 29.4



#49
Dimethylphthalate
Concen: 2.833 ng
RT: 9.65 min Scan# 1286
Delta R.T. -0.01 min
Lab File: BF100445.D
Acq: 11 Nov 2017 17:17

Tgt Ion:163 Resp: 40919
Ion Ratio Lower Upper
163 100
194 4.2 2.7 4.1#
164 9.9 8.2 12.2









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.43 min Scan# 1588
Delta R.T. -0.00 min
Lab File: BF100445.D
Acq: 11 Nov 2017 17:17




Instrument :
BNA_F
ClientSampled :
3N-2


Tot Ion:188 Resp: 315096
Ion Ratio Lower Upper
188 100
94 9.3 8.5 12.7
80 10.4 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.07 min Scan# 2037
Delta R.T. -0.00 min
Lab File: BF100445.D
Acq: 11 Nov 2017 17:17

Tgt Ion:240 Resp: 318533
Ion Ratio Lower Upper
240 100
120 10.2 9.5 14.3
236 25.9 20.7 31.1





#78

Terphenyl-d14

Concen: 45.618 ng

RT: 13.01 min Scan# 1857

Delta R.T. -0.00 min

Lab File: BF100445.D

Acq: 11 Nov 2017 17:17

Instrument :

BNA_F

ClientSampleId :

3N-2


Tot Ion:244 Resp: 632406

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0




122 11.5 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.55 min Scan# 2289

Delta R.T. 0.01 min

Lab File: BF100445.D

Acq: 11 Nov 2017 17:17


Tgt Ion:264 Resp: 225215

Ion Ratio Lower Upper

264 100

260 23.9 19.2 28.8

265 21.2 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

