

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111122\
 Data File : BF131154.D
 Acq On : 11 Nov 2022 14:35
 Operator : CG\JU
 Sample : N5529-04
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 NMS-CONCRETE-1108

Quant Time: Nov 11 15:20:35 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 10 04:15:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	67585	20.000	ng	-0.01
21) Naphthalene-d8	8.163	136	238595	20.000	ng	-0.02
39) Acenaphthene-d10	9.922	164	81731	20.000	ng	-0.02
64) Phenanthrene-d10	11.416	188	121918	20.000	ng	-0.01
76) Chrysene-d12	14.063	240	122508	20.000	ng	#-0.02
86) Perylene-d12	15.557	264	90348	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	197408	49.673	ng	0.00
7) Phenol-d6	6.510	99	327012	62.939	ng	-0.01
23) Nitrobenzene-d5	7.445	82	248189	46.933	ng	-0.02
42) 2,4,6-Tribromophenol	10.716	330	27891	33.020	ng	-0.02
45) 2-Fluorobiphenyl	9.239	172	495899	84.700	ng	-0.02
79) Terphenyl-d14	13.004	244	327930	46.933	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111122\
Data File : BF131154.D
Acq On : 11 Nov 2022 14:35
Operator : CG\JU
Sample : N5529-04
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
NMS-CONCRETE-1108

Quant Time: Nov 11 15:20:35 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 10 04:15:17 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 817
Delta R.T. -0.011 min
Lab File: BF131154.D
Acq: 11 Nov 2022 14:35




Instrument :
BNA_F
ClientSampleId :
NMS-CONCRETE-1108


Tgt Ion:152 Resp: 67585
Ion Ratio Lower Upper
152 100
150 153.8 125.5 188.3
115 65.2 52.2 78.2



#5
2-Fluorophenol
Concen: 49.673 ng
RT: 5.504 min Scan# 581
Delta R.T. 0.000 min
Lab File: BF131154.D
Acq: 11 Nov 2022 14:35

Tgt Ion:112 Resp: 197408
Ion Ratio Lower Upper
112 100
64 66.8 55.1 82.7
63 38.7 32.4 48.6









#7
Phenol-d6
Concen: 62.939 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF131154.D
Acq: 11 Nov 2022 14:35




Instrument :
BNA_F
ClientSampleId :
NMS-CONCRETE-1108


Tgt Ion: 99 Resp: 327012
Ion Ratio Lower Upper
99 100
42 25.9 20.8 31.2
71 42.0 34.2 51.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1033
Delta R.T. -0.017 min
Lab File: BF131154.D
Acq: 11 Nov 2022 14:35

Tgt Ion: 136 Resp: 238595
Ion Ratio Lower Upper
136 100
137 10.7 8.6 12.8
54 10.2 7.2 10.8
68 6.3 4.2 6.4





#23

Nitrobenzene-d5

Concen: 46.933 ng

RT: 7.445 min Scan# 91

Delta R.T. -0.018 min

Lab File: BF131154.D

Acq: 11 Nov 2022 14:35

Instrument :

BNA_F

ClientSampleId :

NMS-CONCRETE-1108





Tgt Ion: 82 Resp: 248189

Ion Ratio Lower Upper

82 100

128 37.5 30.5 45.7

54 62.0 49.1 73.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.922 min Scan# 1332

Delta R.T. -0.017 min

Lab File: BF131154.D

Acq: 11 Nov 2022 14:35




Tgt Ion: 164 Resp: 81731


Ion Ratio Lower Upper

164 100

162 104.5 81.7 122.5


160 46.3 37.4 56.2








#42
2,4,6-Tribromophenol
Concen: 33.020 ng
RT: 10.716 min Scan# 1470
Delta R.T. -0.017 min
Lab File: BF131154.D
Acq: 11 Nov 2022 14:35

Instrument :
BNA_F
ClientSampleId :
NMS-CONCRETE-1108







Tgt Ion: 330 Resp: 27891
Ion Ratio Lower Upper
330 100
332 97.3 77.0 115.4
141 38.1 28.5 42.7



#45
2-Fluorobiphenyl
Concen: 84.700 ng
RT: 9.239 min Scan# 1216
Delta R.T. -0.018 min
Lab File: BF131154.D
Acq: 11 Nov 2022 14:35

Tgt Ion: 172 Resp: 495899
Ion Ratio Lower Upper
172 100
171 34.5 27.7 41.5
170 23.1 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.416 min Scan# 1586
Delta R.T. -0.011 min
Lab File: BF131154.D
Acq: 11 Nov 2022 14:35




Instrument :
BNA_F
ClientSampleId :
NMS-CONCRETE-1108


Tgt Ion:188 Resp: 121918
Ion Ratio Lower Upper
188 100
94 8.5 7.0 10.6
80 8.8 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.063 min Scan# 2036
Delta R.T. -0.017 min
Lab File: BF131154.D
Acq: 11 Nov 2022 14:35


Tgt Ion:240 Resp: 122508
Ion Ratio Lower Upper
240 100
120 9.8 6.5 9.7#
236 24.4 19.7 29.5








#79
 Terphenyl-d14
 Concen: 46.933 ng
 RT: 13.004 min Scan# 1856
 Delta R.T. -0.011 min
 Lab File: BF131154.D
 Acq: 11 Nov 2022 14:35

Instrument :
 BNA_F
 ClientSampleId :
 NMS-CONCRETE-1108



Tgt Ion:244 Resp: 327930
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.2 9.2
 122 9.4 7.8 11.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.557 min Scan# 2290
 Delta R.T. -0.012 min
 Lab File: BF131154.D
 Acq: 11 Nov 2022 14:35

Tgt Ion:264 Resp: 90348
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.1 28.7
 265 20.8 16.7 25.1

