

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111124\
 Data File : BF140316.D
 Acq On : 11 Nov 2024 14:40
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040

Quant Time: Nov 11 23:46:44 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 11 23:41:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	189983	20.000	ng	0.00
21) Naphthalene-d8	8.163	136	695152	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	378824	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	693253	20.000	ng	0.00
76) Chrysene-d12	14.057	240	385013	20.000	ng	0.00
86) Perylene-d12	15.557	264	351794	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	859117	78.126	ng	0.00
7) Phenol-d6	6.510	99	1131198	77.416	ng	0.00
23) Nitrobenzene-d5	7.445	82	1048422	78.295	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	284632	77.339	ng	0.00
45) 2-Fluorobiphenyl	9.233	172	1790609	74.626	ng	0.00
79) Terphenyl-d14	12.986	244	1745639	77.745	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.646	88	198707	40.180	ng	100
3) Pyridine	3.416	79	489027	41.033	ng	100
4) n-Nitrosodimethylamine	3.375	42	256425	41.015	ng	100
6) Aniline	6.545	93	517776	40.164	ng	100
8) 2-Chlorophenol	6.669	128	452242	38.737	ng	100
9) Benzaldehyde	6.434	77	318846	36.517	ng	100
10) Phenol	6.522	94	605851	39.087	ng	100
11) bis(2-Chloroethyl)ether	6.616	93	461322	38.838	ng	100
12) 1,3-Dichlorobenzene	6.822	146	514205	39.070	ng	100
13) 1,4-Dichlorobenzene	6.898	146	519275	39.135	ng	100
14) 1,2-Dichlorobenzene	7.051	146	474292	38.673	ng	100
15) Benzyl Alcohol	7.022	79	424350	39.273	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.151	45	637197	39.195	ng	100
17) 2-Methylphenol	7.128	107	377407	39.394	ng	100
18) Hexachloroethane	7.392	117	198277	39.873	ng	100
19) n-Nitroso-di-n-propyla...	7.292	70	340520	38.265	ng	100
20) 3+4-Methylphenols	7.281	107	461008	38.411	ng	100
22) Acetophenone	7.287	105	618119	38.283	ng	100
24) Nitrobenzene	7.463	77	545954	38.952	ng	100
25) Isophorone	7.698	82	908308	38.941	ng	100
26) 2-Nitrophenol	7.775	139	241142	40.219	ng	100
27) 2,4-Dimethylphenol	7.810	122	306064	39.055	ng	100
28) bis(2-Chloroethoxy)met...	7.904	93	552483	38.706	ng	100
29) 2,4-Dichlorophenol	8.016	162	378262	39.311	ng	100
30) 1,2,4-Trichlorobenzene	8.098	180	423887	39.068	ng	100
31) Naphthalene	8.181	128	1342052	38.516	ng	100
32) Benzoic acid	7.934	122	292357	41.449	ng	100
33) 4-Chloroaniline	8.234	127	468325	38.857	ng	100
34) Hexachlorobutadiene	8.298	225	270751	38.728	ng	100
35) Caprolactam	8.610	113	124614	40.782	ng	100
36) 4-Chloro-3-methylphenol	8.710	107	412892	38.923	ng	100
37) 2-Methylnaphthalene	8.869	142	846323	38.167	ng	100
38) 1-Methylnaphthalene	8.969	142	824486	38.081	ng	100
40) 1,2,4,5-Tetrachloroben...	9.039	216	406761	38.285	ng	100
41) Hexachlorocyclopentadiene	9.022	237	117248	44.331	ng	100
43) 2,4,6-Trichlorophenol	9.145	196	276707	39.929	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111124\
 Data File : BF140316.D
 Acq On : 11 Nov 2024 14:40
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040


Quant Time: Nov 11 23:46:44 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 11 23:41:33 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.186	196	296249	39.463	ng	100
46) 1,1'-Biphenyl	9.333	154	1060304	38.170	ng	100
47) 2-Chloronaphthalene	9.363	162	819884	38.571	ng	100
48) 2-Nitroaniline	9.457	65	279948	39.749	ng	100
49) Acenaphthylene	9.781	152	1226636	38.400	ng	100
50) Dimethylphthalate	9.639	163	942358	38.306	ng	100
51) 2,6-Dinitrotoluene	9.698	165	218546	39.480	ng	100
52) Acenaphthene	9.951	154	836449	38.663	ng	100
53) 3-Nitroaniline	9.869	138	231988	39.607	ng	100
54) 2,4-Dinitrophenol	9.975	184	120922	43.175	ng	100
55) Dibenzofuran	10.122	168	1163189	38.507	ng	100
56) 4-Nitrophenol	10.028	139	174611	41.772	ng	100
57) 2,4-Dinitrotoluene	10.104	165	291967	40.052	ng	100
58) Fluorene	10.463	166	902646	38.039	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.239	232	234262	39.225	ng	100
60) Diethylphthalate	10.333	149	965459	38.532	ng	100
61) 4-Chlorophenyl-phenyle...	10.457	204	447931	37.923	ng	100
62) 4-Nitroaniline	10.486	138	232295	39.626	ng	100
63) Azobenzene	10.616	77	960891	38.412	ng	100
65) 4,6-Dinitro-2-methylph...	10.516	198	156973	41.238	ng	100
66) n-Nitrosodiphenylamine	10.575	169	775883	38.382	ng	100
67) 4-Bromophenyl-phenylether	10.945	248	269921	38.859	ng	100
68) Hexachlorobenzene	11.016	284	302433	38.874	ng	100
69) Atrazine	11.098	200	205602	40.828	ng	100
70) Pentachlorophenol	11.210	266	184547	42.417	ng	100
71) Phenanthrene	11.427	178	1239667	38.052	ng	100
72) Anthracene	11.480	178	1227356	38.536	ng	100
73) Carbazole	11.633	167	1205862	38.663	ng	100
74) Di-n-butylphthalate	11.957	149	1438063	38.526	ng	100
75) Fluoranthene	12.616	202	1339636	37.558	ng	100
77) Benzidine	12.739	184	677582	50.223	ng	100
78) Pyrene	12.845	202	1346302	39.719	ng	100
80) Butylbenzylphthalate	13.457	149	515986	40.000	ng	100
81) Benzo(a)anthracene	14.039	228	975905	38.716	ng	100
82) 3,3'-Dichlorobenzidine	14.004	252	319229	39.546	ng	100
83) Chrysene	14.080	228	898703	38.954	ng	100
84) Bis(2-ethylhexyl)phtha...	14.021	149	669642	39.006	ng	100
85) Di-n-octyl phthalate	14.663	149	970469	38.429	ng	100
87) Indeno(1,2,3-cd)pyrene	17.068	276	904352	41.693	ng	100
88) Benzo(b)fluoranthene	15.121	252	879795	39.734	ng	100
89) Benzo(k)fluoranthene	15.151	252	712174	38.253	ng	100
90) Benzo(a)pyrene	15.498	252	705833	39.475	ng	100
91) Dibenzo(a,h)anthracene	17.086	278	742114	41.635	ng	100
92) Benzo(g,h,i)perylene	17.527	276	768945	41.792	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Nov 11 23:46:44 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 11 23:41:33 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 814
Delta R.T. -0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:152 Resp: 189983
Ion Ratio Lower Upper
152 100
150 158.9 127.1 190.7
115 61.7 49.4 74.0



#2
1,4-Dioxane
Concen: 40.180 ng
RT: 2.646 min Scan# 94
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion: 88 Resp: 198707
Ion Ratio Lower Upper
88 100
58 73.2 58.6 87.8
43 30.2 24.2 36.2





#3

Pyridine

Concen: 41.033 ng

RT: 3.416 min Scan# 218

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion: 79 Resp: 489027

Ion Ratio Lower Upper

79 100

52 68.2 54.6 81.8

51 35.2 28.2 42.2



#4

n-Nitrosodimethylamine

Concen: 41.015 ng

RT: 3.375 min Scan# 218

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion: 42 Resp: 256425


Ion Ratio Lower Upper

42 100

74 123.1 98.5 147.7

44 6.1 4.9 7.3









#5
2-Fluorophenol
Concen: 78.126 ng
RT: 5.493 min Scan# 51
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:112 Resp: 859117
Ion Ratio Lower Upper
112 100
64 63.8 51.0 76.6
63 33.6 26.9 40.3



#6
Aniline
Concen: 40.164 ng
RT: 6.545 min Scan# 757
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion: 93 Resp: 517776
Ion Ratio Lower Upper
93 100
66 39.9 31.9 47.9
65 19.9 15.9 23.9





#7

Phenol-d6

Concen: 77.416 ng

RT: 6.510 min Scan# 751

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion: 99 Resp: 1131198

Ion Ratio Lower Upper

99 100

42 19.4 15.5 23.3

71 36.0 28.8 43.2



#8

2-Chlorophenol

Concen: 38.737 ng

RT: 6.669 min Scan# 778

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:128 Resp: 452242


Ion Ratio Lower Upper

128 100

130 33.1 13.1 53.1

64 49.4 29.4 69.4





#9

Benzaldehyde

Concen: 36.517 ng

RT: 6.434 min Scan# 710

Delta R.T. -0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion: 77 Resp: 318846

Ion Ratio Lower Upper

77 100

105 94.8 74.8 114.8

106 90.8 70.8 110.8



#10

Phenol

Concen: 39.087 ng

RT: 6.522 min Scan# 753

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion: 94 Resp: 605851


Ion Ratio Lower Upper

94 100

65 31.8 11.8 51.8

66 46.2 26.2 66.2









#11
bis(2-Chloroethyl)ether
Concen: 38.838 ng
RT: 6.616 min Scan# 769
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 93 Resp: 461322
Ion Ratio Lower Upper
93 100
63 75.5 55.5 95.5
95 32.2 12.2 52.2



#12
1,3-Dichlorobenzene
Concen: 39.070 ng
RT: 6.822 min Scan# 804
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion: 146 Resp: 514205
Ion Ratio Lower Upper
146 100
148 63.7 51.0 76.4
75 34.4 27.5 41.3









#13
1,4-Dichlorobenzene
Concen: 39.135 ng
RT: 6.898 min Scan# 817
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:146 Resp: 519275
Ion Ratio Lower Upper
146 100
148 63.6 50.9 76.3
111 43.3 34.6 52.0



#14
1,2-Dichlorobenzene
Concen: 38.673 ng
RT: 7.051 min Scan# 843
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:146 Resp: 474292
Ion Ratio Lower Upper
146 100
148 64.1 51.3 76.9
111 47.1 37.7 56.5









#15
Benzyl Alcohol
Concen: 39.273 ng
RT: 7.022 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 79 Resp: 424350
Ion Ratio Lower Upper
79 100
108 72.8 58.2 87.4
77 63.8 51.0 76.6



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.195 ng
RT: 7.151 min Scan# 860
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion: 45 Resp: 637197
Ion Ratio Lower Upper
45 100
77 15.1 0.0 35.1
79 11.4 0.0 31.4









#17
2-Methylphenol
Concen: 39.394 ng
RT: 7.128 min Scan# 856
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:107 Resp: 377407
Ion Ratio Lower Upper
107 100
108 115.6 92.5 138.7
77 50.7 40.6 60.8
79 50.0 40.0 60.0



#18
Hexachloroethane
Concen: 39.873 ng
RT: 7.392 min Scan# 901
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:117 Resp: 198277
Ion Ratio Lower Upper
117 100
119 96.9 77.5 116.3
201 96.8 77.4 116.2









#19
n-Nitroso-di-n-propylamine
Concen: 38.265 ng
RT: 7.292 min Scan# 884
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 70 Resp: 340520
Ion Ratio Lower Upper
70 100
42 60.0 48.0 72.0
101 9.2 7.4 11.0
130 19.6 15.7 23.5



#20
3+4-Methylphenols
Concen: 38.411 ng
RT: 7.281 min Scan# 882
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion: 107 Resp: 461008
Ion Ratio Lower Upper
107 100
108 89.3 69.3 109.3
77 106.0 86.0 126.0
79 32.4 12.4 52.4









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1032
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:136 Resp: 695152
Ion Ratio Lower Upper
136 100
137 10.7 8.6 12.8
54 7.7 6.2 9.2
68 6.0 4.8 7.2



#22
Acetophenone
Concen: 38.283 ng
RT: 7.287 min Scan# 883
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:105 Resp: 618119
Ion Ratio Lower Upper
105 100
71 7.0 5.6 8.4
51 38.8 31.0 46.6
120 21.3 17.0 25.6





#23

Nitrobenzene-d5

Concen: 78.295 ng

RT: 7.445 min Scan# 910

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :





BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion: 82 Resp: 1048422

Ion	Ratio	Lower	Upper
82	100		
128	42.2	33.8	50.6
54	50.0	40.0	60.0



#24

Nitrobenzene

Concen: 38.952 ng

RT: 7.463 min Scan# 913




Delta R.T. 0.000 min


Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Tgt Ion: 77 Resp: 545954

Ion	Ratio	Lower	Upper
77	100		
123	43.3	34.6	52.0
65	13.7	11.0	16.4









#25
Isophorone
Concen: 38.941 ng
RT: 7.698 min Scan# 953
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion: 82 Resp: 908308
Ion Ratio Lower Upper
82 100
95 7.4 5.9 8.9
138 16.5 13.2 19.8



#26
2-Nitrophenol
Concen: 40.219 ng
RT: 7.775 min Scan# 966
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:139 Resp: 241142
Ion Ratio Lower Upper
139 100
109 32.5 26.0 39.0
65 57.3 45.8 68.8









#27
2,4-Dimethylphenol
Concen: 39.055 ng
RT: 7.810 min Scan# 91
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:122 Resp: 306064
Ion Ratio Lower Upper
122 100
107 117.5 94.0 141.0
121 58.9 47.1 70.7



#28
bis(2-Chloroethoxy)methane
Concen: 38.706 ng
RT: 7.904 min Scan# 988
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion: 93 Resp: 552483
Ion Ratio Lower Upper
93 100
95 32.9 26.3 39.5
123 11.5 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 39.311 ng

RT: 8.016 min Scan# 1007

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:162 Resp: 378262

Ion Ratio Lower Upper

162 100

164 63.9 43.9 83.9

98 40.2 20.2 60.2



#30

1,2,4-Trichlorobenzene

Concen: 39.068 ng

RT: 8.098 min Scan# 1021

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:180 Resp: 423887


Ion Ratio Lower Upper

180 100

182 94.5 75.6 113.4

145 31.9 25.5 38.3









#31
Naphthalene
Concen: 38.516 ng
RT: 8.181 min Scan# 1035
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:128 Resp: 1342052
Ion Ratio Lower Upper
128 100
129 11.5 9.2 13.8
127 13.4 10.7 16.1



#32
Benzoic acid
Concen: 41.449 ng
RT: 7.934 min Scan# 993
Delta R.T. -0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:122 Resp: 292357
Ion Ratio Lower Upper
122 100
105 124.3 104.3 144.3
77 99.3 79.3 119.3









#33
4-Chloroaniline
Concen: 38.857 ng
RT: 8.234 min Scan# 1044
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:	127	Resp:	468325
Ion	Ratio	Lower	Upper
127	100		
129	32.0	25.6	38.4
65	32.0	25.6	38.4
92	19.7	15.8	23.6



#34
Hexachlorobutadiene
Concen: 38.728 ng
RT: 8.298 min Scan# 1055
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:	225	Resp:	270751
Ion	Ratio	Lower	Upper
225	100		
223	62.5	50.0	75.0
227	64.4	51.5	77.3









#35
 Caprolactam
 Concen: 40.782 ng
 RT: 8.610 min Scan# 1108
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040


Tgt Ion:113 Resp: 124614
 Ion Ratio Lower Upper
 113 100
 55 166.2 146.2 186.2
 56 129.5 109.5 149.5



#36
 4-Chloro-3-methylphenol
 Concen: 38.923 ng
 RT: 8.710 min Scan# 1125
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40

Tgt Ion:107 Resp: 412892
 Ion Ratio Lower Upper
 107 100
 144 24.5 19.6 29.4
 142 75.2 60.2 90.2









#37
2-Methylnaphthalene
Concen: 38.167 ng
RT: 8.869 min Scan# 1152
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:142 Resp: 846323
Ion Ratio Lower Upper
142 100
141 88.7 71.0 106.4



#38
1-Methylnaphthalene
Concen: 38.081 ng
RT: 8.969 min Scan# 1169
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:142 Resp: 824486
Ion Ratio Lower Upper
142 100
141 93.1 74.5 111.7









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1181
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:164 Resp: 378824
Ion Ratio Lower Upper
164 100
162 99.2 79.4 119.0
160 44.5 35.6 53.4



#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.285 ng
RT: 9.039 min Scan# 1181
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:216 Resp: 406761
Ion Ratio Lower Upper
216 100
214 78.5 62.8 94.2
179 21.5 17.2 25.8
108 19.2 15.4 23.0









#41
Hexachlorocyclopentadiene
Concen: 44.331 ng
RT: 9.022 min Scan# 1178
Delta R.T. -0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:237 Resp: 117248
Ion Ratio Lower Upper
237 100
235 62.6 42.6 82.6
272 12.2 0.0 32.2



#42
2,4,6-Tribromophenol
Concen: 77.339 ng
RT: 10.710 min Scan# 1465
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:330 Resp: 284632
Ion Ratio Lower Upper
330 100
332 96.4 77.1 115.7
141 35.4 28.3 42.5









#43
 2,4,6-Trichlorophenol
 Concen: 39.929 ng
 RT: 9.145 min Scan# 1199
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040


Tgt Ion:196 Resp: 276707
 Ion Ratio Lower Upper
 196 100
 198 94.8 75.8 113.8
 200 29.9 23.9 35.9



#44
 2,4,5-Trichlorophenol
 Concen: 39.463 ng
 RT: 9.186 min Scan# 1206
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40

Tgt Ion:196 Resp: 296249
 Ion Ratio Lower Upper
 196 100
 198 93.9 75.1 112.7
 97 58.6 46.9 70.3
 132 30.4 24.3 36.5





#45

2-Fluorobiphenyl

Concen: 74.626 ng

RT: 9.233 min Scan# 1214

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:172 Resp: 1790609

Ion Ratio Lower Upper

172 100

171 35.9 28.7 43.1

170 24.1 19.3 28.9



#46

1,1'-Biphenyl

Concen: 38.170 ng

RT: 9.333 min Scan# 1231

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:154 Resp: 1060304


Ion Ratio Lower Upper

154 100

153 40.1 20.1 60.1

76 13.2 0.0 33.2









#47
2-Chloronaphthalene
Concen: 38.571 ng
RT: 9.363 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:162 Resp: 819884
Ion Ratio Lower Upper
162 100
127 42.9 34.3 51.5
164 32.8 26.2 39.4



#48
2-Nitroaniline
Concen: 39.749 ng
RT: 9.457 min Scan# 1252
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion: 65 Resp: 279948
Ion Ratio Lower Upper
65 100
92 70.8 56.6 85.0
138 101.2 81.0 121.4









#49
Acenaphthylene
Concen: 38.400 ng
RT: 9.781 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:152 Resp: 1226636
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.2
153 13.2 10.6 15.8



#50
Dimethylphthalate
Concen: 38.306 ng
RT: 9.639 min Scan# 1283
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:163 Resp: 942358
Ion Ratio Lower Upper
163 100
194 3.9 3.1 4.7
164 10.2 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 39.480 ng
RT: 9.698 min Scan# 1293
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:165 Resp: 218546
Ion Ratio Lower Upper
165 100
63 63.4 50.7 76.1
89 63.0 50.4 75.6



#52
Acenaphthene
Concen: 38.663 ng
RT: 9.951 min Scan# 1336
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:154 Resp: 836449
Ion Ratio Lower Upper
154 100
153 112.0 89.6 134.4
152 53.5 42.8 64.2









#53
3-Nitroaniline
Concen: 39.607 ng
RT: 9.869 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:138 Resp: 231988
Ion Ratio Lower Upper
138 100
108 10.6 8.5 12.7
92 124.2 99.4 149.0



#54
2,4-Dinitrophenol
Concen: 43.175 ng
RT: 9.975 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:184 Resp: 120922
Ion Ratio Lower Upper
184 100
63 71.1 56.9 85.3
154 68.3 54.6 82.0









#55
Dibenzenofuran
Concen: 38.507 ng
RT: 10.122 min Scan# 1365
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:168 Resp: 1163189
Ion Ratio Lower Upper
168 100
139 38.7 31.0 46.4
169 13.4 10.7 16.1



#56
4-Nitrophenol
Concen: 41.772 ng
RT: 10.028 min Scan# 1349
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:139 Resp: 174611
Ion Ratio Lower Upper
139 100
109 76.3 56.3 96.3
65 102.3 82.3 122.3









#57
2,4-Dinitrotoluene
Concen: 40.052 ng
RT: 10.104 min Scan# 1362
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:165 Resp: 291967
Ion Ratio Lower Upper
165 100
63 50.7 40.6 60.8
89 79.8 63.8 95.8
182 2.6 2.1 3.1



#58
Fluorene
Concen: 38.039 ng
RT: 10.463 min Scan# 1423
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:166 Resp: 902646
Ion Ratio Lower Upper
166 100
165 93.2 74.6 111.8
167 13.8 11.0 16.6









#59
2,3,4,6-Tetrachlorophenol
Concen: 39.225 ng
RT: 10.239 min Scan# 1385
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:232 Resp: 234262
Ion Ratio Lower Upper
232 100
131 47.1 37.7 56.5
130 2.5 2.0 3.0
166 30.8 24.6 37.0



#60
Diethylphthalate
Concen: 38.532 ng
RT: 10.333 min Scan# 1401
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:149 Resp: 965459
Ion Ratio Lower Upper
149 100
177 21.2 17.0 25.4
150 12.6 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 37.923 ng
RT: 10.457 min Scan# 1422
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:204 Resp: 447931
Ion Ratio Lower Upper
204 100
206 33.0 26.4 39.6
141 60.8 48.6 73.0



#62
4-Nitroaniline
Concen: 39.626 ng
RT: 10.486 min Scan# 1427
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:138 Resp: 232295
Ion Ratio Lower Upper
138 100
92 54.0 34.0 74.0
108 81.4 61.4 101.4





#63

Azobenzene

Concen: 38.412 ng

RT: 10.616 min Scan# 1449

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion: 77 Resp: 960891





Ion Ratio Lower Upper

77 100

182 23.4 3.4 43.4

105 20.3 0.3 40.3

51 29.5 9.5 49.5



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.404 min Scan# 1583

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion: 188 Resp: 693253


Ion Ratio Lower Upper

188 100

94 9.3 7.4 11.2

80 10.0 8.0 12.0









#65
4,6-Dinitro-2-methylphenol
Concen: 41.238 ng
RT: 10.516 min Scan# 1432
Delta R.T. -0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:198 Resp: 156973
Ion Ratio Lower Upper
198 100
51 49.7 29.7 69.7
105 46.9 26.9 66.9



#66
n-Nitrosodiphenylamine
Concen: 38.382 ng
RT: 10.575 min Scan# 1442
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:169 Resp: 775883
Ion Ratio Lower Upper
169 100
168 66.3 53.0 79.6
167 36.7 29.4 44.0









#67
4-Bromophenyl-phenylether
Concen: 38.859 ng
RT: 10.945 min Scan# 1505
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:248 Resp: 269921
Ion Ratio Lower Upper
248 100
250 98.9 79.1 118.7
141 79.4 63.5 95.3



#68
Hexachlorobenzene
Concen: 38.874 ng
RT: 11.016 min Scan# 1517
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:284 Resp: 302433
Ion Ratio Lower Upper
284 100
142 34.0 27.2 40.8
249 31.4 25.1 37.7





#69

Atrazine

Concen: 40.828 ng

RT: 11.098 min Scan# 1531

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:200 Resp: 205602

Ion Ratio Lower Upper

200 100

173 26.6 6.6 46.6

215 47.5 27.5 67.5



#70

Pentachlorophenol

Concen: 42.417 ng

RT: 11.210 min Scan# 1550

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:266 Resp: 184547


Ion Ratio Lower Upper

266 100

268 67.5 54.0 81.0

264 61.8 49.4 74.2





#71

Phenanthrene

Concen: 38.052 ng

RT: 11.427 min Scan# 1587

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:178 Resp: 1239667

Ion Ratio Lower Upper

178 100

176 19.9 15.9 23.9

179 15.8 12.6 19.0



#72

Anthracene

Concen: 38.536 ng

RT: 11.480 min Scan# 1596

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:178 Resp: 1227356


Ion Ratio Lower Upper

178 100

176 18.8 15.0 22.6

179 15.5 12.4 18.6









#73
 Carbazole
 Concen: 38.663 ng
 RT: 11.633 min Scan# 1622
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC040


Tgt Ion:167 Resp: 1205862
 Ion Ratio Lower Upper
 167 100
 166 21.5 17.2 25.8
 139 13.0 10.4 15.6



#74
 Di-n-butylphthalate
 Concen: 38.526 ng
 RT: 11.957 min Scan# 1677
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40

Tgt Ion:149 Resp: 1438063
 Ion Ratio Lower Upper
 149 100
 150 9.5 7.6 11.4
 104 5.1 4.1 6.1





#75

Fluoranthene

Concen: 37.558 ng

RT: 12.616 min Scan# 1789

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:202 Resp: 1339636

Ion Ratio Lower Upper

202 100

101 10.8 0.0 30.8

203 17.9 0.0 37.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.057 min Scan# 2034

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:240 Resp: 385013


Ion Ratio Lower Upper

240 100

120 10.3 8.2 12.4

236 26.1 20.9 31.3









#77
Benzidine
Concen: 50.223 ng
RT: 12.739 min Scan# 1810
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040


Tgt Ion:184 Resp: 677582
Ion Ratio Lower Upper
184 100
185 14.5 11.6 17.4
183 10.8 8.6 13.0



#78
Pyrene
Concen: 39.719 ng
RT: 12.845 min Scan# 1828
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:202 Resp: 1346302
Ion Ratio Lower Upper
202 100
200 20.3 16.2 24.4
203 18.0 14.4 21.6





#79

Terphenyl-d14

Concen: 77.745 ng

RT: 12.986 min Scan# 1852

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:244 Resp: 1745639

Ion Ratio Lower Upper

244 100

212 7.5 6.0 9.0

122 11.2 9.0 13.4



#80

Butylbenzylphthalate

Concen: 40.000 ng

RT: 13.457 min Scan# 1932

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:149 Resp: 515986


Ion Ratio Lower Upper

149 100

91 77.4 61.9 92.9

206 20.3 16.2 24.4









#81
 Benzo(a)anthracene
 Concen: 38.716 ng
 RT: 14.039 min Scan# 2031
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC040

Tgt Ion:228 Resp: 975905




Ion	Ratio	Lower	Upper
228	100		
226	27.9	22.3	33.5
229	19.9	15.9	23.9




#82
 3,3'-Dichlorobenzidine
 Concen: 39.546 ng
 RT: 14.004 min Scan# 2025
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40

Tgt Ion:252 Resp: 319229

Ion	Ratio	Lower	Upper
252	100		
254	65.0	52.0	78.0
126	11.2	9.0	13.4





#83

Chrysene

Concen: 38.954 ng

RT: 14.080 min Scan# 2038

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:228 Resp: 898703

Ion Ratio Lower Upper

228 100

226 30.5 24.4 36.6

229 19.9 15.9 23.9



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.006 ng

RT: 14.021 min Scan# 2028

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:149 Resp: 669642


Ion Ratio Lower Upper

149 100

167 26.9 21.5 32.3

279 3.8 3.0 4.6





#85

Di-n-octyl phthalate

Concen: 38.429 ng

RT: 14.663 min Scan# 2137

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:149 Resp: 970469

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 10.5 8.4 12.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.557 min Scan# 2289

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:264 Resp: 351794


Ion Ratio Lower Upper

264 100

260 24.5 19.6 29.4

265 22.0 17.6 26.4









#87
 Indeno(1,2,3-cd)pyrene
 Concen: 41.693 ng
 RT: 17.068 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC040


Tgt Ion:276 Resp: 904352
 Ion Ratio Lower Upper
 276 100
 138 23.3 18.6 28.0
 277 25.1 20.1 30.1



#88
 Benzo(b)fluoranthene
 Concen: 39.734 ng
 RT: 15.121 min Scan# 2215
 Delta R.T. 0.000 min
 Lab File: BF140316.D
 Acq: 11 Nov 2024 14:40

Tgt Ion:252 Resp: 879795
 Ion Ratio Lower Upper
 252 100
 253 22.0 17.6 26.4
 125 9.8 7.8 11.8





#89

Benzo(k)fluoranthene

Concen: 38.253 ng

RT: 15.151 min Scan# 2220

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040





Tgt Ion:252 Resp: 712174

Ion Ratio Lower Upper

252 100

253 22.3 17.8 26.8

125 9.9 7.9 11.9



#90

Benzo(a)pyrene

Concen: 39.475 ng

RT: 15.498 min Scan# 2279

Delta R.T. 0.000 min

Lab File: BF140316.D

Acq: 11 Nov 2024 14:40




Tgt Ion:252 Resp: 705833


Ion Ratio Lower Upper

252 100

253 21.9 17.5 26.3

125 10.4 8.3 12.5









#91
Dibenzo(a,h)anthracene
Concen: 41.635 ng
RT: 17.086 min Scan# 2549
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:278 Resp: 742114
Ion Ratio Lower Upper
278 100
139 14.7 11.8 17.6
279 23.7 19.0 28.4



#92
Benzo(g,h,i)perylene
Concen: 41.792 ng
RT: 17.527 min Scan# 2624
Delta R.T. 0.000 min
Lab File: BF140316.D
Acq: 11 Nov 2024 14:40

Tgt Ion:276 Resp: 768945
Ion Ratio Lower Upper
276 100
277 23.9 19.1 28.7
138 20.0 16.0 24.0

