

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111124\
 Data File : BF140327.D
 Acq On : 11 Nov 2024 19:44
 Operator : RC/JU
 Sample : P4789-04
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BP-F21

Quant Time: Nov 12 00:45:46 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 12 00:05:37 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	137260	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	519547	20.000	ng	0.00
39) Acenaphthene-d10	9.910	164	287393	20.000	ng	0.00
64) Phenanthrene-d10	11.398	188	547611	20.000	ng	0.00
76) Chrysene-d12	14.045	240	323858	20.000	ng	-0.01
86) Perylene-d12	15.533	264	259597	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	1042627	131.234	ng	0.02
7) Phenol-d6	6.504	99	1289390	122.137	ng	0.00
23) Nitrobenzene-d5	7.434	82	963581	96.282	ng	-0.01
42) 2,4,6-Tribromophenol	10.704	330	417346	149.476	ng	0.00
45) 2-Fluorobiphenyl	9.227	172	1686919	92.671	ng	0.00
79) Terphenyl-d14	12.986	244	1942445	102.846	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111124\
Data File : BF140327.D
Acq On : 11 Nov 2024 19:44
Operator : RC/JU
Sample : P4789-04
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BP-F21

Quant Time: Nov 12 00:45:46 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 12 00:05:37 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 814
Delta R.T. -0.006 min
Lab File: BF140327.D
Acq: 11 Nov 2024 19:44




Instrument :
BNA_F
ClientSampleId :
BP-F21


Tgt Ion:152 Resp: 137260
Ion Ratio Lower Upper
152 100
150 155.2 127.1 190.7
115 61.5 49.4 74.0



#5
2-Fluorophenol
Concen: 131.234 ng
RT: 5.510 min Scan# 581
Delta R.T. 0.018 min
Lab File: BF140327.D
Acq: 11 Nov 2024 19:44

Tgt Ion:112 Resp: 1042627
Ion Ratio Lower Upper
112 100
64 62.7 51.0 76.6
63 32.7 26.9 40.3









#7
Phenol-d6
Concen: 122.137 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF140327.D
Acq: 11 Nov 2024 19:44




Instrument :
BNA_F
ClientSampleId :
BP-F21


Tgt Ion: 99 Resp: 1289390
Ion Ratio Lower Upper
99 100
42 19.2 15.5 23.3
71 35.5 28.8 43.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF140327.D
Acq: 11 Nov 2024 19:44

Tgt Ion: 136 Resp: 519547
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 7.6 6.2 9.2
68 5.7 4.8 7.2









#23
 Nitrobenzene-d5
 Concen: 96.282 ng
 RT: 7.434 min Scan# 90
 Delta R.T. -0.012 min
 Lab File: BF140327.D
 Acq: 11 Nov 2024 19:44




Instrument :
 BNA_F
 ClientSampleId :
 BP-F21


Tgt Ion: 82 Resp: 963581
 Ion Ratio Lower Upper
 82 100
 128 41.1 33.8 50.6
 54 50.2 40.0 60.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.910 min Scan# 1329
 Delta R.T. -0.006 min
 Lab File: BF140327.D
 Acq: 11 Nov 2024 19:44

Tgt Ion:164 Resp: 287393
 Ion Ratio Lower Upper
 164 100
 162 99.0 79.4 119.0
 160 44.6 35.6 53.4









#42
2,4,6-Tribromophenol
Concen: 149.476 ng
RT: 10.704 min Scan# 1464
Delta R.T. -0.006 min
Lab File: BF140327.D
Acq: 11 Nov 2024 19:44




Instrument :
BNA_F
ClientSampleId :
BP-F21


Tgt Ion: 330 Resp: 417346
Ion Ratio Lower Upper
330 100
332 95.9 77.1 115.7
141 33.6 28.3 42.5



#45
2-Fluorobiphenyl
Concen: 92.671 ng
RT: 9.227 min Scan# 1213
Delta R.T. -0.006 min
Lab File: BF140327.D
Acq: 11 Nov 2024 19:44

Tgt Ion: 172 Resp: 1686919
Ion Ratio Lower Upper
172 100
171 35.7 28.7 43.1
170 23.9 19.3 28.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF140327.D
Acq: 11 Nov 2024 19:44




Instrument :
BNA_F
ClientSampleId :
BP-F21


Tgt Ion:188 Resp: 547611
Ion Ratio Lower Upper
188 100
94 9.3 7.4 11.2
80 9.8 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 2032
Delta R.T. -0.012 min
Lab File: BF140327.D
Acq: 11 Nov 2024 19:44

Tgt Ion:240 Resp: 323858
Ion Ratio Lower Upper
240 100
120 10.2 8.2 12.4
236 25.5 20.9 31.3









#79
 Terphenyl-d14
 Concen: 102.846 ng
 RT: 12.986 min Scan# 1852
 Delta R.T. -0.000 min
 Lab File: BF140327.D
 Acq: 11 Nov 2024 19:44

Instrument :
 BNA_F
 ClientSampleId :
 BP-F21

Tgt Ion:244 Resp: 1942445
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.0 9.0
 122 11.6 9.0 13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.533 min Scan# 2285
 Delta R.T. -0.024 min
 Lab File: BF140327.D
 Acq: 11 Nov 2024 19:44

Tgt Ion:264 Resp: 259597
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.6 29.4
 265 21.5 17.6 26.4

