

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF111217\
 Data File : BF100483.D
 Acq On : 12 Nov 2017 12:21
 Operator : SJ/JU
 Sample : I6402-08
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 110717-SIDI-F-U-S

Quant Time: Nov 13 06:28:21 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:44:40 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	137512	20.00	ng	0.00
21) Naphthalene-d8	8.18	136	512958	20.00	ng	0.00
38) Acenaphthene-d10	9.94	164	215375	20.00	ng	0.00
63) Phenanthrene-d10	11.42	188	337984	20.00	ng	0.00
75) Chrysene-d12	14.06	240	295251	20.00	ng	0.00
86) Perylene-d12	15.54	264	203383	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	410286	47.83	ng	0.00
7) Phenol-d6	6.52	99	319282	30.18	ng	-0.01
23) Nitrobenzene-d5	7.47	82	903228	116.41	ng	0.00
41) 2,4,6-Tribromophenol	10.73	330	196053	89.33	ng	0.00
44) 2-Fluorobiphenyl	9.26	172	1496780	105.82	ng	0.00
78) Terphenyl-d14	13.01	244	1100096	85.61	ng	0.00
Target Compounds						
10) Phenol	6.53	94	25831	2.326	ng	97
49) Dimethylphthalate	9.65	163	52079	3.167	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF111217\
Data File : BF100483.D
Acq On : 12 Nov 2017 12:21
Operator : SJ/JU
Sample : I6402-08
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
110717-SIDI-F-U-S

Quant Time: Nov 13 06:28:21 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:44:40 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.90 min Scan# 819
Delta R.T. 0.00 min
Lab File: BF100483.D
Acq: 12 Nov 2017 12:21

Instrument :
BNA_F
ClientSampleId :
110717-SIDI-F-U-S

Tot Ion:152 Resp: 137512
Ion Ratio Lower Upper
152 100
150 155.9 124.6 186.8
115 55.1 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 47.827 ng
RT: 5.52 min Scan# 583
Delta R.T. 0.00 min
Lab File: BF100483.D
Acq: 12 Nov 2017 12:21

Tgt Ion:112 Resp: 410286
Ion Ratio Lower Upper
112 100
64 59.0 47.9 71.9
63 29.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 30.182 ng

RT: 6.52 min Scan# 753

Delta R.T. -0.01 min

Lab File: BF100483.D

Acq: 12 Nov 2017 12:21

Instrument :

BNA_F

ClientSampleId :

110717-SIDI-F-U-S





Tot Ion: 99 Resp: 319282

Ion Ratio Lower Upper

99 100

42 19.2 14.5 21.7

71 31.2 25.4 38.0



#10

Phenol

Concen: 2.326 ng

RT: 6.53 min Scan# 755

Delta R.T. -0.01 min

Lab File: BF100483.D

Acq: 12 Nov 2017 12:21




Tgt Ion: 94 Resp: 25831


Ion Ratio Lower Upper

94 100

65 26.4 7.9 47.9

66 34.6 16.2 56.2





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.18 min Scan# 1036

Delta R.T. -0.01 min

Lab File: BF100483.D

Acq: 12 Nov 2017 12:21

Instrument :

BNA_F

ClientSampleId :

110717-SIDI-F-U-S

Tot Ion:136 Resp: 512958


Ion Ratio Lower Upper

136 100

137 11.3 8.9 13.3

54 9.1 6.6 9.8

68 6.9 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): B

Ion 137.00 (136.70 to 137.70): B

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 116.414 ng

RT: 7.47 min Scan# 915

Delta R.T. 0.00 min

Lab File: BF100483.D

Acq: 12 Nov 2017 12:21


Tgt Ion: 82 Resp: 903228

Ion Ratio Lower Upper

82 100

128 47.4 36.1 54.1



54 53.4 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): B

Ion 54.00 (53.70 to 54.70): BF1









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.94 min Scan# 1335
 Delta R.T. -0.01 min
 Lab File: BF100483.D
 Acq: 12 Nov 2017 12:21




Instrument :
 BNA_F
 ClientSampleId :
 110717-SIDI-F-U-S


Tot Ion:164 Resp: 215375
 Ion Ratio Lower Upper
 164 100
 162 103.0 86.1 129.1
 160 47.0 38.3 57.5



#41
 2,4,6-Tribromophenol
 Concen: 89.331 ng
 RT: 10.73 min Scan# 1469
 Delta R.T. -0.01 min
 Lab File: BF100483.D
 Acq: 12 Nov 2017 12:21

Tgt Ion:330 Resp: 196053
 Ion Ratio Lower Upper
 330 100
 332 93.2 77.0 115.6
 141 29.8 29.9 44.9#









#44
2-Fluorobiphenyl
Concen: 105.823 ng
RT: 9.26 min Scan# 1220
Delta R.T. 0.00 min
Lab File: BF100483.D
Acq: 12 Nov 2017 12:21

Instrument :
BNA_F
ClientSampleId :
110717-SIDI-F-U-S

Tot Ion:172 Resp: 1496780
Ion Ratio Lower Upper
172 100
171 36.6 29.7 44.5
170 24.8 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#49
Dimethylphthalate
Concen: 3.167 ng
RT: 9.65 min Scan# 1285
Delta R.T. -0.02 min
Lab File: BF100483.D
Acq: 12 Nov 2017 12:21

Tgt Ion:163 Resp: 52079
Ion Ratio Lower Upper
163 100
194 3.5 2.7 4.1
164 9.0 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.42 min Scan# 1587
Delta R.T. -0.01 min
Lab File: BF100483.D
Acq: 12 Nov 2017 12:21

Instrument :
BNA_F
ClientSampleId :
110717-SIDI-F-U-S

Tot Ion:188 Resp: 337984
Ion Ratio Lower Upper
188 100
94 10.5 8.5 12.7
80 11.7 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.06 min Scan# 2036
Delta R.T. -0.01 min
Lab File: BF100483.D
Acq: 12 Nov 2017 12:21

Tgt Ion:240 Resp: 295251
Ion Ratio Lower Upper
240 100
120 11.5 9.5 14.3
236 25.7 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 85.612 ng

RT: 13.01 min Scan# 1857

Delta R.T. 0.00 min

Lab File: BF100483.D

Acq: 12 Nov 2017 12:21

Instrument :

BNA_F

ClientSampleId :

110717-SIDI-F-U-S


Tot Ion:244 Resp: 1100096

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0




122 11.6 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.54 min Scan# 2288

Delta R.T. 0.00 min

Lab File: BF100483.D

Acq: 12 Nov 2017 12:21


Tgt Ion:264 Resp: 203383

Ion Ratio Lower Upper

264 100

260 24.1 19.2 28.8

265 21.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

