

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111315\
 Data File : BF082897.D
 Acq On : 13 Nov 2015 15:06
 Operator : UM/IZ
 Sample : G4376-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-5-5-7FT

Quant Time: Nov 13 22:33:50 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Nov 07 02:32:49 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	243067	20.00	ng	-0.06
21) Naphthalene-d8	8.09	136	1001670	20.00	ng	-0.06
38) Acenaphthene-d10	9.84	164	487210	20.00	ng	-0.06
63) Phenanthrene-d10	11.32	188	983453	20.00	ng	-0.06
75) Chrysene-d12	13.96	240	975005	20.00	ng	-0.06
86) Perylene-d12	15.38	264	849197	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	1154891	73.93	ng	-0.05
7) Phenol-d6	6.43	99	1344079	64.72	ng	-0.05
23) Nitrobenzene-d5	7.36	82	873568	37.95	ng	-0.06
41) 2,4,6-Tribromophenol	10.62	330	336883	60.30	ng	-0.06
44) 2-Fluorobiphenyl	9.16	172	1473370	43.34	ng	-0.06
78) Terphenyl-d14	12.91	244	1542260	37.52	ng	-0.06
Target Compounds						
49) Dimethylphthalate	9.56	163	458077	11.48	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111315\
Data File : BF082897.D
Acq On : 13 Nov 2015 15:06
Operator : UM/IZ
Sample : G4376-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-5-5-7FT

Quant Time: Nov 13 22:33:50 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Nov 07 02:32:49 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.80 min Scan# 412

Delta R.T. -0.06 min

Lab File: BF082897.D

Acq: 13 Nov 2015 15:06

Instrument :

BNA_F

ClientSampleId :

SB-5-5-7FT


Tgt Ion:152 Resp: 243067

Ion Ratio Lower Upper

152 100

150 159.4 127.0 190.4

115 67.4 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E

600000

500000

400000

300000



200000

100000

0

6.75 6.80 6.85

Time-->



#5

2-Fluorophenol

Concen: 73.93 ng

RT: 5.40 min Scan# 290

Delta R.T. -0.05 min

Lab File: BF082897.D

Acq: 13 Nov 2015 15:06


Tgt Ion:112 Resp: 1154891

Ion Ratio Lower Upper

112 100

64 55.7 48.9 73.3

63 28.1 28.1 42.1#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0


1000000


500000

0

5.30 5.40 5.50 5.60

Time-->





#7

Phenol-d6

Concen: 64.72 ng

RT: 6.43 min Scan# 380

Delta R.T. -0.05 min

Lab File: BF082897.D

Acq: 13 Nov 2015 15:06

Instrument :

BNA_F

ClientSampleId :

SB-5-5-7FT


Tgt Ion: 99 Resp: 1344079

Ion Ratio Lower Upper

99 100

42 19.9 19.2 28.8




71 37.1 35.0 52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 525

Delta R.T. -0.06 min

Lab File: BF082897.D

Acq: 13 Nov 2015 15:06

Tgt Ion: 136 Resp: 1001670


Ion Ratio Lower Upper

136 100

137 10.9 9.1 13.7

54 7.3 9.1 13.7#

68 5.6 4.8 7.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 37.95 ng
 RT: 7.36 min Scan# 461
 Delta R.T. -0.06 min
 Lab File: BF082897.D
 Acq: 13 Nov 2015 15:06

Instrument :
 BNA_F
 ClientSampleId :
 SB-5-5-7FT

Tgt Ion: 82 Resp: 873568
 Ion Ratio Lower Upper
 82 100
 128 35.6 26.8 40.2
 54 52.3 45.7 68.5




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 678
 Delta R.T. -0.06 min
 Lab File: BF082897.D
 Acq: 13 Nov 2015 15:06

Tgt Ion: 164 Resp: 487210
 Ion Ratio Lower Upper
 164 100
 162 102.2 84.9 127.3
 160 45.2 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 60.30 ng
 RT: 10.62 min Scan# 747
 Delta R.T. -0.06 min
 Lab File: BF082897.D
 Acq: 13 Nov 2015 15:06

Instrument :
 BNA_F
 ClientSampleId :
 SB-5-5-7FT

Tgt Ion:330 Resp: 336883
 Ion Ratio Lower Upper
 330 100
 332 94.0 76.6 114.8
 141 41.2 41.2 61.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 43.34 ng
 RT: 9.16 min Scan# 619
 Delta R.T. -0.06 min
 Lab File: BF082897.D
 Acq: 13 Nov 2015 15:06

Tgt Ion:172 Resp: 1473370
 Ion Ratio Lower Upper
 172 100
 171 36.2 30.8 46.2
 170 24.8 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 11.48 ng
RT: 9.56 min Scan# 654
Delta R.T. -0.06 min
Lab File: BF082897.D
Acq: 13 Nov 2015 15:06

Instrument :
BNA_F
ClientSampleId :
SB-5-5-7FT

Tgt Ion	Ratio	Lower	Upper
163	100		
194	3.6	2.6	4.0
164	10.0	8.7	13.1




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 808
Delta R.T. -0.06 min
Lab File: BF082897.D
Acq: 13 Nov 2015 15:06

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.4	6.1	9.1#
80	10.3	7.0	10.6



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.96 min Scan# 1039

Delta R.T. -0.06 min

Lab File: BF082897.D

Acq: 13 Nov 2015 15:06

Instrument :

BNA_F

ClientSampleId :

SB-5-5-7FT


Tgt Ion:240 Resp: 975005

Ion Ratio Lower Upper

240 100

120 6.5 10.9 16.3#




236 25.8 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 37.52 ng

RT: 12.91 min Scan# 947

Delta R.T. -0.06 min

Lab File: BF082897.D

Acq: 13 Nov 2015 15:06


Tgt Ion:244 Resp: 1542260

Ion Ratio Lower Upper

244 100

212 8.0 7.6 11.4



122 13.3 11.3 16.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.38 min Scan# 1163
Delta R.T. -0.08 min
Lab File: BF082897.D
Acq: 13 Nov 2015 15:06

Instrument :
BNA_F
ClientSampleId :
SB-5-5-7FT

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.8	29.6
265	22.0	17.4	26.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

