

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111315\
 Data File : BF082906.D
 Acq On : 13 Nov 2015 19:29
 Operator : UM/IZ
 Sample : G4370-03
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P001-TS003-01

Quant Time: Nov 13 23:08:02 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Nov 07 02:32:49 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	254768	20.00	ng	-0.06
21) Naphthalene-d8	8.09	136	989406	20.00	ng	-0.06
38) Acenaphthene-d10	9.85	164	476615	20.00	ng	-0.05
63) Phenanthrene-d10	11.32	188	722519	20.00	ng	-0.06
75) Chrysene-d12	13.96	240	589600	20.00	ng	-0.06
86) Perylene-d12	15.38	264	584302	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	1042370	63.66	ng	-0.03
7) Phenol-d6	6.45	99	1459824	67.06	ng	-0.02
23) Nitrobenzene-d5	7.37	82	934777	41.11	ng	-0.04
41) 2,4,6-Tribromophenol	10.64	330	262929	48.11	ng	-0.04
44) 2-Fluorobiphenyl	9.17	172	1235900	37.16	ng	-0.05
78) Terphenyl-d14	12.91	244	749836	30.16	ng	-0.06
Target Compounds						
49) Dimethylphthalate	9.56	163	352819	9.04	ng	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111315\
Data File : BF082906.D
Acq On : 13 Nov 2015 19:29
Operator : UM/IZ
Sample : G4370-03
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P001-TS003-01

Quant Time: Nov 13 23:08:02 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Nov 07 02:32:49 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.80 min Scan# 412
 Delta R.T. -0.06 min
 Lab File: BF082906.D
 Acq: 13 Nov 2015 19:29

Instrument :
 BNA_F
 ClientSampleId :
 P001-TS003-01

Tgt Ion:152 Resp: 254768
 Ion Ratio Lower Upper
 152 100
 150 157.0 127.0 190.4
 115 71.6 47.0 70.6#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 63.66 ng
 RT: 5.41 min Scan# 291
 Delta R.T. -0.03 min
 Lab File: BF082906.D
 Acq: 13 Nov 2015 19:29

Tgt Ion:112 Resp: 1042370
 Ion Ratio Lower Upper
 112 100
 64 57.3 48.9 73.3
 63 29.0 28.1 42.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 67.06 ng

RT: 6.45 min Scan# 382

Delta R.T. -0.02 min

Lab File: BF082906.D

Acq: 13 Nov 2015 19:29

Instrument :

BNA_F

ClientSampleId :

P001-TS003-01





Tgt Ion: 99 Resp: 1459824

Ion Ratio Lower Upper

99 100

42 16.6 19.2 28.8#

71 33.6 35.0 52.4#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 525

Delta R.T. -0.06 min

Lab File: BF082906.D

Acq: 13 Nov 2015 19:29

Tgt Ion: 136 Resp: 989406




Ion Ratio Lower Upper


136 100

137 11.5 9.1 13.7

54 9.7 9.1 13.7

68 6.8 4.8 7.2





#23

Nitrobenzene-d5

Concen: 41.11 ng

RT: 7.37 min Scan# 462

Delta R.T. -0.04 min

Lab File: BF082906.D

Acq: 13 Nov 2015 19:29

Instrument :

BNA_F

ClientSampleId :

P001-TS003-01


Tgt Ion: 82 Resp: 934777

Ion Ratio Lower Upper

82 100

128 45.5 26.8 40.2#




54 43.3 45.7 68.5#



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.85 min Scan# 679

Delta R.T. -0.05 min

Lab File: BF082906.D

Acq: 13 Nov 2015 19:29


Tgt Ion: 164 Resp: 476615

Ion Ratio Lower Upper

164 100

162 104.1 84.9 127.3



160 46.0 37.5 56.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 48.11 ng
 RT: 10.64 min Scan# 748
 Delta R.T. -0.04 min
 Lab File: BF082906.D
 Acq: 13 Nov 2015 19:29

Instrument :
 BNA_F
 ClientSampleId :
 P001-TS003-01

Tgt Ion:330 Resp: 262929
 Ion Ratio Lower Upper
 330 100
 332 94.0 76.6 114.8
 141 34.2 41.2 61.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 37.16 ng
 RT: 9.17 min Scan# 620
 Delta R.T. -0.05 min
 Lab File: BF082906.D
 Acq: 13 Nov 2015 19:29

Tgt Ion:172 Resp: 1235900
 Ion Ratio Lower Upper
 172 100
 171 35.2 30.8 46.2
 170 23.6 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 9.04 ng
RT: 9.56 min Scan# 654
Delta R.T. -0.06 min
Lab File: BF082906.D
Acq: 13 Nov 2015 19:29

Instrument :
BNA_F
ClientSampleId :
P001-TS003-01

Tgt Ion	Ratio	Lower	Upper
163	100		
194	3.2	2.6	4.0
164	10.1	8.7	13.1




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 808
Delta R.T. -0.06 min
Lab File: BF082906.D
Acq: 13 Nov 2015 19:29

Tgt Ion	Ratio	Lower	Upper
188	100		
94	11.7	6.1	9.1#
80	13.1	7.0	10.6#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0









#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.96 min Scan# 1039
Delta R.T. -0.06 min
Lab File: BF082906.D
Acq: 13 Nov 2015 19:29




Instrument :
BNA_F
ClientSampleId :
P001-TS003-01


Tgt Ion:240 Resp: 589600
Ion Ratio Lower Upper
240 100
120 8.0 10.9 16.3#
236 26.4 21.6 32.4



#78
Terphenyl-d14
Concen: 30.16 ng
RT: 12.91 min Scan# 947
Delta R.T. -0.06 min
Lab File: BF082906.D
Acq: 13 Nov 2015 19:29

Tgt Ion:244 Resp: 749836
Ion Ratio Lower Upper
244 100
212 7.9 7.6 11.4
122 12.0 11.3 16.9





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.38 min Scan# 1163
Delta R.T. -0.08 min
Lab File: BF082906.D
Acq: 13 Nov 2015 19:29

Instrument :
BNA_F
ClientSampleId :
P001-TS003-01

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.8	29.6
265	22.3	17.4	26.0

