

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111315\
 Data File : BF082924.D
 Acq On : 14 Nov 2015 5:14
 Operator : UM/IZ
 Sample : G4383-01
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 URS-MW-09

Quant Time: Nov 16 00:19:58 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Nov 07 02:32:49 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	187765	20.00	ng	-0.05
21) Naphthalene-d8	8.09	136	653385	20.00	ng	-0.06
38) Acenaphthene-d10	9.85	164	334728	20.00	ng	-0.05
63) Phenanthrene-d10	11.33	188	589636	20.00	ng	-0.05
75) Chrysene-d12	13.96	240	383184	20.00	ng	-0.06
86) Perylene-d12	15.38	264	392715	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	672019	55.69	ng	-0.02
7) Phenol-d6	6.46	99	653010	40.70	ng	-0.01
23) Nitrobenzene-d5	7.37	82	1213295	80.80	ng	-0.04
41) 2,4,6-Tribromophenol	10.65	330	457559	119.22	ng	-0.03
44) 2-Fluorobiphenyl	9.17	172	1785906	76.47	ng	-0.05
78) Terphenyl-d14	12.92	244	1509113	93.41	ng	-0.04


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111315\
Data File : BF082924.D
Acq On : 14 Nov 2015 5:14
Operator : UM/IZ
Sample : G4383-01
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
URS-MW-09

Quant Time: Nov 16 00:19:58 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Nov 07 02:32:49 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.81 min Scan# 413

Delta R.T. -0.05 min

Lab File: BF082924.D

Acq: 14 Nov 2015 5:14

Instrument :

BNA_F

ClientSampleId :

URS-MW-09


Tgt Ion:152 Resp: 187765

Ion Ratio Lower Upper

152 100

150 152.1 127.0 190.4




115 55.7 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 55.69 ng

RT: 5.42 min Scan# 292

Delta R.T. -0.02 min

Lab File: BF082924.D

Acq: 14 Nov 2015 5:14


Tgt Ion:112 Resp: 672019

Ion Ratio Lower Upper

112 100

64 66.5 48.9 73.3



63 34.5 28.1 42.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 40.70 ng

RT: 6.46 min Scan# 383

Delta R.T. -0.01 min

Lab File: BF082924.D

Acq: 14 Nov 2015 5:14

Instrument :

BNA_F

ClientSampleId :

URS-MW-09





Tgt Ion: 99 Resp: 653010

Ion Ratio Lower Upper

99 100

42 16.7 19.2 28.8#

71 32.4 35.0 52.4#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 525

Delta R.T. -0.06 min

Lab File: BF082924.D

Acq: 14 Nov 2015 5:14

Tgt Ion: 136 Resp: 653385




Ion Ratio Lower Upper


136 100

137 11.4 9.1 13.7

54 11.6 9.1 13.7

68 8.1 4.8 7.2#





#23

Nitrobenzene-d5

Concen: 80.80 ng

RT: 7.37 min Scan# 462

Delta R.T. -0.04 min

Lab File: BF082924.D

Acq: 14 Nov 2015 5:14

Instrument :

BNA_F

ClientSampleId :

URS-MW-09


Tgt Ion: 82 Resp: 1213295

Ion Ratio Lower Upper

82 100

128 36.8 26.8 40.2




54 52.8 45.7 68.5



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): B

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.85 min Scan# 679

Delta R.T. -0.05 min

Lab File: BF082924.D

Acq: 14 Nov 2015 5:14


Tgt Ion: 164 Resp: 334728

Ion Ratio Lower Upper

164 100

162 102.6 84.9 127.3



160 44.4 37.5 56.3




Abundance Ion 164.00 (163.70 to 164.70): B

Ion 162.00 (161.70 to 162.70): B

Ion 160.00 (159.70 to 160.70): B









#41
 2,4,6-Tribromophenol
 Concen: 119.22 ng
 RT: 10.65 min Scan# 749
 Delta R.T. -0.03 min
 Lab File: BF082924.D
 Acq: 14 Nov 2015 5:14




Instrument :
 BNA_F
 ClientSampleId :
 URS-MW-09


Tgt Ion:330 Resp: 457559
 Ion Ratio Lower Upper
 330 100
 332 95.4 76.6 114.8
 141 31.7 41.2 61.8#



#44
 2-Fluorobiphenyl
 Concen: 76.47 ng
 RT: 9.17 min Scan# 620
 Delta R.T. -0.05 min
 Lab File: BF082924.D
 Acq: 14 Nov 2015 5:14

Tgt Ion:172 Resp: 1785906
 Ion Ratio Lower Upper
 172 100
 171 37.2 30.8 46.2
 170 25.5 21.2 31.8









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.33 min Scan# 809
Delta R.T. -0.05 min
Lab File: BF082924.D
Acq: 14 Nov 2015 5:14




Instrument :
BNA_F
ClientSampleId :
URS-MW-09


Tgt Ion:188 Resp: 589636
Ion Ratio Lower Upper
188 100
94 7.4 6.1 9.1
80 7.8 7.0 10.6



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.96 min Scan# 1039
Delta R.T. -0.06 min
Lab File: BF082924.D
Acq: 14 Nov 2015 5:14

Tgt Ion:240 Resp: 383184
Ion Ratio Lower Upper
240 100
120 12.2 10.9 16.3
236 25.7 21.6 32.4









#78
 Terphenyl-d14
 Concen: 93.41 ng
 RT: 12.92 min Scan# 948
 Delta R.T. -0.04 min
 Lab File: BF082924.D
 Acq: 14 Nov 2015 5:14

Instrument :
 BNA_F
 ClientSampleId :
 URS-MW-09

Tgt Ion:244 Resp: 1509113
 Ion Ratio Lower Upper
 244 100
 212 8.1 7.6 11.4
 122 11.2 11.3 16.9#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.38 min Scan# 1163
 Delta R.T. -0.08 min
 Lab File: BF082924.D
 Acq: 14 Nov 2015 5:14

Tgt Ion:264 Resp: 392715
 Ion Ratio Lower Upper
 264 100
 260 23.0 19.8 29.6
 265 22.2 17.4 26.0

