

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111315\
 Data File : BF082929.D
 Acq On : 14 Nov 2015 7:40
 Operator : UM/IZ
 Sample : G4348-01
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TW-5

Quant Time: Nov 16 00:31:54 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Nov 07 02:32:49 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	185488	20.00	ng	-0.05
21) Naphthalene-d8	8.09	136	684970	20.00	ng	-0.06
38) Acenaphthene-d10	9.85	164	364913	20.00	ng	-0.05
63) Phenanthrene-d10	11.32	188	576210	20.00	ng	-0.06
75) Chrysene-d12	13.96	240	401582	20.00	ng	-0.06
86) Perylene-d12	15.39	264	409182	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	512800	43.02	ng	-0.02
7) Phenol-d6	6.45	99	404542	25.53	ng	-0.02
23) Nitrobenzene-d5	7.37	82	1212806	77.04	ng	-0.04
41) 2,4,6-Tribromophenol	10.64	330	265287	63.40	ng	-0.04
44) 2-Fluorobiphenyl	9.17	172	1850731	72.69	ng	-0.05
78) Terphenyl-d14	12.92	244	1621250	95.75	ng	-0.04


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111315\
Data File : BF082929.D
Acq On : 14 Nov 2015 7:40
Operator : UM/IZ
Sample : G4348-01
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-5

Quant Time: Nov 16 00:31:54 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Nov 07 02:32:49 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.81 min Scan# 413

Delta R.T. -0.05 min

Lab File: BF082929.D

Acq: 14 Nov 2015 7:40

Instrument :

BNA_F

ClientSampleId :

TW-5


Tgt Ion:152 Resp: 185488

Ion Ratio Lower Upper

152 100

150 148.0 127.0 190.4




115 50.2 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 43.02 ng

RT: 5.42 min Scan# 292

Delta R.T. -0.02 min

Lab File: BF082929.D

Acq: 14 Nov 2015 7:40


Tgt Ion:112 Resp: 512800

Ion Ratio Lower Upper

112 100

64 54.5 48.9 73.3



63 27.8 28.1 42.1#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 25.53 ng

RT: 6.45 min Scan# 382

Delta R.T. -0.02 min

Lab File: BF082929.D

Acq: 14 Nov 2015 7:40

Instrument :

BNA_F

ClientSampleId :

TW-5


Tgt Ion: 99 Resp: 404542

Ion Ratio Lower Upper




99 100

42 20.1 19.2 28.8

71 35.6 35.0 52.4



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 525

Delta R.T. -0.06 min

Lab File: BF082929.D

Acq: 14 Nov 2015 7:40

Tgt Ion: 136 Resp: 684970


Ion Ratio Lower Upper

136 100



137 11.2 9.1 13.7


54 10.6 9.1 13.7

68 7.4 4.8 7.2#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 77.04 ng
 RT: 7.37 min Scan# 462
 Delta R.T. -0.04 min
 Lab File: BF082929.D
 Acq: 14 Nov 2015 7:40

Instrument :
 BNA_F
 ClientSampleID :
 TW-5

Tgt Ion: 82 Resp: 1212806
 Ion Ratio Lower Upper
 82 100
 128 37.3 26.8 40.2
 54 53.0 45.7 68.5




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.85 min Scan# 679
 Delta R.T. -0.05 min
 Lab File: BF082929.D
 Acq: 14 Nov 2015 7:40

Tgt Ion: 164 Resp: 364913
 Ion Ratio Lower Upper
 164 100
 162 100.1 84.9 127.3
 160 44.3 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 63.40 ng
 RT: 10.64 min Scan# 748
 Delta R.T. -0.04 min
 Lab File: BF082929.D
 Acq: 14 Nov 2015 7:40




Instrument :
 BNA_F
 ClientSampleId :
 TW-5


Tgt Ion:330 Resp: 265287
 Ion Ratio Lower Upper
 330 100
 332 94.7 76.6 114.8
 141 44.1 41.2 61.8



#44
 2-Fluorobiphenyl
 Concen: 72.69 ng
 RT: 9.17 min Scan# 620
 Delta R.T. -0.05 min
 Lab File: BF082929.D
 Acq: 14 Nov 2015 7:40

Tgt Ion:172 Resp: 1850731
 Ion Ratio Lower Upper
 172 100
 171 37.4 30.8 46.2
 170 25.7 21.2 31.8









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 808
Delta R.T. -0.06 min
Lab File: BF082929.D
Acq: 14 Nov 2015 7:40




Instrument :
BNA_F
ClientSampled :
TW-5


Tgt Ion:188 Resp: 576210
Ion Ratio Lower Upper
188 100
94 13.3 6.1 9.1#
80 15.6 7.0 10.6#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.96 min Scan# 1039
Delta R.T. -0.06 min
Lab File: BF082929.D
Acq: 14 Nov 2015 7:40

Tgt Ion:240 Resp: 401582
Ion Ratio Lower Upper
240 100
120 10.2 10.9 16.3#
236 25.6 21.6 32.4





#78

Terphenyl-d14

Concen: 95.75 ng

RT: 12.92 min Scan# 948

Delta R.T. -0.04 min

Lab File: BF082929.D

Acq: 14 Nov 2015 7:40

Instrument :

BNA_F

ClientSampleId :

TW-5


Tgt Ion:244 Resp: 1621250

Ion Ratio Lower Upper

244 100

212 7.6 7.6 11.4#




122 8.2 11.3 16.9#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.39 min Scan# 1164

Delta R.T. -0.07 min

Lab File: BF082929.D

Acq: 14 Nov 2015 7:40


Tgt Ion:264 Resp: 409182

Ion Ratio Lower Upper

264 100

260 23.0 19.8 29.6

265 21.0 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

