

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF111417\
 Data File : BF100571.D
 Acq On : 15 Nov 2017 6:07
 Operator : SJ/JU
 Sample : I6403-14
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 110817-SIDI-F-U-S

Quant Time: Nov 15 07:16:40 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 14 14:17:16 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	108344	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	386216	20.00	ng	0.00
38) Acenaphthene-d10	9.92	164	141905	20.00	ng	0.00
63) Phenanthrene-d10	11.40	188	234401	20.00	ng	0.00
75) Chrysene-d12	14.04	240	240494	20.00	ng	-0.01
86) Perylene-d12	15.52	264	157226	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	316467	46.82	ng	0.00
7) Phenol-d6	6.50	99	244469	29.33	ng	-0.01
23) Nitrobenzene-d5	7.45	82	602431	103.13	ng	0.00
41) 2,4,6-Tribromophenol	10.70	330	122404	84.65	ng	0.00
44) 2-Fluorobiphenyl	9.24	172	1011664	108.56	ng	0.00
78) Terphenyl-d14	12.99	244	816687	78.03	ng	0.00
Target Compounds						Qvalue
59) Diethylphthalate	10.33	149	47580	4.388	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA F\DATA\BF111417\
Data File : BF100571.D
Acq On : 15 Nov 2017 6:07
Operator : SJ/JU
Sample : I6403-14
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
110817-SIDI-F-U-S

Quant Time: Nov 15 07:16:40 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 14 14:17:16 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.88 min Scan# 815
Delta R.T. -0.01 min
Lab File: BF100571.D
Acq: 15 Nov 2017 6:07

Instrument :
BNA_F
ClientSampleId :
110817-SIDI-F-U-S

Tot Ion:152 Resp: 108344
Ion Ratio Lower Upper
152 100
150 157.6 124.6 186.8
115 61.2 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 46.822 ng
RT: 5.50 min Scan# 580
Delta R.T. -0.00 min
Lab File: BF100571.D
Acq: 15 Nov 2017 6:07

Tgt Ion:112 Resp: 316467
Ion Ratio Lower Upper
112 100
64 57.3 47.9 71.9
63 28.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 29.332 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.01 min

Lab File: BF100571.D

Acq: 15 Nov 2017 6:07

Instrument :

BNA_F

ClientSampleId :

110817-SIDI-F-U-S




Tot Ion: 99 Resp: 244469

Ion Ratio Lower Upper

99 100

42 19.6 14.5 21.7

71 30.8 25.4 38.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1033

Delta R.T. -0.01 min

Lab File: BF100571.D

Acq: 15 Nov 2017 6:07

Tgt Ion: 136 Resp: 386216




Ion Ratio Lower Upper

136 100

137 10.6 8.9 13.3

54 8.8 6.6 9.8

68 6.2 5.0 7.4









#23
 Nitrobenzene-d5
 Concen: 103.126 ng
 RT: 7.45 min Scan# 911
 Delta R.T. -0.01 min
 Lab File: BF100571.D
 Acq: 15 Nov 2017 6:07




Instrument :
 BNA_F
 ClientSampleId :
 110817-SIDI-F-U-S

Tot Ion: 82 Resp: 602431
 Ion Ratio Lower Upper
 82 100
 128 45.4 36.1 54.1
 54 54.5 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.92 min Scan# 1331
 Delta R.T. -0.01 min
 Lab File: BF100571.D
 Acq: 15 Nov 2017 6:07

Tgt Ion: 164 Resp: 141905
 Ion Ratio Lower Upper
 164 100
 162 101.4 86.1 129.1
 160 45.3 38.3 57.5






#41
 2,4,6-Tribromophenol
 Concen: 84.649 ng
 RT: 10.70 min Scan# 1465
 Delta R.T. -0.01 min
 Lab File: BF100571.D
 Acq: 15 Nov 2017 6:07

Instrument :
 BNA_F
 ClientSampleId :
 110817-SIDI-F-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.5	77.0	115.6
141	29.5	29.9	44.9#






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 108.557 ng
 RT: 9.24 min Scan# 1216
 Delta R.T. -0.01 min
 Lab File: BF100571.D
 Acq: 15 Nov 2017 6:07

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	29.7	44.5
170	24.3	19.6	29.4






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#59
Diethylphthalate
Concen: 4.388 ng
RT: 10.33 min Scan# 1401
Delta R.T. -0.01 min
Lab File: BF100571.D
Acq: 15 Nov 2017 6:07




Instrument :
BNA_F
ClientSampleId :
110817-SIDI-F-U-S


Tot Ion:149 Resp: 47580
Ion Ratio Lower Upper
149 100
177 21.6 16.1 24.1
150 12.5 10.1 15.1



#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.40 min Scan# 1584
Delta R.T. -0.01 min
Lab File: BF100571.D
Acq: 15 Nov 2017 6:07

Tgt Ion:188 Resp: 234401
Ion Ratio Lower Upper
188 100
94 9.2 8.5 12.7
80 9.9 9.2 13.8





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.04 min Scan# 2032

Delta R.T. -0.01 min

Lab File: BF100571.D

Acq: 15 Nov 2017 6:07

Instrument :

BNA_F

ClientSampleId :

110817-SIDI-F-U-S


Tot Ion:240 Resp: 240494

Ion Ratio Lower Upper

240 100

120 12.2 9.5 14.3




236 25.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 78.027 ng

RT: 12.99 min Scan# 1853

Delta R.T. -0.01 min

Lab File: BF100571.D

Acq: 15 Nov 2017 6:07


Tgt Ion:244 Resp: 816687

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0



122 12.2 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.52 min Scan# 2283
Delta R.T. -0.01 min
Lab File: BF100571.D
Acq: 15 Nov 2017 6:07

Instrument :
BNA_F
ClientSampleId :
110817-SIDI-F-U-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.2	28.8
265	20.5	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

