

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111517\
 Data File : BF100614.D
 Acq On : 16 Nov 2017 3:53
 Operator : SJ/JU
 Sample : I6426-12
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 110917-JETT-F-U-S

Quant Time: Nov 16 06:56:45 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 15 13:27:38 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	109982	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	427020	20.00	ng	0.00
38) Acenaphthene-d10	9.92	164	194421	20.00	ng	0.00
63) Phenanthrene-d10	11.40	188	352455	20.00	ng	0.00
75) Chrysene-d12	14.04	240	224602	20.00	ng	-0.01
86) Perylene-d12	15.51	264	216022	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	290827	42.39	ng	0.00
7) Phenol-d6	6.50	99	222077	26.25	ng	-0.02
23) Nitrobenzene-d5	7.45	82	641508	99.32	ng	0.00
41) 2,4,6-Tribromophenol	10.70	330	180510	91.11	ng	-0.01
44) 2-Fluorobiphenyl	9.24	172	1185832	92.87	ng	0.00
78) Terphenyl-d14	12.99	244	929468	95.09	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF111517\
Data File : BF100614.D
Acq On : 16 Nov 2017 3:53
Operator : SJ/JU
Sample : I6426-12
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
110917-JETT-F-U-S

Quant Time: Nov 16 06:56:45 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF110817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 15 13:27:38 2017
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.88 min Scan# 815
 Delta R.T. -0.01 min
 Lab File: BF100614.D
 Acq: 16 Nov 2017 3:53




Instrument :
 BNA_F
 ClientSampleId :
 110917-JETT-F-U-S


Tgt Ion:152 Resp: 109982
 Ion Ratio Lower Upper
 152 100
 150 155.3 124.6 186.8
 115 61.1 50.1 75.1



#5
 2-Fluorophenol
 Concen: 42.388 ng
 RT: 5.49 min Scan# 579
 Delta R.T. -0.01 min
 Lab File: BF100614.D
 Acq: 16 Nov 2017 3:53

Tgt Ion:112 Resp: 290827
 Ion Ratio Lower Upper
 112 100
 64 62.5 47.9 71.9
 63 30.8 23.7 35.5





#7

Phenol-d6

Concen: 26.248 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.02 min

Lab File: BF100614.D

Acq: 16 Nov 2017 3:53

Instrument :

BNA_F

ClientSampleId :

110917-JETT-F-U-S


Tgt Ion: 99 Resp: 222077

Ion Ratio Lower Upper

99 100

42 18.0 14.5 21.7




71 29.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1033

Delta R.T. -0.01 min

Lab File: BF100614.D

Acq: 16 Nov 2017 3:53

Tgt Ion: 136 Resp: 427020


Ion Ratio Lower Upper

136 100

137 11.0 8.9 13.3

54 8.0 6.6 9.8

68 5.8 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 99.321 ng
 RT: 7.45 min Scan# 911
 Delta R.T. -0.01 min
 Lab File: BF100614.D
 Acq: 16 Nov 2017 3:53




Instrument :
 BNA_F
 ClientSampleId :
 110917-JETT-F-U-S


Tgt Ion	Ratio	Lower	Upper
82	100		
128	46.4	36.1	54.1
54	53.5	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.92 min Scan# 1331
 Delta R.T. -0.01 min
 Lab File: BF100614.D
 Acq: 16 Nov 2017 3:53

Tgt Ion	Ratio	Lower	Upper
164	100		
162	104.3	86.1	129.1
160	45.7	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 91.114 ng
 RT: 10.70 min Scan# 1465
 Delta R.T. -0.01 min
 Lab File: BF100614.D
 Acq: 16 Nov 2017 3:53




Instrument :
 BNA_F
 ClientSampleId :
 110917-JETT-F-U-S


Tgt Ion:330 Resp: 180510
 Ion Ratio Lower Upper
 330 100
 332 97.9 77.0 115.6
 141 29.4 29.9 44.9#



#44
 2-Fluorobiphenyl
 Concen: 92.875 ng
 RT: 9.24 min Scan# 1216
 Delta R.T. -0.01 min
 Lab File: BF100614.D
 Acq: 16 Nov 2017 3:53

Tgt Ion:172 Resp: 1185832
 Ion Ratio Lower Upper
 172 100
 171 37.0 29.7 44.5
 170 24.2 19.6 29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.40 min Scan# 1584
Delta R.T. -0.01 min
Lab File: BF100614.D
Acq: 16 Nov 2017 3:53




Instrument :
BNA_F
ClientSampleId :
110917-JETT-F-U-S


Tgt Ion:188 Resp: 352455
Ion Ratio Lower Upper
188 100
94 8.7 8.5 12.7
80 9.6 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.04 min Scan# 2032
Delta R.T. -0.01 min
Lab File: BF100614.D
Acq: 16 Nov 2017 3:53

Tgt Ion:240 Resp: 224602
Ion Ratio Lower Upper
240 100
120 11.1 9.5 14.3
236 26.5 20.7 31.1





#78

Terphenyl-d14

Concen: 95.086 ng

RT: 12.99 min Scan# 1853

Delta R.T. -0.01 min

Lab File: BF100614.D

Acq: 16 Nov 2017 3:53

Instrument :

BNA_F

ClientSampleId :

110917-JETT-F-U-S


Tgt Ion:244 Resp: 929468

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0




122 11.8 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.51 min Scan# 2282

Delta R.T. -0.01 min

Lab File: BF100614.D

Acq: 16 Nov 2017 3:53


Tgt Ion:264 Resp: 216022

Ion Ratio Lower Upper

264 100

260 23.4 19.2 28.8

265 21.5 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

